
# PIENAAR BROTHERS

PERSONAL PROTECTIVE EQUIPMENT

—— Since 1956 —



WE ARE ALL WORKERS®





















































# PIENAAR BROTHERS PERSONAL PROTECTIVE EQUIPMENT

The story of a country is told in the contributions of its workers - and the story of Pienaar Brothers is first and foremost about supporting these individuals. We see safety as our duty, and we're proud to play our part.

From our early stores in Cape Town, over 65 years ago, we have since grown to 13 branches nationwide. For us, it's about spotting opportunity and making a plan to turn it into success. Building a company on hard work and human connection. Getting to know each customer and their needs so we can confidently provide the right solution.

But no matter how we evolve, we know our story is never finished. Like our country's it's a work in progress and...















### **Our Products**

One of our key strengths lies in our ability to source the best safety solutions from across South Africa and around the world. Additionally, our long heritage and outstanding credit record mean that we have formed strong relationships with our suppliers, and these benefit our customers as much as they benefit us.

Our wide range of solutions includes, amongst others:



**EYE PROTECTION** 



**FOOT PROTECTION** 



HAND **PROTECTION** 



HEAD & FACE **PROTECTION** 



**HEARING PROTECTION** 



ARC FLASH **PROTECTION** 







WORK AT HEIGHTS









### Sectors We Specialise In

Wherever people are at work, so are we. Our journey to date has brought with it expertise across a variety of sectors, each of which have their own specific nuances.

Our experience includes the following sectors:

- Abattoirs
- Agriculture & Forestry
- Automotive
- Cleaning & Janitorial
- Chemicals
- Construction & Engineering
- Fisheries
- Food & Hospitality
- Foundries & Smelting
- Manufacturing
- Medical & Pharmaceutical
- Municipalities

- Mining
- Oil & Gas
- Retail
- Renewable Energy
- Transport & Logistics
- Utilities

### Why Choose Us?

At Pienaar Brothers we've built our business on three foundational principles: knowledge, quality and availability. It starts with providing the right advice to each customer, ensuring they can get the best product where and when they need it, and giving them the peace of mind that the solution is up to the task. This combination is what allows us to meet the specific needs of every customer, every time they choose us. And it's the reason many continue to partner with us year after year.

### Understanding your needs:

- Product training & on-site surveys via our trusted supplier network to ensure the correct product is being specified and used in the right application.

### What you need, when you need it:


- Approximately R70 million worth of stock on hand at any given time.
- 35 vehicles on the road every day, as well as contracts with leading courier companies.
- All locations offer counter sales service for walk-in customers and last-minute needs.

### Quality you can rely on, every time:

- Double quality checks on all stock; first when received and again when picked for an order.
- All products carry a guarantee or warranty, either from the supplier or from Pienaar Brothers.
- Aftersales support is offered to all clients in the event of issues such as manufacturing defaults.

### Locations

Pienaar Brothers has 13 branches nationwide including four strategically located at South Africa's major ports. With a footprint that covers large cities as well as outlying areas, we are able to service clients throughout the country, no matter the scale of their business.



### **Branch locations**

For more information or to place your order, contact your nearest Pienaar Brothers branch.

### Cape Town

22 Auckland Street
Paarden Eiland
T: +27 (21) 511-8131
E: info@pienaarbros.com

### **Cape Winelands**

Unit 2, Zandwyk Industrial Park Old Paarl

T: +27 (21) 864-1437

E: capewinelands@pienaarbros.com

### Durban

14 Heron Park, 80 Corobrik Rd Riverhorse Valley T: +27 (31) 709-2620 E: dbn@pienaarbros.com

### **East London**

T: +27 (82) 436 8987 E: el@pienaarbros.com

### George

97 Merriman Street T: +27 (44) 811-2295 E: grg@pienaarbros.com

### **Gqeberha** (Port Elizabeth)

85 Haupt Road Sidwell T: +27 (41) 453-7194 E: pe@pienaarbros.com

### Kathu

26 Asbes Street T: +27 (53) 723-2196 E: kathu@pienaarbros.com

### Mossel Bay

69 Voorbaai Crescent Die Voor Bay T: +27 (44) 695-0357

### **Pietermaritzburg**

305 Greyling Street T: +27 (33) 811-0750 E: pmb@pienaarbros.com

### **Upington**

1 Toekoms Street T: +27 (54) 832-3010 E: upington@pienaarbros.com

### Worcester

11A Field Street T: +27 (23) 342-1102 E: worcester@pienaarbros.com

### Saldanha Bay

Unit 3A, Trisano Centre T: +27 (22) 815-3090

# Catalogue Index

# INDEX

3M 101 UVEX 103 HONEYWELL 105 PLUXONE 105 PIONEER 105  Respiratory 106 3M 113 DRÄGER 117 UVEX 119 HAZMAT 118	Eye Protection	01
Foot Protection         21           BOVA         23           FRAMS         29           LEMAITRE         30           SISI         35           PROFIT         38           REBEL         49           WAYNE         57           NEPTUN         60           Hand Protection         66           UVEX         68           ANSELL         72           PIENAAR BROTHERS         75           REBEL         85           Head & Face Protection         93           UVEX         94           SAFECO         97           MAXI         98           NIKKI         98           NIKKI         99           Hearing Protection         100           3M         101           UVEX         105           PIONEER         105           Respiratory         106           Respiratory         107           Respiratory         108           DRÄGER         117           UVEX         119           HAZMAT         118	UVEX	02
BOVA 23 FRAMS 29 LEMAITRE 30 SISI 35 SPROFIT 38 REBEL 49 WAYNE 57 NEPTUN 60 Hand Protection 66 UVEX 68 ANSELL 72 PIENAAR BROTHERS 75 REBEL 85 Head & Face Protection 93 UVEX 94 SAFECO 94 SAFECO 97 MAXI 98 NIKKI 99 Hearing Protection 100 SM 101 UVEX 103 HONEYWELL 105 PIONEER 105 Respiratory 106 Respiratory 106 Respiratory 107 Respiratory 106 Respiratory 107 Respiratory 117 Respirat	RAVEN	14
FRAMS	Foot Protection	21
LEMAITRE       30         SISI       35         PROFIT       38         REBEL       49         WAYNE       57         NEPTUN       60         Hand Protection       66         UVEX       68         ANSELL       72         PIENAAR BROTHERS       75         REBEL       85         Head & Face Protection       93         UVEX       94         SAFECO       97         MAXI       98         NIKKI       99         Hearing Protection       100         3M       101         UVEX       103         HONEYWELL       105         PLUXONE       105         PIONEER       105         Respiratory       106         Respiratory       107         3M       113         DRÄGER       117         UVEX       119         HAZMAT       118	BOVA	23
SISI       35         PROFIT       38         REBEL       49         WAYNE       57         NEPTUN       60         Hand Protection       66         UVEX       68         ANSELL       72         PIENAAR BROTHERS       75         REBEL       85         Head & Face Protection       93         UVEX       94         SAFECO       97         MAXI       98         NIKKI       99         Hearing Protection       100         3M       101         UVEX       103         HONEYWELL       105         PIUXONE       105         PIONEER       105         Respiratory       3M         3M       106         3M       107         ABAGER       117         UVEX       119         HAZMAT       118	FRAMS	29
PROFIT       38         REBEL       49         WAYNE       57         NEPTUN       60         Hand Protection       66         UVEX       68         ANSELL       72         PIENAAR BROTHERS       75         REBEL       85         Head & Face Protection       93         UVEX       94         SAFECO       97         MAXI       98         NIKKI       99         Hearing Protection       100         3M       101         UVEX       103         HONEYWELL       105         PIUXONE       105         PIONEER       105         Respiratory       106         3M       113         DRÄGER       117         UVEX       119         HAZMAT       118	LEMAITRE	30
REBEL       49         WAYNE       57         NEPTUN       60         Hand Protection       66         UVEX       68         ANSELL       72         PIENAAR BROTHERS       75         REBEL       85         Head & Face Protection       93         UVEX       94         SAFECO       97         MAXI       98         NIKKI       99         Hearing Protection       100         3M       101         UVEX       103         HONEYWELL       105         PLUXONE       105         PIONEER       105         Respiratory       106         3M       113         DRÄGER       117         UVEX       119         HAZMAT       118	SISI	35
WAYNE       57         NEPTUN       60         Hand Protection       66         UVEX       68         ANSELL       72         PIENAAR BROTHERS       75         REBEL       85         Head & Face Protection       93         UVEX       94         SAFECO       97         MAXI       98         NIKKI       99         Hearing Protection       100         3M       101         UVEX       103         HONEYWELL       105         PLUXONE       105         PIONEER       105         Respiratory       106         3M       113         DRÄGER       117         UVEX       119         HAZMAT       118	PROFIT	38
NEPTUN       60         Hand Protection       66         UVEX       68         ANSELL       72         PIENAAR BROTHERS       75         REBEL       85         Head & Face Protection       93         UVEX       94         SAFECO       97         MAXI       98         NIKKI       99         Hearing Protection       100         3M       101         UVEX       103         HONEYWELL       105         PLUXONE       105         PIONEER       105         Respiratory       106         3M       113         DRÄGER       117         UVEX       119         HAZMAT       118	REBEL	49
Hand Protection 66  UVEX 68  ANSELL 72  PIENAAR BROTHERS 75  REBEL 85  Head & Face Protection 93  UVEX 94  SAFECO 97  MAXI 98  NIKKI 99  Hearing Protection 99  Honeywell 101  UVEX 103  HONEYWELL 105  PLUXONE 105  PIONEER 105  Respiratory 106  Respiratory 107  SM 113  DRÄGER 117  UVEX 119  HAZMAT 118	WAYNE	57
UVEX       68         ANSELL       72         PIENAAR BROTHERS       75         REBEL       85         Head & Face Protection       93         UVEX       94         SAFECO       97         MAXI       98         NIKKI       99         Hearing Protection       100         3M       101         UVEX       103         HONEYWELL       105         PLUXONE       105         PIONEER       105         Respiratory       106         3M       113         DRÄGER       117         UVEX       119         HAZMAT       118	NEPTUN	60
ANSELL 72 PIENAAR BROTHERS 75 REBEL 85  Head & Face Protection 93 UVEX 94 SAFECO 97 MAXI 98 NIKKI 99  Hearing Protection 100 3M 101 UVEX 103 HONEYWELL 105 PLUXONE 105 PIONEER 105 Respiratory 106  Respiratory 107 SM 111 DRÄGER 1117 UVEX 1119 HAZMAT 1118	Hand Protection	66
PIENAAR BROTHERS       75         REBEL       85         Head & Face Protection       93         UVEX       94         SAFECO       97         MAXI       98         NIKKI       99         Hearing Protection       100         3M       101         UVEX       103         HONEYWELL       105         PLUXONE       105         PIONEER       105         Respiratory       106         3M       113         DRÂGER       117         UVEX       119         HAZMAT       118	UVEX	68
REBEL       85         Head & Face Protection       93         UVEX       94         SAFECO       97         MAXI       98         NIKKI       99         Hearing Protection       100         3M       101         UVEX       103         HONEYWELL       105         PLUXONE       105         PIONEER       105         Respiratory       106         3M       113         DRÄGER       117         UVEX       119         HAZMAT       118	ANSELL	72
Head & Face Protection       93         UVEX       94         SAFECO       97         MAXI       98         NIKKI       99         Hearing Protection       100         3M       101         UVEX       103         HONEYWELL       105         PLUXONE       105         PIONEER       105         Respiratory       106         3M       113         DRÄGER       117         UVEX       119         HAZMAT       118	PIENAAR BROTHERS	75
UVEX       94         SAFECO       97         MAXI       98         NIKKI       99         Hearing Protection       100         3M       101         UVEX       103         HONEYWELL       105         PLUXONE       105         PIONEER       105         Respiratory       106         3M       113         DRÄGER       117         UVEX       119         HAZMAT       118	REBEL	85
SAFECO       97         MAXI       98         NIKKI       99         Hearing Protection       100         3M       101         UVEX       103         HONEYWELL       105         PLUXONE       105         PIONEER       105         Respiratory       106         3M       113         DRÄGER       117         UVEX       119         HAZMAT       118	Head & Face Protection	···· 93
MAXI       98         NIKKI       99         Hearing Protection       100         3M       101         UVEX       103         HONEYWELL       105         PLUXONE       105         PIONEER       105         Respiratory       106         3M       113         DRÄGER       117         UVEX       119         HAZMAT       118	UVEX	94
NIKKI       99         Hearing Protection       100         3M       101         UVEX       103         HONEYWELL       105         PLUXONE       105         PIONEER       105         Respiratory       106         3M       113         DRÄGER       117         UVEX       119         HAZMAT       118	SAFECO	97
Hearing Protection       100         3M       101         UVEX       103         HONEYWELL       105         PLUXONE       105         PIONEER       105         Respiratory       106         3M       113         DRÄGER       117         UVEX       119         HAZMAT       118	MAXI	98
3M       101         UVEX       103         HONEYWELL       105         PLUXONE       105         PIONEER       106         3M       113         DRÄGER       117         UVEX       119         HAZMAT       118	NIKKI	99
UVEX       103         HONEYWELL       105         PLUXONE       105         PIONEER       106         3M       113         DRÄGER       117         UVEX       119         HAZMAT       118	Hearing Protection	100
HONEYWELL 105 PLUXONE 105 PIONEER 105  Respiratory 106 3M 113 DRÄGER 117 UVEX 119 HAZMAT 118	3M	101
PLUXONE       105         PIONEER       105         Respiratory       106         3M       113         DRÄGER       117         UVEX       119         HAZMAT       118	UVEX	103
PIONEER	HONEYWELL	105
Respiratory       106         3M       113         DRÄGER       117         UVEX       119         HAZMAT       118	PLUXONE	105
3M	PIONEER	105
DRÄGER       117         UVEX       119         HAZMAT       118	Respiratory	106
UVEX	3M	113
HAZMAT	DRÄGER	117
	UVEX	119
DIONIEED SAFETY	HAZMAT	118
FIONLER SAFEI I	PIONEER SAFETY	119
REBEL	REBEL	121
K MASK	K MASK	121
KARAM	KARAM	122
MEDI 1	MEDI 1	122

## **INDEX**

Work @ Heights	123
BOVA	
KARAM	131
Workwear	135
PIENAAR BROTHERS	
TYVEK	163
TYCHEM	164
REBEL	165
TITAN	
ENDURANCE	179
JAVLIN	182
Casual Wear	187
T-SHIRTS	188
GOLFERS	189
HATS & CAPS	190
Medical Kits	192
GOVT. REGULATION 3	
TDAYELIZITG	



www.pienaarbros.com











**WE ARE ALL WORKERS**®



# Marking and Standards

Marking on lenses in accordance with EN 166

# 2C - 1,2 W1 FT KN CE MMM/JJJJ Production date Conformity mark Additional marking Mechanical strength All uvex eyewear conforms to optical class 1 Manufacturer's identification mark Tinting level Filter

### Filter

2	UV protection filter (EN 170)		
2C/3	UV protection filter with colour recognition (EN 170)		
4	IR protection filter (EN 171)		
5	Sunglare filter for industrial use (EN 172)		
6	Sunglare filter with infrared requirement		

### **Tinting levels**

AR	<b>1.2</b> (Light transmittance 74.4–100%)
clear	1.2 (Light transmittance 74.4–100%)
amber	1.2 (Light transmittance 74.4–100%)
CBR65	1.4 (Light transmittance 58.1–80%)
silver mirror 53%	<b>1.7</b> (Light transmittance 43.2–58.1%)
CBR23	2.5 (Light transmittance 17.8-29.1%)
grey 23%	2.5 (Light transmittance 17.8-29.1%)
polavision	3.1 (Light transmittance 8–17.8%)
grey 14%	3.1 (Light transmittance 8–17.8%)
silver mirror 12%	3.1 (Light transmittance 8–17.8%)


### Mechanical strength

none	Minimum robustness (filters only)		
S	Increased robustness		
F	Low-energy impact (45m/s or 162 km/h)		
В	Medium-energy impact (120 m/s or 432 km/h)		
A	High-energy impact (190m/s or 684km/h)		
Т	Tested under extreme temperatures (-5°C/+55°C)		

### **Additional markings**

K	Surface resistance to damage by small particles in accordance with EN 168 (scratch-resistance)	
N	Resistance to fogging in accordance with EN 168	
8	Protection against short-circuit electric arc	
9	Protection against molten metal and hot solids	

# Marking on frame in accordance with EN 166



### **Additional markings**

none	Generaluse		
3	Protection against liquids (drops and splashes)		
4	Protection against large dust particles with a grain size of > 5 μm		
5	Protection against gases, vapours, smoke, fumes and fine dust particles with a grain size of < 5µm		
8	Protection against short-circuit electric arc		
9	Protection against molten metal and hot solids		

### Mechanical strength

none	Minimum robustness (filters only)		
S	Increased robustness		
F	Low-energy impact (45m/s or 162 km/h)		
В	Medium-energy impact (120 m/s or 432 km/h)		
A	High-energy impact (190 m/s or 684 km/h)		
Т	Tested under extreme temperatures (-5°C/+55°C)		





**SPECTACLES** 



9199266 | 9199416



### MADE IN GERMANY



- classic safety spectacles with optimum fit
- lightweight at just 23 grams
- uvex supravision coating technology
- innovative hinged side arm design with option of attaching the uvex comfort slider for an optimum fit
- metal-free

uvex x-fit					
Art.no.	9199266	9199416	9199286	9199085	9199280
Version	uvex supravision excellence	uvex supravision ETC	uvex supravision excellence	uvex supravision sapphire	uvex supravision excellence
			contrast-enhancing		sunglare filter
Standard	EN 166, EN 170	EN166, EN170	EN 166, EN 170	EN166, EN170	EN 166, EN 172
Frame	blue translucent	blue translucent	grey translucent	grey translucent	grey translucent
	W 166 FT CE	W166 FT CE	W166 FT CE	W166 FT CE	W166 FT CE
Lens	PC clear	PC clear	PC amber	PC clear	PC grey 23%
	UV 400	UV 400	UV 400	UV400	sunglare filter UV 400
	2C-1.2 W1 FTKN CE	2C-1.2 W1FTKN CE	2C-1.2 W1FTKN CE	2C-1.2 W1FTK CE	5-2.5 W1FTKN CE



**SPECTACLES** 













### uvex i-range

- versatile 3 in 1 safety eyewear range allows eyewear to be adapted according to workplace
- large, flat lens delivers unrestricted field of vision
- x-tended sideshield offers additional protection from hazards
- side arms with multi-incline points allow for a high level of individualisation to ensure a good fit for all facial shapes and head widths
- ergonomically shaped side arms provide a secure fit without pressure
- robust polycarbonate lens with uvex's proven supravision coating technology - permanent anti-fog and scratch-resistant lens
- UV400 100 % protection against dangerous UVA and UVB radiation up to 400 nm
- metal-free
- uvex i-guard: soft, flexible face seal adapts to the wearer providing both protection and comfort. It also protects against droplets or splashes of liquids and large dust particles (markings 3 and 4)
- uvex i-guard+: above features together with increased impact protection
- uvex i-guard+ kit: interchangeable side arms and headband means eyewear can be worn as either a spectacle or goggle depending on the workplace hazards

uvex i-range	uvex i-lite	uvex i-guard	uvex i-guard+
Art. no.	9143265	9143266	9143267
Version	uvex supravision excellence	uvex supravision excellence	uvex supravision excellence
Standard	EN 166, EN 170	EN 166, EN 170	EN 166, EN 170
Frame	anthracite, blue	anthracite, blue	anthracite, blue
	W166 F CE	W 166 34 F CE	W16634BCE
Lens	PC clear	PC clear	PC clear
	UV400	UV400	UV400
	2C-1,2 W1 FKN CE	2C-1,2 W1 FKN CE	2C-1,2 W1 BKN CE
Weight	32 g	48 a	50 g

uvex i-range	uvex i-lite	uvex i-guard	uvex i-guard+
Art.no.	9143281	9143282	9143283
Version	uvex supravision excellence	uvex supravision excellence	uvex supravision excellence
	sunglare filter	sunglare filter	sunglare filter
Standard	EN 166, EN 172	EN 166, EN 172	EN 166, EN 172
Frame	anthracite, lime	anthracite, lime	anthracite, lime
	W 166 F CE	W16634FCE	W16634BCE
Lens	PC grey 23%	PC grey 23%	PC grey 23%
	UV400	UV400	UV400
	5-2,5 W1 FKN CE	5-2,5 W1 FKN CE	5-2,5 W1 BKN CE
Weight	32 a	48 a	50 g

scan the QR code for further information

https://www.uvex.co.za/en/products/product-highlights/uvex-safety-eyewear-solutions/#irange





reddot winner 2022







### **SPECTACLES**



### uvex suXXeed

- sporty safety spectacle in an appealing, dynamic design
- ergonomically shaped side arms with soft-grip temple ends provides a comfortable, secure fit without pressure
- soft, flexible nose pad adapts to the wearer, delivering a non-slip and pressure-free fit
- • UV400 – 100 % protection against dangerous UVA and UVB radiation up to 400 nm
- robust polycarbonate lens with uvex's proven supravision coating technology – permanent anti-fog and scratch-resistant lens
- optional clip-in frame seal provides extra protection against particles, dirt and dust
- metal-free



9181281

uvex suXXeed		
Art.no.	9181265	9181281
Version	uvex supravision excellence	uvex supravision excellence
		sunglare filter
Standard	EN 166, EN 170	EN166, EN 172
Frame	anthracite, blue	anthracite, lime
	W166 FT CE	W166 FT CE
Lens	PC clear	PC grey 23%
	UV400	UV400
	2C-1,2W1FTKNCE	5-2,5 W1 FTKN CE
Weight	27 g	27g



scan the QR-Code for further information

https://www.uvex.co.za/en/ products/product-highlights/ uvex-safety-eyewear-solutions/#suxxeed



MADE IN GERMANY







9198285



9198237



9198064



9198223

### uvex pheos cx2

- "X"-branded safety spectacles with a modern, sporty design
- comfortable protection with the X-tended eye shield
- X-twist side arm technology delivers non-slip fit for optimum protection
- $\bullet \ \text{duo-spherical lens delivers excellent field of vision}\\$
- large field of vision
- innovative uvex duo component technology for maximum wearer comfort
- excellent ventilation around the eye area
- can easily be combined with other PPE

uvex pheos cx2					
Art.no.	9198256	9198285	9198237	9198064	9198223
Version	uvex supravision excellence				
		contrast-enhancing	sunglare filter	sunglare filter	sunglare filter
Standard	EN 166, EN 170	EN 166, EN 170	EN 166, EN 172	EN 166, EN 172	EN 166, EN 172
Frame	black, light blue	black, yellow	white, black	white, black	white, black
	W 166 FT CE				
Lens	PC clear	PC amber	PC grey 23%	PC CBR65	PC CBR23
	UV 400	UV 400	UV 400	UV 400	UV400
	2C-1.2 W 1 FTKN CE	2C-1.2 W1FTKNCE	5-2.5 W1FTKN CE	5-1.4 W 1 FTKN CE	5-2.5 W1FTKN CE

MADE IN GERMANY



### **SPECTACLES**



### uvex pheos

- $\bullet \ \mathsf{modern} \ \mathsf{safety} \ \mathsf{spectacles} \ \mathsf{with} \ \mathsf{a} \ \mathsf{fashionable} \ \mathsf{design} \ \mathsf{and} \ \mathsf{duo}\text{-}\mathsf{spherical} \ \mathsf{lens} \ \mathsf{technology}$
- $\bullet$  available in standard size or a narrow version
- set consisting of fitted extra frame with soft padding and adapted headband (uvex pheos guard)
- additional eyebrow protection with Eye plus Protection: a bevelled edge in upper area
- soft, non-slip ear pieces (uvex duo component technology) prevents pressure points, metal-free
- very large field of vision
- $\bullet$  can be easily combined with other PPE
- suitable for the uvex helmet IES (Integrated Eyewear System)



MADE IN GERMANY

product design award



_		
- 2	O1	7
	٠.	



uvex pheos							uvex pheos guard AF	
Art.no.	9192225	9192385	9192245	9192080	9192745	9192725	9092085	9092086
Design	uvex supravision excellence	uvex supravision excellence	uvex supravision excellence	uvex supravision plus	uvex supravision excellence	uvex supravision excellence	uvex AF/AF	uvex AF/AF
	standard size	standard size,	standard size,	standard size,	narrow version	narrow version	std size pre-assembled	incl. headband & frame
		contrast-enhancing	sunglare filter	Oil & gas	sunglare filter			I/O sunglare filter
Standard	EN 166, EN 170	EN 166, EN 170	EN 166, EN 172	EN 166, EN 170	EN 166, EN 170	EN 166, EN 170	EN 166, EN 170	EN 166, EN 172
Frame	black, green	black, yellow	black, orange	black, grey	white, orange	white, green	light grey	light grey
	W166 FT CE	W 166 FT CE	W 166 FT CE	W 166 FT CE	W 166 FT CE	W166 FT CE	W 166 F CE	W166FCE
Lens	PC clear	PC amber	PC grey 23%	PC clear	PC grey 23%	PC clear	PC clear	PC grey 53%
	UV 400	UV 400	UV 400	UV 400	UV 400	UV 400	UV 400	UV 400
	2C-1.2 W1FTKN CE	2C-1.2 W 1 FTKN CE	5-2.5 W1FTKNCE	2C-1.2 W1FTKNCE	5-2.5 W 1FTKN CE	2C-1.2W1FTKNCE	2C-1.2 W1FCE	5-1.7 W 1 F C E



**SPECTACLES** 



### uvex astrospec 2.0

- $\bullet \ innovative \ development \ of \ the \ world's \ most$ popular uvex astrospec spectacles
- panoramic lens with integrated side protectors for optimum protection of the whole eye area
- reliable protection provided by its perfect fit: multi-level side arm inclination allows the wearer to adjust the spectacles to suit their own face shape
- uvex ventilation system with labyrinth seal for enhanced eye comfort
- soft, non-slip sidearm pieces (uvex duo component technology) prevents pressure points
- fits easily into breast pocket due to flat-fold design



MADE IN GERMANY



uvex astrospec 2.0				
Art.no.	9164285	9164187	9164246	9164220
Design	uvex supravision excellence	uvex supravision plus	uvex supravision excellence	uvex supravision excellence
		Oil & gas	sunglare filter	contrast-enhancing
Standard	EN 166, EN 170	EN 166, EN 170	EN 166, EN 172	EN 166, EN 170
Frame	black, lime	black, grey	neon orange, black	black, yellow
	W166 FT CE	W166 FT CE	W 166 FT CE	W166 FT CE
Lens	PC clear, UV 400	PC clear, UV 400	PC grey 23%, UV 400	PC amber, UV 400
	2C-12W1FTKNCF	2C-12W1FTKNCF	5-25W1FTKNCF	2C-12W1FTKNCF





### uvex megasonic

- revolutionary goggles with exceptional field of vision
- unique frameless lens design
- soft, adaptive face seal for incredible comfort and fit
- 30mm wide headband for a superior, no pressure fit
- easily interchangeable headband and lens
- uvex's proven supravision coating technology



9320281

uvex megasonic			
Art.no.	9320265	9320415	9320281
Version	uvex supravision excellence	uvex supravision ETC	uvex supravision excellence
			sunglare filter
Standard	EN 166, EN 170	EN 166, EN 170	EN 166, EN 172
Frame	anthracite, blue	anthracite, blue	anthracite, lime
	W 16634 BT CE	W 166 34 BT CE	W16634BTCE
Lens	PC clear	PC clear	PC grey 23%
	UV400	UV400	UV400
	2C-1.2 W1 BTKN CE	2C-1,2 W1 BTKN CE	5-2.5 W1 BTKN CE
Weight	96 g	96g	96 g



scan the QR code for further information https://www.uvex.co. za/en/product-group/ uvex-megasonic/



**GOGGLES** 



9309275



9309286

### uvex pheos cx2 Sonic

- uvex's lightest compact wide-vision goggles (34 grams)
- high mechanical strength (B:120 m/s)
- designation 3 (liquids), 4 (coarse dust) and T (extreme temperatures)
- comfortable protection thanks to soft forehead and nose piece moulded directly onto the lens
- very soft, light textile headband for secure and comfortable fit
- can be easily combined with other PPE

uvex pheos cx2 sonic		
Art.no.	9309275	9309286
Version	uvex supravision extreme	uvex supravision extreme
		sunglare filter
Standard	EN 166, EN 170	EN 166, EN 172
Frame	white, black	white, black
	W 166 34 BT CE	W 166 34 BT CE
Lens	PC clear, UV 400	PC grey 23%, UV 400
	2C-1.2 W1 BTKN CE	5-2.5 W1 BTKN CE







9302245

### uvex ultrasonic

- goggles in sporty design, can also be worn over prescription spectacles
- high mechanical strength (B: 120 m/s)
- wide panoramic field of vision
- hard and soft components create soft, pressure free seal for comfortable all day wear
- areas of application: sterile working environments (laboratories, hospitals, cleanrooms, food production)

uvex ultrasonic	
Art.no.	9302245
Replacement lens	9302255
Version	uvex supravision excellence
Standard	EN 166, EN 170
Frame	grey, orange
	W16634BCE
Lens	PC clear, UV 400
	2-1.2 W1 BKN CE

MADE IN GERMANY





### **GOGGLES**







9301716



9301906

9301633



### uvex ultravision faceguard

- combination of safety goggle with face guard
- protection for eyes and face
- lifting mechanism allows flexible handling during use e.g. communication, drinking, etc.





9301318

### Please note:

CA lenses do not fit the PC models and vice-versa.

### uvex ultravision

- · classic goggles with unrestricted field of vision
- can be worn over prescription spectacles
- available with polycarbonate or cellulose acetate lenses
- lenses can be changed

- high mechanical strength of the polycarbonate (B: 120 m/s) or cellulose acetate lens (F: 45 m/s)
- innovative indirect ventilation system helps maintain a comfortable climate around the eyes

uvex ultravision				
Art.no.	9301714	9301105	9301605	9301716
Replacement lens	9300517	9301255		9300517
Version	anti-fog on the inside	uvex supravision excellence	uvex supravision plus	anti-fog on the inside
				with foam layer
Standard	EN 166, EN 170	EN 166, EN 170	EN 166, EN 170	EN 166, EN 170
Frame	transparent grey	transparent grey	transparent grey	transparent grey
	W 166 34 F CE	W16634BTCE	W 166 34 BT CE	W16634FCE
Lens	CA clear, UV 380	PC clear, UV 400	PC clear, UV 400	CA clear, UV 380
	2C-1.2 W1 FN CE	2C-1.2 W1 BTKN CE	2C-1.2 W1 BTKN CE	2C-1.2 W1 FN CE

uvex ultravision			Faceguard
Art.no.	9301906	9301633	9301318
Version	anti-fog on the inside	uvex supravision excellence	for all models 9301 with
	wide nose piece, particularly well suited in	closed ventilation (gas-proof)	PClens
	combination with dust masks	heat-resistant frame material	without spectacles
			uncoated
Standard	EN 166, EN 170	EN 166, EN 170	-
Frame	transparent grey	red	transparent
	W1663FCE	W 166 345 BT CE	CE
Lens	CA clear, UV 380	PC clear, UV 400	
	2C-1.2 W1FN CE	2C-1.2 W1BTKN CE	

MADE IN GERMANY





WELDING

### Levels of welding protection and recommendations for use according to EN 169

Level of protection	Use
1.7	Protection against UV radiation and bright scattered light - for welding assistants
3	Flame de-rusting, flame cutting, lightweight oxyacetylene cutting
5	Welding and hard soldering with 70 to 200 I/h of acetylene, flame cutting with 2000 I/h to 4000 I/h of oxygen



### MADE IN GERMANY

### uvex i-5

- sporty premium quality welding safety spectacle with a range of adaptive features
- X-tended eyeshield: soft seal frame technology wraps around the brow providing protection from particle ingress
- $\bullet \ X\text{-tended sideshield offers additional protection from hazards}$
- ergonomically shaped side arms with multi-incline points and length adjustment allow a high level of individualisation to ensure a good fit for all facial shapes and head widths
- soft-grip temple ends provide a comfortable, secure fit without pressure
- soft, flexible nose pad adapts to the wearer, delivering a non-slip and pressure-free fit
- robust polycarbonate lens with uvex's proven infradur coating technology – permanent anti-fog and scratch-resistant lens
- IR protection according to EN 169 with perfect colour recognition according to EN 172
- • UV400 – 100 % protection against dangerous UVA and UVB radiation up to 400 nm
- optional clip-in frame seal provides extra protection against particles, dirt and dust
- metal-free

uvex i-5			
Art. no.	9183041	9183043	9183045
Version	uvex infradur plus	uvex infradur plus	uvex infradur plus
	welding protection level 1.7	welding protection level 3	welding protection level 5
Standard	EN 166, EN 169	EN 166, EN 169	EN 166, EN 169
Frame	black, green	black, green	black, green
	W166 FT CE	W166FTCE	W166 FT CE
Lens	PC grey	PC grey	PC grey
	UV400+IR	UV400 + IR	UV400+IR
	1,7 W1 FTKN CE	3W1FTKNCE	5 W1 FTKN CE
Weight	29 a	29 a	29 a









MADE IN GERMANY



### uvex super f OTG

- · welding overspecs with arm-hinge concept for wearers of prescription glasses
- perfect colour recognition
- · unrestricted peripheral vision
- soft arm ends for increased comfort

uvex superfOTG		
Art.no.	9169543	9169545
Version	uvex infradur plus	uvex infradur plus
	welding protection level 3	welding protection level 5
Standard	EN 166, EN 169	EN 166, EN 169
Frame	black, green	black, green
	W166 FT CE	W 166 FT CE
Lens	PC grey	PC grey
	UV 400 + IR	UV 400 + IR
	3W1FTKNCF	5W1FTKN CF

### uvex ultrasonic flip-up

- functional welding safety goggle with panoramic and flip-up lens for an increased use of applications
- soft, flexible face seal naturally moulds to any facial
- generous internal volume to accommodate prescription spectacles and ensure a comfortable fit
- indirect ventilation system increases air circulation
- length-adjustable textile headband for a secure fit and individual adaptability
- robust polycarbonate lens with uvex's proven supravision and infradur coating technology permanent anti-fog and scratch-resistant lens
- IR protecting according to EN 169 with perfect colour recognition according to EN 172  $\,$
- UV400 100% protection against dangerous UV radiation up to 400 nm
- a sustainable benefit: lenses can be replaced when required
- · metal-free

uvex ultrasonic







Art.no.	9302043	9302045
Replacement lens flip-up	9302083	9302085
Version	uvex supravision excellence	uvex supravision excellence
	with flip-up and easily replaceable filter	with flip-up and easily replaceable filter
Standard	EN 166, EN 169, EN 170	EN 166, EN 169, EN 170
Frame	black, green	black, green
	W16634BCE	W 166 34 B CE
Lens	PC clear, UV 400	PC clear, UV 400
	2C-1.2 W1BKNCE	2C-1.2W1BKNCE
Additional lens	PC grey, UV 400 + IR	PC grey, UV 400 + IR
	uvexinfradur	uvex infradur
	3W1CE	5W1CE
	welding protection level 3	welding protection level 5







**WE ARE ALL WORKERS**®





### **MODERN**

An ultra-light, economical safety spectacle with universal design for both men and women.







SRMC
Clear (Indoors/Outdoors)



SRMG Grey (Outdoors)

### LENS

- 2.12mm, polycarbonate.
- 9.5-base curve for wide vision.
- Wraparound design with integrated side shields.
- · Class 1 optical correctness.
- 99.9% UV protection UV 400.

### **FRAME**

· Rimless design.

### **IMPACT PROTECTION**

• 45mps - F.

### **WEIGHT**

• 22gm.

### **CONTOUR**

An ultra-light spectacle with universal design providing full front and side protection for both men and women.

### EN166







SRCC
Clear (Indoors/Outdoors)



SRCG Grey (Outdoors)

### LENS

- 1.9mm, polycarbonate.
- 9.5-base curve for wide vision.
- Wraparound design with integrated side shields.
- · Class 1 optical correctness.
- 99.9% UV protection UV 400.

### FRAME

 Polycarbonate with flexible TPE tips contoured to fit the ear comfortably.

### **COATING**

- · Anti-scratch.
- · Anti-fog.

### IMPACT PROTECTION

• 45mps - F.

### WEIGHT

• 22gm.

### **ADDITIONAL**

• Spectacle bag & cord included.





### REVOLUTION

An sleek looking spectacle, suited to both men and women, with adjustable arms for a personalised fit.



Z87.1-200 3



SRRU
Silver Mirror (Indoors/Outdoors)



SRRG Grey (Outdoors)



SRRC
Clear (Indoors/Outdoors)



SRRB
Blue Mirror (Outdoors)

### **LENS**

- 2.15mm, polycarbonate.
- · 6-base curve.
- Wraparound design with integrated side shields.
- · Class 1 optical correctness.
- 99.9% UV protection UV 400.

### **FRAME**

- Polycarbonate with flexible TPE tips contoured to fit the ear comfortably.
- 4-Position extendable arms with 3-Position angle adjustment for individual comfort.
- Polycarbonate with TPE nose pad for enhanced comfort.

### COATING

- · Anti-scratch.
- · Anti-fog.

### IMPACT PROTECTION

• 45mps - F.

### **WEIGHT**

• 24gm.

### **ADDITIONAL**

· Spectacle bag & cord included.

### **AVENGER PRO**

A lightweight, sporty-style spectacle with universal design providing full front and side protection for both men and women.





Silver Mirror (Indoors/Outdoors)



SRAC Clear (Indoors/Outdoors)



SRAG Grey (Outdoors)



SRAA
Amber
(Low light/Indoors)

### **LENS**

- 2.2mm, polycarbonate.
- 10-base curve for wide vision.
- Wraparound design with integrated side shields.
- · Class 1 optical correctness.
- 99.9% UV protection UV 400.

### FRAME

• Polycarbonate with flexible TPE tips contoured to fit the ear comfortably.

### COATING

- · Anti-scratch.
- · Anti-fog.

### IMPACT PROTECTION

• 45mps - F.

### WEIGHT

• 23gm.

### **ADDITIONAL**

· Spectacle bag & cord Included.





### VANTAGE SPORT PRO

A polarised spectacle with sporty design for the ultimate protection in outdoor environments.





Z87.1-200 3







SRSPORTBRP Grey (Outdoors)

### **LENS**

- 2.4mm, polycarbonate.
- 9.5-base curve for wide vision.
- Dual lens with polarised glare blocking.
- · Class 1 optical correctness.
- 99.9% UV protection UV 400.

### FRAMI

- Polycarbonate with flexible PVC tips contoured to fit the ear comfortably.
- PVC nose piece for enhanced comfort.

### COATING

- Anti-scratch.
- · Anti-fog.

### **IMPACT PROTECTION**

• 45mps - F.

### WEIGHT

• 28gm.

### **ADDITIONAL**

· Spectacle bag & cord included.

### **OVERSPEC**

A full coverage spectacle with arm & angle adjustments to meet individual needs. Developed to fit over prescription glasses.

### EN166



Z87.1-200 3



SR5061
Clear (Indoors/Outdoors)

### **LENS**

- 2.5mm, polycarbonate.
- 4-base curve to accompany prescription spectacles.
- Full front and side protection.
- · Class 1 optical correctness.
- 99.9% UV protection UV 400.

### **FRAME**

- Polycarbonate with flexible TPE tips contoured to fit the ear comfortably.
- 4-Position extendable arm with 3-position angle adjustment for individual comfort.

### **COATING**

· Anti-scratch.

### **IMPACT PROTECTION**

• 45mps - F.

### WEIGHT

• 44gm.





### **WRAPAROUND**

A universal wraparound spectacle with brow guard & wide temples that can accommodate prescription glasses.



### **LENS**

- · 2.2mm, polycarbonate.
- 4-base curve to accompany prescription spectacles.
- · Full front and side protection.
- · Class 1 optical correctness.
- 99.9% UV protection UV 400.

- Polycarbonate with brow guard & wide temples.
- Vented temples for anti-fog properties fitted with holes at the end to accommodate a glasses cord.
- · Fits comfortably over most prescriptions glasses.

### **IMPACT PROTECTION**

• 45mps - F.

### WEIGHT

• 45gm.

### **SPOGGLES**

### **VANTAGE GENESIS**

An ultra-comfortable, sporty-style spectacle with interchangeable temples & headband to meet the requirements of the job at hand.



Clear (Indoors/Outdoors)



Silver Mirror (Indoors/Outdoors)

### **LENS**

- · 2.3mm, polycarbonate.
- 8-base curve for wide vision.
- · Wraparound design with integrated side shields.
- · Class 1 optical correctness.
- 99.9% UV protection UV 400.

### **FRAME**

- Polycarbonate with flexible TPE tips contoured to fit the ear comfortably.
- Padded EVA frame for optimum comfort with vented design for anti-fog properties.
- Fitted with holes at the end of the temples to accommodate glasses cord.
- · Interchangeable design allows for temple or headband version.

### COATING

· Anti-scratch.

### IMPACT PROTECTION

• 45mps - F.

### WEIGHT

• 23gm.

### **ADDITIONAL**

· Adjustable nylon headband, spectacle bag & cord included





**GOGGLES** 

### KOMPRESSOR GOGGLES

A padded splash & impact resistant goggle with panoramic view & indirect airvents.



### **LENS**

- 2.0mm, polycarbonate.
- Aspeheric lens for improved peripheral vision.
- · Class 2 optical correctness.
- 99% UV protection UV 385.

### FRAME

- PVC with 3 sets of indirect airvents for anti-fog properties without compromising on chemical & dust protection.
- NBR foam for enhanced comfort
- Fitted with adjustable headband for secure fit.
- · Fits comfortably over most prescription glasses.

### COATING

- · Anti-Scratch.
- · Anti-Fog.

### IMPACT PROTECTION

• 120mps - B.

### WEIGHT

• 142gm.

### PERFORMER GOGGLES

A splash & impact resistant goggle with panoramic view & indirect airvents.

### EN166









### GBPC

Clear (Indoors/Outdoors)

### **LENS**

- · 2.0mm, polycarbonate.
- · Class 2 optical correctness.
- 99% UV protection UV 385.

### FRAME

- Polycarbonate with indirect airvents for anti-fog properties without compromising on chemical & dust protection.
- Fitted with adjustable headband for secure fit.
- Fits comfortably over most prescription glasses.

### COATING

- · Anti-Scratch.
- Anti-Fog.

### **IMPACT PROTECTION**

• 120mps - B.

### **WEIGHT**

• 141gm.





**GOGGLES** 

### **DISCOVERY GOGGLES**

A splash & impact resistant goggle with panoramic view & indirect airvents.

EN166



Z87.1-200 3 **ANSI** 



**GBDC** 

Clear (Indoors/Outdoors)

### **LENS**

- · 2.3mm, polycarbonate.
- · Aspeheric lens for improved peripheral vision.
- · Class 2 optical correctness.
- 99% UV protection UV 385.

### **FRAME**

- Polypropylene with soft HTPE rubber around the facial areas for enhanced comfort.
- · Indirect venting across the forehead, under the eyes and nasal area for anti-fog properties without compromising on chemical & dust protection.
- Fitted with adjustable headband for secure fit.
- Fits comfortably over most prescription glasses.

### **COATING**

- · Anti-Scratch.
- · Anti-Fog.

### IMPACT PROTECTION

• 120mps - B.

### WEIGHT

• 91gm.







SDV026C

Clear (Indoors/Outdoors)



SDV026G Green (Outdoors)



### **REBEL OPTI GEAR EURO SPECTACLES**

### **PRODUCT FEATURES**

### **LENS MATERIAL**

High density Polycarbonate, flexible and durable, suitable for use as an overspec for prescription lenses.

### **LENS COATING**

High-quality anti-scratch coating. UV coated.

### FRAME MATERIAL

High density nylon, flexible and durable, adjustable temples.

### **CERTIFICATION**

Certified to EN166:2001 requirements.







### **CHEMICAL RESISTANCE TABLE** - Relevant to PU Soled Footwear



EXCELLENT 0 - 3% Change

GOOD 3 - 15% Change

FAIR 16 - 30% Change


POOR Solution > 30% Change

DISSOLVES 0 - 3% Change

CHEMICAL	PU	CHEMICAL	PU
Acetic Acid 3 n	F	Hydrogen Peroxide 3%	Е
Acetone	Р	Iso-Octane = Fuel 1	Е
Aluminium Chloride 10% Sol.	G	lso-Octane 70%:30% Toluene = Fuel 2	G
Ammonia 3 n	Е	lso-Octane 50%:50% Toluene = Fuel 3	F
Ammonium Chloride 10% Sol.	E	Iso-Propanol	G
Aniline	Р	Kerosine	Е
ASTM-Fuel A	Е	Lactic Acid 3 n	D
ASTM-Fuel B	G	Lubricating Grease: Calcium Based	E
ASTM-Fuel C	F	Lubricating Grease: Lithium Based	E
ASTM-Oil 1	E	Lubricating Grease: Sodium Based	E
ASTM-Oil 2	Е	Magnesium Chloride 10% & 30% Sol.	E
ASTM-Oil 3	E	Methane	G
Benzene	Р	Methanol	G
Benzyl Alcohol	D	Methyl Acetate	Р
Bleach	E	Methyl Ethyl Ketone	Р
Brake Fluid ATE	E	Methyl Glycol	Р
Brake Fluid ATS	E	Methyl Glycol Acetate	Р
Butane	G	Methylene Chloride	Р
Butyl Acetate	Р	Mineral Oil	Е
Butyl Alcohol	F	Nitric Acid 3 n	D
Calcium Chloride 10% & 40% Sol.	E	N-Methyl Pyrrolidone	D
Carbon Disulphide	F	Ozone	Е
Carbon Tetrachloride	Р	Paraffin Oil	Е
Caustic Soda 10% Sol.	E	Perchloroethylene	Р
Chlorobenzene	Р	Petroleum	Е
Chloroform	Р	Petroleum Ether	Е
Chromic Acid 3 n	Р	Phosphoric Acid 3 n	F
Citronic Acid 3 n	G	Potassium Chloride 10% & 40% Sol.	Е
Cyclohexane	Р	Potassium Chloride 10% Sol.	Е
Cyclohexanon	Р	Potassium Hydroxide 3 n	E
Decalin	F	Potassium Nitrate	G
Diesel Oil	E	Potassium Permanganate 5% Sol.	Р
Dimethyl Acetamide	D	Propane	G
Dimethyl Formamide	D	Pyridine	D
Distilled H20	Е	Sea H20	Е
Ethanol	F	Sodium Bisulphate 10% Sol.	G
Ether	F	Sodium Chloride 10% Sol.	Е
Ethyl Acetate	Р	Sodium Hypochlorite Sol. PH 13	F
Ethylene Chloride	G	Sodium Sulphite	G
Ferric Chloride 10% Sol.	G	Sulphuric Acid 3 n	D
Formic Acid 3 n	Р	Turpentine (Pine Oil)	Р
Freon 12	F	Tetrachloroethylene	Р
Freon 22	F	Tetrahydrofuran	Р
Gear Box Oil SAE 90	E	Toluene	Р
Glycerine	E	Trichloroethylene	Р
Glycol	Е	Xylene	E







**WE ARE ALL WORKERS®** 





### MULTI: SS71441BL

### SANS / ISO 20345 | NRCS/9002/287766/0120











### **SPECIFIC FEATURES:**

TOE CAP: Steel

SOLE: Single Density PU (Heat resistant up to 95°C)
MIDSOLE: Shank reinforcement for arch support

### RADICAL: SS60001BL

### EN / ISO 20345 | NRCS/9002/287766/0165



### **SPECIFIC FEATURES:**

TOE CAP: Steel

**SOLE:** Dual Density PU/PU (Heat resistant up to 95°C) **MIDSOLE:** Shank reinforcement for arch support

### TRAINER: SS60012BL

### SANS / ISO 20345 | NRCS/9002/287766/0171



### **SPECIFIC FEATURES:**

TOE CAP: Steel

SOLE: Dual Density PU/PU (Heat-resistant up to 95°C)
MIDSOLE: Shank reinforcement for arch support

### ADAPT: SB71442BL

### SANS / ISO 20345 | NRCS/9002/287766/0119



### **SPECIFIC FEATURES:**

TOE CAP: Steel

SOLE: Single Density PU (Heat resistant up to 95°C)
MIDSOLE: Shank reinforcement for arch support

### MAVERICK: SB60002BL

### EN / ISO 20345 | NRCS/9002/287766/0169



### **SPECIFIC FEATURES:**

TOE CAP: Stee

**SOLE:** Dual Density PU/PU (Heat resistant up to 95°C)

MIDSOLE: SMS available

### CHELSEA: BLACK-SB90006BL | BROWN - SB90006B APT: BLACK-SB90606BL | BROWN - SB90606B

### EN / ISO 20345 | NRCS/9002/287766/0170



### **SPECIFIC FEATURES:**

TOE CAP: Steel

**SOLE:** Dual Density PU/PU (Heat resistant up to 95°C)

MIDSOLE: APT midsole available





### NEOGRIP: SS90005BL | SMS - SS90705BL

EN / ISO 20345 | NRCS/9002/287766/0117

Sizes 5-13 Colour Black



### **SPECIFIC FEATURES:**

TOE CAP: Steel

Dual Density PU/PU (Heat resistant up to 95°C) SOLE:

MIDSOLE: SMS available

### BREMEN: SS20001BL | SMS - SS20701BL

### EN / ISO 20345 | NRCS/9002/287766/0162



### **SPECIFIC FEATURES:**

TOE CAP: Steel - Extra-wide fitting

SOLE: Dual Density PU/PU (Heat resistant up to 95°C)

MIDSOLE: SMS available

### HIKER: BLACK - SB20013BL | WALNUT - SB20013B

### EN / ISO 20345 | NRCS/9002/287766/0146



### **SPECIFIC FEATURES:**

TOE CAP: Steel - Extra-wide fitting

Dual Density PU/PU (Heat resistant up to 95°C) SOLE:

MIDSOLE: Shank Reinforcement for arch support

Sizes 3 & 4 are injected on a different mould but carry the same accreditations

### NEOFLEX: BLACK: SB90004BL | TAN: SB90004T | SMS - SB90704BL

EN / ISO 20345 | NRCS/9002/287766/0055



### **SPECIFIC FEATURES:**

TOE CAP:

Dual Density PU/PU (Heat resistant up to 95°C) SOLE:

MIDSOLE: SMS available

### MUNICH: SB20002BL | SMS - SB20702BL

### EN / ISO 20345 | NRCS/9002/287766/0161



### **SPECIFIC FEATURES:**

TOE CAP: Steel - Extra-wide fitting

SOLE: Dual Density PU/PU (Heat resistant up to 95°C)

MIDSOLE: SMS available

### AMATHOLE: SS21018B

### EN / ISO 20345 | NRCS/9002/287766/0389



### **SPECIFIC FEATURES:**

TOE CAP: Steel - Extra-wide fitting

SOLE: Dual Density PU/PU (Heat resistant up to 95°C)

MIDSOLE: Shank reinforcement for arch support





### BREMEN 2.0: SS21001BL | SMS - SS21701BL



### **SPECIFIC FEATURES:**

TOE CAP: Steel - Extra-wide fitting

SOLE: Dual Density PU/PU (Heat resistant up to 95°C)

MIDSOLE: SMS available

### HIKER 2.0: BLACK - SB21013BL | BROWN - SB21013B

### EN / ISO 20345 | NRCS/9002/287766/0390



### **SPECIFIC FEATURES:**

TOE CAP: Steel - Extra-wide fitting.

Dual Density PU/PU (Heat resistant up to 95°C) SOLE:

MIDSOLE: Shank reinforcement for arch support

### RINGO: SS60614BL

### SANS / ISO 20345





### EN / ISO 20345 | NRCS/9002/287766/0446 EN / ISO 20345 | NRCS/9002/287766/0447

Sizes 5-13 Colour Black DESIGN APPROVED BY A PODIATRIST

MUNICH 2.0: SB21002BL | SMS - SB21702BL

### **SPECIFIC FEATURES:**

TOE CAP: Steel - Extra-wide fitting

Dual Density PU/PU (Heat resistant up to 95°C) SOLE:

MIDSOLE: SMS available

### TAHOE: SS21021BL

### EN / ISO 20345 | NRCS/9002/287766/0432



### **SPECIFIC FEATURES:**

TOE CAP: Steel - Extra-wide fitting

Dual Density PU/PU (Heat resistant up to 95°C) SOLE:

MIDSOLE: Shank reinforcement for arch support

**SPECIFIC FEATURES:** 

TOE CAP: Fibreglass

Dual Density PU/PU (Heat-resistant up to 95°C) SOLE:

MIDSOLE: Kevlar anti-penetration midsole METAL FREE

**ESD** 

**S3** 





ELECTRICAL

### NEBULA: SB43603B

SANS / ISO 20345 | NRCS/9002/287766/0487

Sizes 4-13 Colour Brown





CONDUCTIVE

### **SPECIFIC FEATURES:**

**TOE CAP:** Steel - Extra-wide Fitting **SOLE:** Dual Density PU/Vibram Rubber

(Heat resistant up to 300°C)

MIDSOLE: Standard with APT

### DROGUE: SB43602BL

### SANS / ISO 20345 | NRCS/9002/287766/0437



### **SPECIFIC FEATURES:**

TOE CAP: Steel - Extra-wide Fitting

**SOLE:** Dual Density PU/Vibram Rubber (Heat resistant up to 300°C)

MIDSOLE: Standard with APT

### WELDERS: SB42004BL

### SANS / ISO 20345 | NRCS/9002/287766/0315



### **SPECIFIC FEATURES:**

TOE CAP: Stee

**SOLE:** Dual Density PU/Rubber (Heat resistant up to 300°C)

MIDSOLE: APT midsole available

### ROCNA: SS43601BL

### SANS / ISO 20345



### **SPECIFIC FEATURES:**

**TOE CAP:** Steel - Extra-wide Fitting

**SOLE**: Dual Density PU/Vibram Rubber (Heat resistant up to 300°C)

MIDSOLE: Standard with APT

### FIREWALK: SB42003BL | APT: SB42603BL

### SANS / ISO 20345 | NRCS/9002/287766/0134



### **SPECIFIC FEATURES:**

TOE CAP: Steel

**SOLE:** Dual Density PU/Rubber (Heat resistant up to 300°C)

MIDSOLE: APT midsole with socks available





### **SMELTERS BUCKLE: SB42007BL**

### EN / ISO 20345 | NRCS/9002/287766/0327





### **SPECIFIC FEATURES:**

TOE CAP: Aluminium

Dual Density PU/Rubber (Heat resistant up to 300°C) SOLE:

MIDSOLE: APT midsole available

### FREEZER: SB42018BL

### SANS / ISO 20345 | NRCS/9002/287766/0426



### **SPECIFIC FEATURES:**

TOE CAP:

SOLE: Dual Density PU/Rubber (Cold resistant down to -25°C)

MIDSOLE: APT midsole available

### RIGGER PRO: BLACK - SB43605BL | TAN - SB43605T

### EN/ISO 20345 | NRCS/9002/287766/0442



TOE CAP: Steel-Extra wide fitting

SOLE: Dual Density PU/Vibram Rubber (Heat resistant up to 300°C)

### **SMELTERS VELCRO: SB42006BL**

### EN / ISO 20345 | NRCS/9002/287766/0326





### **SPECIFIC FEATURES:**

TOE CAP:

Dual Density PU/Rubber (Heat resistant up to 300°C) SOLE:

MIDSOLE: APT midsole available

### METAGUARD: SB42005BL

### SANS / ISO 20345



### **SPECIFIC FEATURES:**

TOE CAP:

4-13

Black

SOLE: Dual Density PU/Rubber (Heat resistant up to 300°C)

MIDSOLE: Shank reinforcement for arch support

### POLICE: SB90498

### EN / ISO 20345 | NRCS/9002/287766/0179



### **SPECIFIC FEATURES:**

TOE CAP: Steel / Available without toe cap

SOLE: Double Density PU/PU (Heat resistant up to 95°C)





# Affordable safety you can trust



### ECONO-TUFF 2.0 | SB4555BL

### Features:

Size Range: 3 - 13 Colour: Black

Sole: Essential PU Sole Heat Resistance: Up to 95°C Accreditation: ISO 20345



### PUMBA | SS8401BL

### Features:

Size Range: 3 - 13 Colour: Black

Sole: Geo Dual Density Sole Heat Resistance: Up to 95°C Accreditation: CE | EN 20345



### CHELSEA | SB10006BL

### **Features:**

Size Range: 3 - 13 Colour: Black

Sole: Essential PU Sole Heat Resistance: Up to 95°C Accreditation: SANS/ISO 20345



### ADDO | SB8402BL

### **Features:**

Size Range: 3 - 13 Colour: Black

Sole: Geo Dual Density Sole Heat Resistance: Up to 95℃ Accreditation: CE | EN 20345







**WE ARE ALL WORKERS®** 





#### MAXECO PRO - BLACK - SB8131BL | TAN - SB8131B

#### NSTC TAN - SB8160TNSTC



Size: 2 – 13 **Colour:** Black & Tan **Insole:** Antimicrobial memory foam

Sole: Dual Density PU Sole

Toe cap: Steel Tan available with NSTC Black available with SMS

#### TURTLE - SB8132BL



## ROBUST - SS8102BL

Size: 2 - 13 Colour: Black


Dual Density PU Sole

Toe cap: Steel



#### **ZEUS -** BLACK - SB8115BL | BROWN - SB8115B

#### NSTC BROWN - SB8114B



#### EROS - SS8088BL

Size: 3 - 13 Colour: Black

Sole: Dual Density PU Sole

Toe cap: Steel







5 - 12

insole

Dual Density PU Sole

#### OSPREY HIKER - BLACK - SB8038BL | TAN-SB8038T

#### NSTC TAN - SB8238B



## **FALCON SHOE - SS8030BL**

Size: 5 - 12 Colour: Black

Sole: Dual Density PU Sole

Toe cap: Steel Available with SMS



#### HAWK - SS8024BL




#### FALCON BOOT - SB8027BL



Size:

5 - 12

#### EAGLE - SB8025BL







#### **URBAN - SB4009BL**



Size: 4 - 13 Colour: Black Midsole: APT

**Insole:** PU climate control

insole

Sole: Inyati PU/Rubber



#### TITANIUM - SB4003BL



Size: 4 - 13

Colour: Black & Brown Inyati PU/Rubber Sole



**APOLLO SPORT - SS8050BL** 

#### **DODGE -** SB4008B



Insole: PU climate control

insole

Sole: Inyati PU/Rubber

Sole



## **WARRIOR -** 4250



Size: 4 - 13 Colour: Black

Sole: Inyati PU/Rubber sole

Toe cap: Steel



Size: 2 - 12 Colour: Black

**Insole:** PU climate control

insole

Sole: Dual Density PU Sole

Toe cap: Steel





## **RAGE S3-** SS8406BL



Size: 4-12 Colour: Black Midsole: APT

Insole: Moulded EVA insole
Sole: Dual Density PU Sole



## **OCEAN S3 -** SS8408BV



Size: 3 - 13
Colour: Blue/Grey
Midsole: APT

Insole: Moulded EVA insole
Sole: Dual Density PU Sole



**BOLT S3** - SS8405BL





Size: 4 - 12
Colour: Black
Midsole: APT

Insole: Moulded EVA insole
Sole: Dual Density PU Sole

Toe cap: Steel





SiSi



**WE ARE ALL WORKERS**®



**Sizes:** 2 - 9

Colour: Black

#### Nicole / SS54001BL





**Sizes:** 2 - 9 Colour: Black Shape: Standard

SANS / ISO 20345 NRCS/9002/287766/223



TOE CAP: Steel toe cap Dual density PU/PU SOLE: MIDSOLE: Available with SMS

#### Cate / SB54002BL






TOE CAP: Steel toe cap Dual density PU/PU SOLE: MIDSOLE: Available with SMS





TOE CAP: Steel toe cap SOLE:

Dual density PU/Rubber Available with APT MIDSOLE:



SANS / ISO 20345







Sizes: 3 - 8 Colour: Black Shape: Standard



TOE CAP: Steel toe cap SOLE: Single density PU

#### Sydney / Black: SB51005BL | Brown: SB51005B





Sizes: 3 - 8

Colour: Black & Brown Shape: Standard



TOE CAP: Steel toe cap SOLE: Single density PU



## **Paris** / SS51003BL



Sizes: 3 - 8 Colour: Black Shape: Standard

SANS / ISO 20345 NRCS/9002/287766/0132



TOE CAP: Steel toe cap SOLE: Single density PU

## Court / SS53001BL





Sizes: 2 - 9 Colour: Black Shape: Narrow

SANS / ISO 20345



TOE CAP: Steel toe cap SOLE: Single density PU







Sizes: 3 - 8

Colour: Black with

pink trim Shape: Standard

SANS / ISO 20345

NRCS/9002/287766/0152

#### **Jennifer /** SS55005BL | **APT:** SS55605BL



TOE CAP:

SOLE:



Steel toe cap

MIDSOLE: Available with APT



**Sizes:** 3 - 8 Colour: Black Shape: Standard

SANS / ISO 20345 NRCS/9002/287766/0153

**TOE CAP:** Steel toe cap Dual density PU/PU SOLE: MIDSOLE: Available with APT







WE ARE ALL WORKERS®







#### **BLACK ECONO SAFETY SHOE**

Purpose

SIZE RANGE
SPECIFICATION
LAST/FITTING
UPPER MATERIAL
SOLE MATERIAL
TOE CAP
STEEL MIDSOLE
INNER SOLE
APPLICATIONS

2-15 Unisex ISO 20345 Wide Genuine Leather Dual Density Polyurethane Yes / 200 Joules No Yes Entry-level "Econo" General















SKU: SS0001BI



# HOBO BOOT

#### **BLACK ECONO SAFETY BOOT**

Purpose

SIZE RANGE
SPECIFICATION
LAST/FITTING
UPPER MATERIAL
SOLE MATERIAL
TOE CAP
STEEL MIDSOLE
INNER SOLE
APPLICATIONS

2-15 Unisex
ISO 20345
Wide
Genuine Leather
Dual Density Polyurethane
Yes / 200 Joules
No
Yes
Entry-level "Econo" General

















# PARSON BOOT

#### **BLACK SAFETY BOOT**

SIZE RANGE SPECIFICATION LAST/FITTING UPPER MATERIAL SOLE MATERIAL TOE CAP

STEEL MIDSOLE INNER SOLE

APPLICATIONS

2-15 Unisex
ISO 20345
Wide Fitting
Full Grain Leather
Dual Density Polyurethane
Yes / 200 Joules / Steel or Glass Fibre
(Non-Metallic)
Available with and without a SMS.
Yes / Anti-static / ProFit ComFit PU

Gel-Foam Footbed Construction, Engineering, Agriculture, Warehousing, General Purpose

























THE SUPPLIES OF SU

SIZE RANGE SPECIFICATION LAST/FITTING UPPER MATERIAL SOLE MATERIAL TOE CAP STEEL MIDSOLE INNER SOLE

APPLICATIONS

2-15 Unisex
ISO 20345
Wide Fitting
Full Grain Leather
Dual Density Polyurethane
Yes / 200 Joules
Yes / Penetration Resistant Steel
Yes / Anti-static / ProFit ComFit PU
Gel-Foam Footbed
Construction, Engineering,
Packaging, Warehousing,
Manufacturing, General



# GOLIATH II BOOT



















SIZE RANGE COLOURS SPECIFICATION LAST/FITTING UPPER MATERIAL

SOLE MATERIAL TOE CAP STEEL MIDSOLE INNER SOLE

APPLICATIONS

2-15 Unisex
Black & Brown
ISO 20345
Expanded Wide Fitting
S2 Oily Waxy Water Repellent Full
Grain Leather
Dual Density Polyurethane
Yes / 200 Joules
No

Yes / Anti-static / ProFit ComFit PU Gel-Foam Footbed

Heavy Duty, Construction, Engineering, Petroleum, Mining

and Agriculture





SKU BLACK: SB0092BL





## SSASSIN CHELSEA



















#### SLIP ON BOOT

SIZE RANGE

SPECIFICATION LAST/FITTING **UPPER MATERIAL** 

SOLE MATERIAL TOE CAP

STEEL MIDSOLE INNER SOLE

APPLICATIONS

2 - 15 unisex (Black and Brown) 6-12 (Honeycomb)

ISO 20345 Wide Fitting

S2 Oily Waxy Water Repellent

Full Grain Leather

Dual Density Polyurethane

Yes / 200 Joules | Available in NSTC (Brown and Honeycomb)

Yes / Anti-static / ProFit ComFit PU Gel-Foam Footbed

Versatile / Heavy Duty, Construction, Engineering, Agriculture, Packing, Warehouse, Oil Rigs





SKU BLACK: SB0008BL

SKU HONEYCOMB NSTC: SB0008HCNSTC

## **CONO CHELSEA**

#### **SLIP ON BOOT**

SIZE RANGE COLOURS SPECIFICATION LAST/FITTING UPPER MATERIAL SOLE MATERIAL TOE CAP STEEL MIDSOLE INNER SOLE APPLICATIONS

3-13 Mens Black & Brown ISO 20345 Very Wide Fitting Premium Haircell Genuine Leather Dual Density Polyurethane Yes / Extremely wide fitting / 200 Joules Yes / Removable Entry-level, General Purpose; Agriculture, Construction, Engineering, Mining, etc.









SIZE RANGE SPECIFICATION LAST/FITTING UPPER MATERIAL

SOLE MATERIAL TOE CAP STEEL MIDSOLE INNER SOLE

APPLICATIONS

2 – 15 Unisex (Black) / 4 – 12 (Brown) ISO 20345

Wide Fitting

High Abrasion Resistant Full Grain Astico Diamante Leather / S2 Water Resistant / Reflective Side Stripe Dual Density Polyurethane Yes / Wide Fitting / 200 Joules

Yes / Anti-static / ProFit ComFit PU Gel-Foam Footbed

Automotive, Chemical & Medical, Warehousing, Pack Houses, Food & Beverage, Office to Factory Floors, Clinical Work Environments



SKU BLACK: SS0007BL SKU BROWN: SS0007B





#### **BLACK MEN'S SLIP-ON SHOE**

SIZE RANGE SPECIFICATION LAST/FITTING UPPER MATERIAL

SOLE MATERIAL TOE CAP STEEL MIDSOLE INNER SOLE

APPLICATIONS

2- 10 Mens ISO 20345 Mens Specific Fitting Soft Milled Full Grain Leather with Padded Collar Dual Density Polyurethane Yes / 200 Joules No Yes / Antistatic / ProFit ComFit PU

Gel-Foam Footbed Pharmaceutical, Cosmetics, Food &

Pharmaceutical, Cosmetics, Food & Beverage, Packaging & Warehouses, Office to Factory Floor

























#### **BROWN HIGH HIKER BOOT**

SIZE RANGE SPECIFICATION LAST/FITTING UPPER MATERIAL

SOLE MATERIAL TOE CAP STEEL MIDSOLE INNER SOLE

APPLICATIONS

6- 12 Mens ISO 20345 Expanded Wide Fitting S2 Oily Waxy Water Repellent Full Grain Leather Dual Density Polyurethane Yes / 200 Joules No

Yes / Antistatic / ProFit ComFit PU Gel-Foam Footbed

Heavy Duty, Construction, Engineering, Petroleum, Mining, Agriculture and Clinical Work Environments









# SAMSON

#### **BROWN HEAT RESISTANT SUPER HIKER**

SIZE RANGE SPECIFICATION LAST/FITTING UPPER MATERIAL

SOLE MATERIAL TOE CAP STEEL MIDSOLE INNER SOLE APPLICATIONS 1-16 ISO 20345 Widest Fitting 1402 Toe Cap Debossed Oily Waxy Full Grain Leather / S2 Water Resistant

Dual Density Rubber / Polyurethane
Yes / Extremely Wide Fitting / 200 Joules
Yes / Penetration Resistant Kevlar

Yes / ProFit ComFit PU Gel-Foam Footbed Oil & Gas, Mining, Engineering, Scaffolding, high slip Risk Work Environments





## POMPEII

#### HEAT RESISTANT HEAVY DUTY WORK BOOT

SIZE RANGE SPECIFICATION LAST/FITTING UPPER MATERIAL

SOLE MATERIAL TOE CAP STEEL MIDSOLE INNER SOLE APPLICATIONS 1 – 16 Unisex
ISO 20345
Wide Fitting
S3 Premium Full Grain Barton with
Reflective Collar Strip / Water Resistant
Dual Density Rubber / Polyurethane
Yes / Extremely Wide Fitting / 200 Joules
Yes / Penetration Resistant Kevlar
Yes / ProFit ComFit PU Gel-Foam Footbed
Oil Gas, Mining, Engineering, Heat,
Construction





#### **BLACK ARC FLASH RESISTANT SAFETY BOOT**

SIZE RANGE SPECIFICATION LAST/FITTING UPPER MATERIAL

SOLE MATERIAL

TOE CAP MIDSOLE INNER SOLE

APPLICATIONS

5-15 Mens
ISO 20345
Extra Wide Fitting
S3 Full Grain Haircell Leather,
Water Resistant, High Abrasion
Resistant, Soft Padded Nappa Leather
Collar & Nappa Bellows Leather Tongue
Dual Density Rubber/Polyurethane,
Black/Red, Non Conductive Arc Flash
Yes / Wide Fitting / 200 Joules
Yes / Kevlar Penetration Resistant
Yes / ProFit ComFit PU Gel-Foam
Footbed
Arc Flash, Eskom Spec 34-232 (20KV

Arc Flash, Eskom Spec 34–232 (20KV Electrical Resistance for 1 Minute), Seriously Heavy Duty Electrical; Mining; Construction; Engineering; Oil & Gas Industry



























# TARANTULA SHOE

**BLACK WEATHERPROOF SHOE** 

SIZE RANGE SPECIFICATION LAST/FITTING UPPER MATERIAL

SOLE MATERIAL TOE CAP MIDSOLE INNER SOLE APPLICATIONS 2-15 Unisex ISO 20345 Extremely Wide Fitting S3 Full Grain Leather / Water Resistant

Dual Density 8mm Rubber / PU Yes / 200 Joules

Yes / Penetration Resistant Kevlar Yes / Arachna Comfort Footbed Heavy Duty, Heat, Construction, Engineering, Agriculture and Electrical







## ARANTULA BOOT

#### HIGH ANKLE WEATHER PROOF BOOT

SIZE RANGE
COLOURS
SPECIFICATION
LAST/FITTING
UPPER MATERIAL
SOLE MATERIAL
TOE CAP
MIDSOLE
INNER SOLE
APPLICATIONS

2-15 Unisex
Black, Tan & Honeycomb
ISO 20345
Wide Fitting
S3 Full Grain Leather / Water Resistant
Dual Density Rubber / Polyurethane
Yes / 200 Joules
Yes / Penetration Resistant Kevlar
Yes / Arachna Comfort Footbed
Heavy Duty, Heat, Construction,
Engineering, Petroleum, Mining,
Agriculture and Electrical

























## FIRELINE

## BLACK SHIN HIGH WILDFIRE OPERATIONS & CLEAN UP BOOT

SIZE RANGE
SPECIFICATION
LAST/FITTING
UPPER MATERIAL
SOLE MATERIAL
TOE CAP
STEEL MIDSOLE
INNER SOLE
APPLICATIONS

1 – 16 Unisex ISO 20347 (02 Occupational Boot) Extremely Wide Fitting Extra Substance Premium Cut Cow Leather Dual Density Rubber / Polyurethane No

Yes / Penetration Resistant Kevlar Yes / ProFit ComFit PU Gel-Foam Footbed Post Wildfire Clean Up Operations, Wildfire Services, Disaster Management, Nature Conservation, Ranger



## TERRAPIN

#### **BLACK SLIP ON METAGUARD CHELSEA BOOT**

SIZE RANGE
SPECIFICATION
LAST/FITTING
UPPER MATERIAL
SOLE MATERIAL
TOE CAP
MIDSOLE
INNER SOLE
APPLICATIONS

5-12 Unisex
ISO 20345
Extremely Wide Fitting
100% Full Grain Leather
Dual Density 8mm Rubber / PU
Yes / 200 Joules
Yes / Penetration Resistant Kevlar
Yes / ProFit ComFit PU Gel-Foam Footbed
Heavy Welding, Heavy Duty, Heat, Metatarsal
Guard, Heavy Mining, Heavy Construction,
Heavy Engineering



# SHAMROCK BOOT BLACK METATARSAL BOOT

SIZE RANGE
SPECIFICATION
LAST/FITTING
UPPER MATERIAL
SOLE MATERIAL
TOE CAP
MIDSOLE
INNER SOLE
APPLICATIONS

2-15 Unisex
ISO 20345
Extremely Wide Fitting
100% Full Grain Leather
Dual Density 8mm Rubber / PU
Yes / 200 Joules
Yes / Penetration Resistant Kevlar
Yes / ProFit ComFit PU Gel-Foam Footbed
Heavy Duty, Heat, Metatarsal Guard,
Welding, Heavy Construction, Heavy
Engineering and Mining







# **CARLET BOOT**

#### **BLACK LADIES SAFETY BOOT**

SIZE RANGE SPECIFICATION LAST/FITTING **UPPER MATERIAL** 

SOLE MATERIAL TOE CAP

STEEL MIDSOLE INNER SOLE

APPLICATIONS

2-9 Ladies ISO 20345 Ladies Specific Fitting Genuine Leather with Soft, Padded Collar and Tongue Dual Density Pink/Black Polyurethane Yes / 200 Joules

Yes / Anti-Static / ProFit ComFit Ladies Pu Gel-foam Footbed General, Construction, Engineering, Agriculture, Packaging and Warehousing





## HARLOTTE SHOE

#### **BLACK LADIES SAFETY SHOE**

SIZE RANGE SPECIFICATION LAST/FITTING **UPPER MATERIAL** 

SOLE MATERIAL TOE CAP

STEEL MIDSOLE INNER SOLE

APPLICATIONS

2-9 Ladies ISO 20345

Ladies Specific Fitting Genuine Leather with Soft, Padded Collar and Tongue

Dual Density Pink/Black Polyurethane Yes / 200 Joules

Nο

Yes / Anti-Static / ProFit ComFit Ladies Pu Gel-Foam Footbed

General, Construction, Engineering, Agriculture, Packaging and Warehousing

















SKU: SS0004BL



## LACK WIDOW BOOT

#### **BLACK LADIES HEAT RESISTANT BOOT**

SIZE RANGE SPECIFICATION LAST/FITTING UPPER MATERIAL SOLE MATERIAL TOE CAP STEEL MIDSOLE INNER SOLE APPLICATIONS

2-9 Ladies ISO 20345 Ladies Specific Fitting 100% Full Grain Leather Dual Density Rubber/ Polyurethane Yes / 200 Joules No

Yes / Arachna Comfort Footbed Heavy Duty, Heat, Construction, Engineering, Agriculture and Industry

























## **EDBACK SHOE**













#### **BLACK LADIES HEAT RESISTANT SHOE**

SIZE RANGE SPECIFICATION LAST/FITTING UPPER MATERIAL SOLE MATERIAL TOE CAP STEEL MIDSOLE INNER SOLE APPLICATIONS

2-9 Ladies ISO 20345 Ladies Specific Fitting 100% Full Grain Leather Dual Density Rubber/Polyurethane Yes / 200 Joules No

Yes / Arachna Comfort Footbed Heavy Duty, Heat, Construction, Engineering, Agriculture and





#### **BLACK LIGHTWEIGHT LADIES SLIP ON SAFETY SHOE**

SIZE RANGE SPECIFICATION LAST/FITTING UPPER MATERIAL SOLE MATERIAL TOE CAP STEEL MIDSOLE INNER SOLE

2-9 Ladies ISO 20345

Ladies Specific Fitting

Genuine Leather with Soft Padded Collar Dual Density Grey/Black Polyurethane Yes / 200 joules | Available in NSTC (Portia) Nο

Yes / Antistatic / ProFit ComFit PU Gel-Foam Footbed

Multi-Purpose, General, Hospitality, Food & Beverage, Packaging & Warehouses, Office to Factory Floor















#### **BLACK LIGHTWEIGHT LADIES SLIP ON CHELSEA**

SIZE RANGE SPECIFICATION LAST/FITTING UPPER MATERIAL

SOLE MATERIAL TOE CAP STEEL MIDSOLE INNER SOLE APPLICATIONS

2-9 Ladies ISO 20345

Ladies Specific Fitting

Genuine Leather with Soft Padded Sports Mesh Cushioned Lining

Dual Density Grey/Black Polyurethane

Yes / 200 joules | Available in NSTC (Golden Orb) No

Yes / Antistatic / ProFit ComFit PU Gel-Foam Footbed General, Construction, Mining, Engineering, Agriculture, Oil & Gas, Packing, Warehouse









## **ACCESSORIES**







#### PROFIT COMFIT SOLE PINK/PINK Biochemical Footbed Insole

Biomechanical gel-foam footbed Insole in polybag Individually sized 2 to 9 Order per required size.



#### SKU: SOCK300

# ANTIBACTERIAL ANTISTATIC INDUSTRIAL SOCKS ProFit MEN'S Socks

ONE SIZE FITS ALL 76% Cotton 22% Polyamide Elastene 2% Silver



#### ARACHNA SOLE BLACK / YELLOW Biochemical Footbed Insole

Biomechanical footbed Insole in polybag Arachna Yellow Cut To Fit Sizes 2,3 / 4,5,6 / 7,8,9 / 10,11,12 / 13,14,15



#### SKU: SOCK30

ANTIBACTERIAL
ANTISTATIC
INDUSTRIAL SOCKS
ProFit WOMEN'S Socks

ONE SIZE FITS ALL 76% Cotton 22 % Polyamide Elastene 2% Silver



#### PROFIT COMFIT SOLE BLACK / ORANGE BACK Biochemical Footbed Insole

Biomechanical gel-foam footbed Insole in polybag Individually sized 2 to 15 Order per required size







WE ARE ALL WORKERS®





## **REBEL SAFETY FOOTWEAR** TECHNICAL ICONS



200 Joules Steel Toe Cap



Slip Resistant



Chemical Resistant



Water Resistant



Anti-penetratio



Reflective Tap



Metatarsal Protection



Heat Resistant Up To 300°C



Shock Absorbent



Genuine Leather



Microfiber



Flex-Mesh



No Steel Toe Cap



Oil Resistant



HACCP Approved



Cold Resistant



Welding



Non-metallic



Arc Flash



Electrostatic Discharge



Anti-static



Medical



Female



Zip






























































































































































**WE ARE ALL WORKERS®** 





#### **DURALIGHT 1 - MEN'S**

#### **BMWDB**















**Size:** 5-12 Colours: Black / ivory Black / black | Olive / black Upper: Recycled PVC Sole: Recycled PVC

#### **DURALIGHT CHELSEA 1 - MEN'S**

#### **BMWCBB**











**Size:** 5-12 Colour: Black / black **Upper:** Recycled PVC Sole: Recycled PVC

#### **DURALIGHT 2 - MEN'S**

#### **BMWDWR**























**Size:** 5-12 Colours: White / red **Upper:** Nitrile PVC Sole: Nitrile PVC

#### **DURALIGHT CHELSEA 2 - MEN'S**

#### **BMWCWR**















**Size:** 5-12 Colours: White / red **Upper:** Nitrile PVC Sole: Nitrile PVC

#### **CHELSEA HD - MEN'S**

#### **BWCBTSTC**













**Size:** 3-13 Colours: Black / toffee **Upper:** PVC Sole: Nitrile PVC Toe cap: Steel toe cap

#### **ANKLE MINER**

BMBM













**Size:** 5-12 Colours: Black / toffee **Upper:** PVC Sole: Nitrile PVC Toe cap: Steel toe cap





#### **EGOLI BWEBTSTC**

















**Size:** 3-13

Colour: Black / toffee Upper: PVC Sole: Nitrile PVC Toe cap: Steel toe cap

#### **GRIPPER BMWGBB**

















**Size:** 3-13 Colour: Black / black **Upper:** Recycled PVC Sole: Recycled PVC Toe cap: Steel toe cap

#### **DURALIGHT 2 - LADIES**

BLWWR

























**Size:** 3-9 Colours: White / red **Upper:** Nitrile PVC Sole: Nitrile PVC

#### **DURALIGHT CHELSEA 2 - LADIES**

BLWCWR













**Size:** 3-9 Colours: White / red **Upper:** Nitrile PVC Sole: Nitrile PVC

#### **DURALIGHT 1 - LADIES**

**BLWB** 



















**Size:** 3-9 Colours: Black / black White / blue **Upper:** Recycled PVC Sole: Recycled PVC









**WE ARE ALL WORKERS**®





## STIMELA XP





#### Stimela XP Heavy Duty PVC gumboot

#### **Safety Features**

- Steel Toe Cap 200 J
- ▶ Ballistic textile midsole 1100 N
- Intergrated Metatarsal Protector 100 J
- ►Oil and acid resistant
- ▶SRA slip resistant
- ► Size UK 4 13 (including 6.5 & 10.5)
- ▶ Certified: EN ISO 20345: 2011 / | AS/NZS 2210.3
- ▶ Also available in wide calf

# **STIMELA HD**





#### Stimela Heavy Duty PVC gumboot

#### **Safety Features**

- ▶Steel Toe Cap 200 J
- ▶Semi-recycled upper
- ▶SRA Slip resistant
- ►Size UK 3 14
- ▶ Certified: EN ISO 20345:2011





#### Stimela Heavy Duty PVC gumboot

- ► Safety Features
- ▶Steel Toe Cap 200 J
- ▶ Oil and acid resistant sole
- ▶SRA Slip resistant
- ► Size UK 3 14
- ▶ Certified: EN ISO 20345:2011
- ► Also available with SMS BMBSHSTCSMS





## **STIMELA HD**





## Stimela Heavy Duty PVC gumboot

#### **Safety Features**

- ▶Steel Toe Cap 200 J
- ▶Oil and acid resistant sole
- ▶SRA Slip resistant
- ►Size UK 3 14
- ▶ Certified: EN ISO 20345:2011

# **SHOVA**





## **Shova General Purpose PVC gumboot**

#### **Safety Features**

- ▶ Semi-recycled PVC
- ▶ SRA slip resistant
- ► Size UK 4 13
- ▶ Certified: EN ISO 20347: 2012





#### **Shova General Purpose PVC gumboot**

#### **Safety Features**

- ▶ Virgin PVC Upper
- ▶ Virgin PVC sole
- ▶SRA slip resistant
- ► Size UK 4 13
- ▶ Certified: EN ISO 20347: 2012





## **SHOVA**







#### **Safety Features**

- ▶ Virgin PVC upper
- ▶ Semi-recycled Sole
- SRA slip resistant
- ► Size UK 4 13
- ▶ Certified: EN ISO 20347: 2012





#### **Shova Clog PVC gumboot**

#### **Safety Features**

- ▶Oil and acid resistant PVC
- ▶SRA slip resistant
- ▶Size UK 4 13
- Certified: EN ISO 20347: 2012 | AS/NZS 2210.5
- ▶ Also available in a semi-recycled black PVC CMBS





#### **Shova General Purpose PVC gumboot**

#### **Safety Features**

- Oil & acid resistant
- SRA slip resistant
- ▶Size UK 4 13
- Certified: EN ISO 20347: 2012 | AS/NZS 2210.5





## Women's **MARINA**

## **Marina General Purpose PVC** gumboot









**Safety Features** 

- ▶PVC upper
- ▶PVC sole
- ▶Size UK 3 9

**Marina General Purpose PVC** gumboot







**Marina Glog** 

**Safety Features** 

- ▶ Virgin PVC Upper
- ▶Semi-recycled upper
- ► Size UK 3 9

**Marina General Purpose PVC** gumboot





CODE





#### **Features**

- ▶Oil & acid resistant PVC
- SRA Slip resistant
- ►Size UK 3 9





# **SAFELITE**





#### SafeLite Metal Free Safety Chelsea Boot

#### **Safety Features**

- Composite lightweight Toe Cap 200 J
- ▶2mm Full grain cow leather
- Oil and acid resistant double density PU sole
- SRA slip resistant
- ►Size UK 4 13
- Certified: EN ISO 20345: 2011





## SafeLite Metal Free Safety Chelsea Boot

#### **Safety Features**

- ▶ Composite lightweight Toe Cap 200 J
- ▶2mm Full grain cow leather
- Oil and acid resistant double density PU sole
- SRA slip resistant
- ►Size UK 4 13
- ▶ Certified: EN ISO 20345: 2011





#### SafeLite Metal Free Safety Boot

#### **Safety Features**

- ▶ Composite lightweight Toe Cap 200 J
- ▶2mm Split leather
- ▶Oil and acid resistant double density PU sole
- SRA slip resistant
- ▶Size UK 4 13
- ▶ Certified: EN ISO 20345: 2011







EXCELLENT GOOD FAIR NOT RECOMENTED

CHEMICAL	LATEX RUBBER	NITRILE RUBBER	PVC	CHEMICAL	LATEX RUBBER	NITRILE RUBBER	PVC
Acetaldehyde	Е	Е	N	Hydrochloric Acid 30%	F	E	G
Acetic Acid (Conc.)	Е	G	F	Hydrofluoric Acid 30%	G	E	G
Acetone	Е	N	N	Hydrogen Peroxide	G	E	N
Ammonium Hydroxide (Conc.)	Е	Е	Е	Kerosene, Paraffin	N	Е	F
Amyl Acetate	N	F	F	Linseed Oil	N	E	G
Aniline	G	F	N	Methyl Alcohol (Methanol)	E	E	G
Animal Fats	F	Е	N	Methyl Ethyl Ketone (MEK)	F	N	N
Asphalt	N	Е	N	Methyl Formate	F	F	F
Benzylic Alcohol	F	Е	E	Mineral Oils	N	E	F
Bleach	Е	Е	E	Naphtha	N	E	F
Boric Acid	Е	Е	Е	Naphthalene	N	G	F
Brake Fluid	F	Е	F	Nitric Acid 20%	G	F	F
Butyl Acetate	N	F	F	Nitrobenzene	N	F	N
Carbon Tetrachloride	N	G	F	Oleic Acid	F	Е	F
Chloroacetone	Е	N	N	Perchloroethylene	N	G	N
Chromic Acid 50%	N	F	Е	Phosphoric Acid	Е	Е	Е
Citric Acid 10%	Е	Е	Е	Photo Developer Fixer	Е	Е	Е
Creosote	F	Е	Е	Pine Oil	N	Е	F
Cutting Oil	N	Е	Е	Potassium Hydroxide 50% KOH	E	F	Е
Cyclohexane	N	Е	N	Poultry	F	Е	N
Diesel Fuel	N	Е	N	Propylene Dichloride	N	F	N
Diethanolamine	Е	Е	Е	Silicates	Е	Е	Е
Diethyl Ether	F	Е	F	Sodium Hydroxide 50% NaOH	Е	Е	F
Dioctyl Phthalate (DOP)	F	G	N	Sodium Hypochlorite	Е	Е	Е
Ethyl Acetate	G	N	N	Stearic	G	G	G
Ethyl Alcohol (Ethanol)	Е	Е	F	Sulphuric Acid (Conc.)	N	N	G
Ethylene Glycol (Anti Freeze)	Е	Е	Е	Sulphuric Acid (Dilute.)	Е	E	Е
Fertilizers	Е	Е	Е	Tetrahydrofuran	F	N	N
Fish. Shell Fish	F	Е	F	Toluene (Toluol)	N	F	F
Fluorides	Е	Е	Е	Trichloroethylene	N	F	N
Formaldehyde 37% (Formalin)	Е	Е	Е	Trichlorobenzene	N	G	F
Fuel Oil	N	Е	F	Turpentine	N	Е	G
Petrol	N	Е	F	Vegetable Oil	N	Е	F
Hexane	N	Е	F	Weed Killer	Е	Е	Е
Household Detergents	G	G	G	Wood Preservative	N	Е	F
Hvdraulic Fluid	Е	Е	G	Xvlene	N	G	N





**WE ARE ALL WORKERS**®



### **NITRILE COATED**









### uvex Athletic Lite - G60027U

- lightweight and sensitive safety glove for mechanical tasks
- matt, porous and particularly abrasion-resistant microfoam coating
- very good grip in dry and slightly damp areas
- high breathability thanks to the porous coating, reducing sweating
- perfect fit thanks to the "slim fit" design and elastane in the liner
- free from hazardous substances in accordance with OEKO-TEX Standard 100

60027 Art. no.: Design: Knitted cuff Standard: EN 388 (4 1 3 1 X) Material: Polyamide, elastane

Palm and fingertips with NBR foam coating Coating: Suitable for: Dry areas and slightly damp areas

Colour: Blue, anthracite Sizes:

**OEKO-TEX®** STANDARD 100

Tested for harmful substances. www.oeko-tex.com/standard100













### uvex Phynomic Wet - G60050U

- safety glove with water-repellent aqua-polymer foam coating for use in outdoor areas
- outstanding mechanical abrasion resistance thanks to the durable coating
- very good grip in damp and wet areas
- high level of breathability due to the coating
- · very good tactile feel when assembling parts

Art. no.: Design: Knitted cuff Standard: EN 388 (3 1 3 1 X) Material: Polvamide, elastane

Coating: Palm and fingertips with NBR foam coating Suitable for: Damp and oily working conditions

Colour: Blue, anthracite Sizes: 7 to 11

EN 388:2016







### uvex Unilite 7710 F - G60278U

- seam-free multi-purpose gloves
- fully coated with nitrile rubber (NBR) for protection against moisture and water reaching the skin
- additional sandy nitrile coating on the palms of the hands for grip and abrasion resistance
- very good dexterity right to the fingertips
- · polyester lining material
- excellent grip in dry, damp/wet and oily areas
- · exceptional abrasion resistance
- extremely flexible

Suitable for:

Art. no.: 60278 Design: Knitted cuff

Standard: EN 388 (4 1 2 1 X), EN 407 (X 1 X X X X)

Material: polyester (seamless)

Coating: palm and whole back of the hand with NBR

(nitrile rubber) with grip finish excellent grip in wet and oily areas

Colour: Blue / black Sizes: 7 to 11



### NITRILE COATED





### uvex Unilite 6610 F- G60956U

- breathable precision glove with good dry and wet grip
- fully coated with NBR foam
- outstanding mechanical abrasion resistance
- great mechanical strength
- highly breathable nitrile foam coating
- · good dry and wet grip

60956 Art. no.: Design: Knitted cuff Standard: EN 388 (4 1 3 1 X), Material: Elastane, polyamide

Entire glove with NBR (nitrile foam) with grip finish Coating:

Suitable for: Good dry and wet grip

Colour: Grey, black Sizes: 6 to 11

**CUT PROTECTION** 













### uvex Unidur Sleeve CTL - SPK60974

- very high cut protection (Cut Level C)
- · very thin and flexible
- · high comfort
- velcro fastening for a custom fit. Thumb loop (TL) for added safety (protection against cuts on the wrist)
- certified according to OEKO-TEX® Standard 100

Art. no.: 60974

Design: Lower arm protection with velcro fastening

with thumb loop EN 388 (3 1 2 1 X)

EN 388 (2 X 4 X C) Standard: Material: HPPE, glass, polyamide Coating: Without coating Suitable for: For dry areas Mottled grey Colour: Sizes: M, L

EN 388:2016









### uvex HexArmor® Helix® 2076 - G60660U

Helix® series gloves offer a wide variety of grip options to provide users with the appropriate grip for the task at hand. HexArmor® has you covered for any working condition. We're constantly researching and testing new formulas and application methods to maximize grip and function, helping workers redefine safety at their worksite.

- knit: 13-gauge HPPE and steel fiber blend shell offering 360° cut protection
- $\bullet$  coating: Flexible polyure thane palm coating provides superior grip and abrasion resistance
- · ANSI/ISEA level A6 cut protection
- knit wrist helps prevent dirt and debris from entering the glove
- seamless construction for enhanced comfort and breathability
- reinforced thumb crotch area for increased durability

60660 Art. no.: Design: Knit wrist Standard: EN 388 (4 1 4 4 F)

Material: Polyethylene, HPPE, Steel, Fibreglass Coating: Flexible polyurethane palm coating Suitable for: Dry or oily working conditions

Colour: Blue, anthracite Sizes: 5 to 12



**CUT & IMPACT PROTECTION** 

#### EN 388:2016







### Helix® Core™ series 3010- G60688U

Manufacturing-inspired with touchscreen capabilities and a proprietary knit, the Helix® 3010 features back-of-hand impact guards and extreme abrasion resistance.

- knit: 15-gauge HPPE/steel/fiberglass/polyester blend shell provides 360° cut resistance
- · coating: PrimeFoam nitrile palm coating
- sewn-on back-of-hand IR-X<sup>®</sup> Impact Exoskeleton™ with high-flex design
- enhanced touchscreen capabilities
- · reinforced thumb saddle
- elastic knit wrist helps prevent dirt and debris from entering the glove
- · ultimate dexterity and tactility
- · seamless construction for enhanced comfort and breathability
- · launderable for extended life
- vend-packed
- REACH compliant for being skin-safe and void of harsh chemicals

Art. no. : 60688 Knit wrist Design: Standard: EN 388 (4 X 4 3 D P) Material: Polyethylene, HPPE, Glass Colour: Sizes: 6/XS through 12/3XL



#### EN 388:2016









### uvex Thin Lizzie™ 2090X- G60991U

The Rig Lizard® Series is purpose-built to provide maximum grip in tough situations – with over five grip options for water, oils, muds, and lubricants. Each glove is also equipped with our highly flexible IR-X® Impact Exoskeleton™, keeping hands protected from smash and pinch injuries. This combination of multiple technologies and features makes the Rig Lizard® the ideal solution for common oil, gas, and mining hazards. And with options for cold weather protection, your hands can stay safe and comfortable in any environment.

- IR-X® Impact Exoskeleton™ with high-flex design
- 13-guage HPPE and glass fiber blend shell provides exceptional dexterity and feel
- sandy nitrile palm coating
- reinforced thumb crotch patch
- protected by U.S. Patent No. D703,389
- available in sizes 5/XXS through 12/3XL

Art. no. : 60991 Design: Elastic cuff Standard: EN 388 (4 X 4 3 D P) Material: Polyethylene, HPPE, Glass Coating: Flexible sandy nitrile palm coating

Suitable for: Wet or dry applications

Colour: Lime / grey Sizes: 5 to 12

### POLYCHLOROPRENE COATED

# EN ISO 374-1:2016/Type A





### uvex Profapren- G60119U

- flexible chloroprene chemical protection glove with flocked cotton
- good grip in damp and wet areas thanks to the grip structure in the palm
- good resistance to many chemicals and solvents
- good tactile feel
- very good fit
- highly flexible

Art. no. :

Design: gauntlet, roughened palm, approx, 33 cm Standard:

EN 388 (3 1 3 1 X), EN ISO 374-1:2016/

Type A (A K L M N O) Material: Flocked cotton

Coating: fully coated with polychloroprene (latex inner),

approx. 0.71 mm

Suitable for: good resistance to many chemicals

Colour: dark blue Sizes:



# Ansell



**WE ARE ALL WORKERS**®





### LATEX COATED

Ansell Earth\*

### AlphaTec® GAA87190

Construction	Natural Latex Rubber
Liner material	Cotton Flocking
Grip design	Fishscale
Cuff style	Straight
Size	6.5 - 7, 7.5 - 8, 8.5 - 9, 9.5 - 10
Length (mm)	305
Thickness (mm)	0.35
Packaging	12 pairs per bag,

### PRIMARY INDUSTRIES

- Automotive Aftermarket
- Chemical
- Construction
- Metal Fabrication
- Maintenance

### RECOMMENDED FOR

- Cleaning
- Assembly of parts
- Maintenance

#### **CATEGORY III**

### STANDARDS AND CERTIFICATION











### **DESCRIPTION**

- Specially treated to reduce the risk of allergic reactions
- Thickness of 0.35 mm, provides outstanding sensitivity
- Excellent price/quality ratio

### **EXTRA FEATURES**





\*Ansell Earth represents our products that offer environmental benefits throughout their life cycle.

### **EDGE® GAE48919**

Coating material	Nitrile
Construction	Knitted
Liner material	Polyester
Cuff style	Knitwrist
Finishing	48-919: Fully dipped 48-920: Palm dipped
Gauge	13
Size	48-919: 6, 7, 8, 9, 10, 11, 12 48-920: 6, 7, 8, 9, 10, 11
Length (mm)	220-270
Packaging	12 pairs per bag, 12 bags per carton

### **PRIMARY INDUSTRIES**

### **CATEGORY II**

- Automotive
- Construction
- Machinery and Equipment
- Metal Fabrication

### STANDARDS AND CERTIFICATION

### EN 388:201



### **NITRILE COATED**

# SILVEE COZAGIS Hatteradiley Harry Ha

### Cost effective solution for light weight applications requiring a durable coating and secure grip in oily environments

### DESCRIPTION

- Good combination of grip & oil repellence
- Excellent abrasion resistance
- Double layer nitrile coating keeps hands dry and comfortable when handling oily parts and tools
- In compliance with the standards EN 420 (General requirements) and EN 388 (Mechanical hazards)
- Elastic knit-wrist ensures snug fit
- Applicable in oily environments

### RECOMMENDED FOR

- Assembly of parts
- Maintenance
- Metal fabrication
- Quality control





**CUT PROTECTION** 

### HyFlex® GAH11425





Coating material	Water-Based polyurethane and nitrile
Construction	Knitted
Liner material	Polyamide, Fiber glass, HPPE
Cuff style	Knitwrist
Finishing	Palm Coated
Gauge	13
Size	6, 7, 8, 9, 10, 11
Length (mm)	225-270
Packaging	12 pairs in a bag, 12 bags in a carton

### Abrasion-resistant gloves, with color coding to ensure appropriate application

### **DESCRIPTION**

- HyFlex® indicator system: Workers can ensure adequate protection
- Certified abrasion resistance: Excellent durability
- Water-based PU and nitrile coating: Enhanced grip and comfort

#### **PRIMARY INDUSTRIES CATEGORY II**

- Automotive
- Chemical
- Food Processing

### **RECOMMENDED FOR**

- Handling metal sheets & panels
- Handling parts with sharp, rough edges
- Applying sealers, touching up
- Production line support & maintenance
- Loading and unloading trucks and vehicles
- Product shipping, transport and delivery
- Maintenance
- Opening furnaces draining pumps valves or lines and crackers BTX process
- Lock smith

### STANDARDS AND CERTIFICATION





### **EXTRA FEATURES**



Anti-static

#### **TECHNOLOGIES**





### AlphaTec® GAA58735

Construction	Nitrile
Liner material	INTERCEPT™ Technology
Grip design	ANSELL GRIP™ Technology
Cuff style	Extended
Size	6, 7, 8, 9, 10, 11
Length (mm)	350
Thickness (mm)	1
Packaging	6 pairs per bag, 12 bags per case

### **PRIMARY INDUSTRIES**

### **CATEGORY III**

- Automotive
- Chemical
- Life Sciences
- Machinery and Equipment
- Oil and Gas
- **Food Processing**
- Metal Fabrication
- **Emergency Medical** Services

### STANDARDS AND CERTIFICATION















### Cut-protective chemical-resistant gloves with high-visibility liner, for advanced protection

### **DESCRIPTION**

- Nitrile shell barrier: EN 374 Type A resistance against common chemicals
- High-visibility inner liner: Indicates when cut, for superior safety
- INTERCEPT™ Cut Resistance Technology: ANSI A3/EN ISO C cut protection

### **RECOMMENDED FOR**

- Handling metal sheets & panels
- Handling parts with sharp, rough edges
- Filling, blending and charging of raw materials
- Sample taking and processing
- Removal of broken glassware
- Spill or leakage cleanup
- Assembling and mounting components
- Mixing or loading chemicals
- Cleaning of plant and machines
- Handling application & cleaning tools

### **EXTRA FEATURES**









**TECHNOLOGIES** 











**WE ARE ALL WORKERS**®





**GENERAL HANDLING** 

# **SEAMLESS COTTON GLOVES - Economy**

Code: GCC



### **Features**

- Wing cut thumb for flexibility
- Ambidextrous, seamless knit
- Does not leave scratches or fingerprint residue on product
- Stretch fit with excellent air circulation
- Ideal as a liner glove or for light industrial work in dry environments

### **Materials**

Liner: Cotton

Cuff: Elasticated knitted wrist

Gauge: 7

### Sizes

Size: One size fits all

# **SEAMLESS COTTON GLOVES - High Quality**

Code: **GCT10G10** 



### **Features**

- Wing cut thumb for flexibility
- Ambidextrous, seamless knit
- Stretch fit with excellent air circulation
- Does not leave scratches or fingerprint residue on product
- Ideal as a liner glove or for light industrial work in dry environments

### Materials

Liner: Cotton

Cuff: Elasticated knitted wrist

Gauge: 10

### Sizes

Size: One size fits all

# SEAMLESS POLYCOTTON POLKA DOT GLOVES

Code: GPDREV



### Features

- Wing cut thumb for flexibility
- · Ambidextrous, seamless knit
- Stretch fit with excellent air circulation
- PVC dots on both sides for prolonged durability
- Ideal for light industrial work in dry environments

### **Materials**

Liner: 65 / 35 Polycotton

**Coating:** Double sided PVC dots **Cuff:** Elasticated knitted wrist

Gauge: 7

### Sizes

Size: One size fits all



**GENERAL HANDLING** 

### **RED PVC DIPPED GLOVES WITH EXTENDED ELASTICATED CUFF**

Code: **G608** 



### **Features & Benefits**

- Superior resistance against micro-organisms & water
- Strong grip in wet & oily environments
- Lined to keep skin cool, dry & odour free
- Ideal for use in agricultural, fishery, veterinary & janitorial applications





### **Materials**

Lining: 190gsm cotton stockinette Coating: PVC dipped, with extended

yellow PVC material **Cuff:** Elasticated PVC

### **Sizes**

**Size:** 10

### **GLADIATOR LATEX PALM DIPPED GLOVES**

Code: GCBKW



### **Features**

- Excellent grip and dexterity
- Excellent abrasion, tear & puncture resistance
- Ergonomic design for extreme comfort
- Ideal for general all-purpose handling in dry conditions



### Materials

Lining: Seamless polycotton

Coating: Latex rubber, palm coated

with crinkle pattern

Cuff: Elasticated knitted wrist

Gauge: 10

### **Sizes**

Size: 7 - 10

### **CRAYFISH GLOVES** WITH LATEX COATING

Code: GCRH



### **Features**

- Ergonomic design for extreme comfort
- Excellent grip and abrasion resistance
- Ideal for handling abrasive materials in wet & oily conditions

### **Materials**

Lining: Seamless polycotton liner Coating: Latex foam, palm coated Cuff: Elasticated knitted wrist

**Gauge:** 13

### **Sizes**

Size: M - L





### 20cm & 40cm **BLACK LATEX RUBBER GLOVES**

GENERAL HANDLING







Code Rough: GRL20R



Code Smooth: GRL40



Code Rough: GRL40R





### Features & Benefits

- Strong abrasion resistance
- Superior resistance against micro-organisms & water
- Ideal for janitorial work or applications that involve noncorrosive liquids & chemicals
- Available in 20cm & 40cm lengths, with & without a rough coating.

### **Materials**

Material: 100% Latex rubber. Smooth & rough palm options

Thickness: 0.70mm

Cuff: 20 I 40cm bead rolled

### **Sizes**

**Size:** 10

### **DURA-LITE NITRILE PALM DIPPED GLOVES**

Code: GNDLF



### Features & Benefits

- Ergonomic design with excellent fit and good breathability
- Excellent abrasion resistance
- Ideal for general handling and small components in dry, wet & oily conditions

### Materials

Liner: Seamless polycotton liner Coating: Nitrile foam, palm coated

Gauge: 13

Cuff: Elasticated knitted wrist

### Sizes

Size: 7 - 11





**GENERAL HANDLING** 

### **DURAFLEX HIGH VIZ NITRILE GLOVES** WITH MICRO FOAM COATING

Code: GNDFLEX



### **Features**

- Strong grip and dexterity
- Excellent tear resistance
- Ideal for general handling in dry, wet & oily conditions



### **Materials**

Liner: Seamless polyester

Coating: Nitrile micro foam, 3/4 dipped

Cuff: Elasticated knitted wrist

Gauge: 13

### Sizes

Size: 7 - 10

### **YELLOW RIGGER GLOVES** WITH FLEECE LINING

Code: GLCYC



### **Features**

- Excellent abrasion resistance with seamless palm for enhanced
- Gunn cut for improved dexterity. Wing cut thumb for improved flexibility
- Fleece lined for comfort & perspiration absorbency
- Ideal for heavy handling applications



### **Materials**

Former: High grade split leather Exterior: Drill polyester with reinforced leather inserts across the knuckles, upper fingers & full index finger

Lining: Fleece

Cuff: Open cuff, quick removal

### **Sizes**

**Size: 10** 

### RIGGER GLOVES WITH FLEECE LINING

Code: GLCRP



### **Features**

- Excellent abrasion, tear & puncture resistance
- Gunn cut for improved dexterity. Wing cut thumb for improved flexibility
- Fleece lined for comfort & perspiration absorbency
- Ideal for heavy handling applications



### **Materials**

Former: High grade split leather with a double layer on the palm, thumb &

index finger

Exterior: Drill cotton fabric with reinforced leather inserts across the knuckles & upper fingers

Lining: Fleece

Cuff: Open cuff, quick removal

### Sizes

**Size:** 10



**GENERAL HANDLING** 

### **SPLIT LEATHER RIGGER GLOVES - Economy**



### **Features**

- Good abrasion resistance & grip in dry conditions
- Gunn cut for improved dexterity. Wing cut thumb for improved flexibility
- Economy glove for general handling & light construction

### **Materials**

Former: Split leather palm

Exterior: Drill cotton fabric with reinforced leather inserts across the knuckles and

upper fingers.

Cuff: Open cuff, quick removal

### **Sizes**

**Size:** 10

### PIGSKIN LEATHER & CANDY STRIPE **RIGGER GLOVES - Economy**

Code: GPSBPA



### **Features**

- Good abrasion resistance & grip in dry conditions
- Gunn cut for improved dexterity. Wing cut thumb for improved flexibility
- A comfortable all-weather glove for general handling

### **Materials**

Former: Split leather palm

Exterior: Drill cotton fabric with reinforced leather inserts across the knuckles and

upper fingers.

Cuff: Open cuff, quick removal

### **Sizes**

**Size:** 10

### **GOATSKIN LEATHER GLOVES**

Code: GLG



### **Features**

- Excellent abrasion, tear & puncture resistance
- Gunn cut for improved dexterity. Keystone thumb for improved flexibility
- A general handling & comfortable all-weather glove

### **Materials**

Material: Soft full grain leather that does not require a lining

Cuff: Open cuff, quick removal

### Sizes

**Size:** 10

EN 388

### PIENAAR BROTHERS



# 6cm, 20cm & 40cm ALL CHROME LEATHER GLOVES







Code 20cm: **GL201** 

### **Features**

- · Good abrasion, tear & puncture resistance
- Gunn cut for improved dexterity. Wing cut thumb for improved flexibility
- · Economy glove for welding or heavy handling in heated environments
- · Available in 6cm, 20cm & 40cm lengths

### **HEAT PROTECTION**



Code 40cm: **GL40I**\*Gloves may differ depending on supplier.

### **Materials**

Material: Chrome split leather with reinforced layer on the palm area Cuff: 6cm | 20cm | 40cm chrome split leather

### Sizes

**Size:** 10

## 6cm, 20cm & 40cm GREEN WELDING GLOVES



Code 6cm: GL6IL



Code 20cm: GL20IL



Code 40cm: **GL40IL** 

\*Gloves may differ depending on supplier.

### Features



N 407 4



- Superior heat resistance
- · Good abrasion, tear & puncture resistance
- Gunn cut for improved dexterity. Wing cut thumb for improved flexibility
- · Welted seams for enhanced durability
- · Fleece lined for perspiration absorption
- · Ideal for welding or heavy handling in heated environments
- · Available in 6cm, 20cm & 40cm lengths

### Materials

Material: Superior cow split leather

Lining: Cotton fleece

Cuff: 6cm | 20cm | 40cm superior cow

split leather

### Sizes

**Size:** 10

### PIENAAR BROTHERS PERSONAL PROTECTIVE EQUIPMENT



### **RED HEAT-RESISTANT GLOVES**

Code: GL20HR



### **Features**

- Superior heat, abrasion, tear & puncture resistance
- Gunn cut for improved dexterity.
   Wing cut thumb for improved flexibility
- Acrylic lining for enhanced heat insulation & Kevlar stitching for superior durability & heat protection
- Apron flap with reinforced sides for enhanced protection against sparks & molten splashes
- Ideal for heavy handling in heated environments

**HEAT PROTECTION** 

### **Materials**

Material: Superior cow leather

Lining: Acrylic Stitching: Kevlar

Cuff: 20cm, straight edge

### **Sizes**

**Size:** 10

EN 407-1



**COLD STORAGE** 

### ORANGE COLD STORAGE GLOVES

Code: GCSP



### Features

- Excellent water defence
- Superior comfort through the triple lined design
- High viz orange for improved visibility in low-light conditions
- Ideal for use in cold storage applications, fisheries & exterior work in cold temperatures

### **Materials**

Material: PVC, fully dipped

Lining: Triple lined: cotton fleece,

foam, jersey fabric **Thickness:** 0.75mm

Cuff: Open cuff, quick removal

### Sizes

**Size:** 10

# POLAR ICE COLD STORE GLOVES WITH MICRO FOAM COATING

Code: GCNP



### Features

- Excellent grip and dexterity
- · Excellent abrasion resistance
- Ergonomic design for extreme comfort
- Ideal for general handling in dry, wet & oily conditions at cold temperatures



### Materials

Material: Seamless polyester

Liner: Cotton fleece

Coating: Latex micro foam, palm coated

Cuff: Elasticated knitted wrist

Gauge: 10

### Sizes

Size: 7 - 10

**COLD STORAGE** 

### Features

- Excellent grip and dexterity
- · Excellent abrasion resistance
- Ergonomic design for extreme comfort
- Hi viz yellow for improved visibility in low-light conditions
- Ideal for general handling in dry, wet & oily conditions at cold temperatures





### **Materials**

Material: Seamless polyester

Liner: Poly-acrylic

Coating: Latex micro foam, palm coated

Cuff: Elasticated knitted wrist

Gauge: 10

### Sizes

Size: 7 - 10

## GLADIATOR CUT RESISTANT GLOVES

Code: GNBFC5



### **Features**

- Excellent grip and dexterity
- Excellent abrasion, cut & tear resistance
- Ideal for handling of abrasive materials in dry, wet & oily conditions



### Materials

Material: 13g, engineered yarn with cut

**CUT PROTECTION** 

resistant properties

Coating: Nitrile micro foam, palm

coated

**Cuff:** Elasticated knitted wrist

### Sizes

**Size:** 7 - 10

# 100% STAINLESS STEEL METAL MESH GLOVE

Code: **GCM515** 



### **Features**

- Ambidextrous with 5 finger design
- Visual identification through coloured cuff
- Ideal for use in boning and cutting operations

### **Materials**

Material: 100% stainless steel ring

mesh

**Cuff:** Polycotton cuff with stainless steel, adjustable spring closing system

### Sizes

Size: Small - XL

HAND PROTECTION



### **YELLOW LATEX RUBBER GLOVES**

Code: GRLSN



### **Features**

- Anatomically shaped for superior comfort & dexterity
- Excellent grip in wet & dry conditions
- Flock lined for perspiration absorption
- Superior resistance against micro-organisms & water
- Ideal for work that involves exposure to chemicals & liquids







### CHEMICAL PROTECTION

### **Materials**

Material: 100% latex rubber with

honeycomb pattern Lining: Cotton

Thickness: 0.34mm (+/- 0.04mm)

Cuff: Bead rolled

### **Sizes**

Size: 7 - 10

### **BLUE LATEX RUBBER GLOVES**

Code: GRUB



### **Features**

- Anatomically shaped for superior comfort & dexterity
- Excellent grip in wet & dry conditions
- Superior resistance against micro-organisms & water
- Ideal for work that involves exposure to chemicals & liquids







### **Materials**

Material: 100% latex rubber with

diamond pattern

Thickness: 0.45mm (+/- 0.05mm)

Cuff: Pinked edge

### Sizes

Size: 9

### **GREEN NITRILE RUBBER GLOVES**

Code: GRNG



### **Features**

- Superior abrasion resistance
- Excellent grip in wet & dry conditions
- Superior resistance against micro-organisms & water
- Flock lined for improved donning and doffing
- Ideal for work that involves exposure to chemicals & liquids







### **Materials**

Material: Nitrile rubber with reverse lozenge pattern, biodegradable.

Lining: Flock lined

Thickness: 0.38 (+/- 0.05mm)

Cuff: Straight edge

### **Sizes**

Size: 7 -1 0







**WE ARE ALL WORKERS®** 





**COLD STORAGE** 

**PU COATED** 

**NITRILE COATED** 

**GLT101** 

**REBEL THERMO** 



### **Features**

- Excellent grip and durability.
- Ideal for cold environments.
- Excellent abrasion performance.

### **Materials**

COATING	Sandy Latex
CUFF	Elasticated knit wrist
COATING FINISH	Double dip, fully coated
LINER	15 gauge (outer) & 10 gauge (inner), polyester & acrylic

### Sizes S-2XL







STANDARD 100 15.HCN.76719 Hohenstein HTTI

BLACK PU COATED GENERAL HANDLING GLOVES





- Excellent for general handling, small components and general industry.
- Good for water, oil and grease.
- Excellent grip (both wet and dry conditions), comfort, dexterity and breathability.

### **Materials**

LINER	13-gauge polyester liner - black
COATING	Smooth polyurethane (PU) coating
CUFF	Elasticated knit wrist
COATING FINISH	Smooth finish, single dip, palm dip

### Sizes M-XL



41

### GNSMWR



### **Features**

- Excellent for general handling, small components and general industry.
- Good for water, oil and grease.
- Excellent grip (both wet and dry conditions), comfort, dexterity and breathability.

### **Materials**

LINER	13-gauge polyester liner
COATING	Smooth nitrile coating
CUFF	Elasticated knit wrist length
COATING FINISH	Smooth finish, single dip, palm dip

### Sizes M-XL







### NITRILE COATED

**GDYNKW** 

**BLUE NITRILE HEAVY DUTY GLOVES** 









- Heavy duty glove with very good grip.
- Excellent for heavy duty conditions where grip is important.
- Good for water, oil and grease environments.
- Excellent grip (wet and dry conditions), durability.

### **Materials**

LINER	Cotton liner
COATING	Blue Nitrile
CUFF	Knit wrist
COATING FINISH	Smooth finish, single dip, full dip

### Size 10



**GNHVIS** 

**HI VIZ SANDY NITRILE GLOVES** 







- Excellent for general handling, small components and general industry.
- Good for water, oil and grease.
- Excellent grip (both wet and dry conditions), comfort, dexterity and breathability.

### **Materials**

LINER	13-gauge polyester liner - hi viz yellow
COATING	Rough Nitrile coating
CUFF	Elasticated knit wrist
COATING FINISH	Rough finish, double dipped, palm dip

### Sizes M-XL



**GNE101** 

**REBEL ENVIRO GLOVES** 





### **Features**

- Premium, flexible nitrile coating ensures superior comfort and enhanced protection.
- Excellent dexterity.
- Excellent abrasion performance.
- Ideal for oily environments.

### **Materials**

COATING	Sandy Nitrile
CUFF	Elasticated knit wrist
COATING FINISH	Double dip, palm coated
LINER	15 gauge, recycled PET and spandex

### Sizes M-XL







### **NITRILE COATED**

**GNP101** 

**REBEL VERSA GLOVES** 



### **Features**

- Excellent grip and durability.
- Excellent dexterity.
- Excellent abrasion performance.

### **Materials**

COATING	Sandy Nitrile
CUFF	Elasticated knit wrist
COATING FINISH	Double dip, palm coated
LINER	15 gauge, nylon and spandex

### Sizes S-2XL









**GNP105** 

**REBEL VERSA PLUS GLOVES** 













### **Features**

- Excellent grip and durability.
- Full dip offers excellent water and oil resistance.
- Excellent abrasion performance.

### **Materials**

COATING	Sandy Nitrile
CUFF	Elasticated knit wrist
COATING FINISH	Double dip, fully coated
LINER	15 gauge, nylon

### Sizes S-2XL







**REBEL VERSA GRIP GLOVES** 





### **Features**

- Great abrasion and tear resistance.
- Excellent dexterity.

### **Materials**

COATING	Smooth Nitrile
CUFF	Elasticated knit wrist
COATING FINISH	Single dip, palm coated
LINER	13 gauge, U3 knitted technology, polyester

### Sizes S-2XL















### LATEX COATED

**GCRR** 

**CRAYFISH STANDARD KNIT WRIST GLOVES** 



### **Features**

• Excellent grip and durability.

### **Materials**

LINER	Cotton crochet liner
COATING	Single dipped natural rubber, honeycomb finish
CUFF	Elasticated knit wrist
COATING FINISH	Single dipped, rough finish, palm dip

### Size 10







**GREEN LINED LATEX KNIT** WRIST GLOVES





### **Features**

- Very high grip from natural latex coating.
- Excellent for general handling where high grip is important.
- Excellent grip (dry conditions), comfort, dexterity and breathability.

### **Materials**

LINER	Polycotton crochet jersey liner
COATING	Crinkled latex coating
CUFF	Elasticated knit wrist
COATING FINISH	Crinkle finish, single dip, palm dip

### Sizes M-L





YELLOW COMAREX KNIT WRIST SUPERIOR GLOVES





### **Features**

- Excellent grip and durability.
- Good for water, oil and grease environments.
- Good resistance for low concentration chemicals. Ask your sales rep for further advice if more concentrated chemicals are being used.

### **Materials**

LINER	Cotton liner
COATING	Triple dipped latex
CUFF	Elasticated knit wrist
COATING FINISH	Triple dipped, natural ribbed finish, rough, full dip

### Size 10







### LATEX COATED

**GLA101** 

**REBEL AQUA GLOVES** 











- Excellent grip and durability in water work environments.
- Excellent dexterity and flexibility.
- Protection against water penetration and liquid resistant.
- 15-gauge seamless liner, providing great comfort.

### **Materials**

COATING	Sandy Latex
CUFF	Elasticated knit wrist
COATING FINISH	Double dip, fully coated
LINER	15 gauge, polyester

### Sizes S-2XL



GLP111

**REBEL VERSA DURA GLOVES** 



### **Features**

- Excellent dexterity.
- Premium latex coating ensures superior comfort and enhanced protection.

### **Materials**

COATING	Eco latex (no solvents used)
CUFF	Elasticated knit wrist
COATING FINISH	Single dip, palm coated
LINER	15 gauge, polyester and spandex

**IMPACT PROTECTION** 

### Sizes S-XL











### **Features**

- Excellent grip and durability.
- Cut D protection.
- Breathable nitrile material.
- TPR material provides impact protection.
- Ideal for oily environments.
- Excellent abrasion performance.

### **Materials**

COATING	Sandy Nitrile
CUFF	Elasticated knit wrist with strap
COATING FINISH	Single dipped, palm coated
LINER	15 gauge, patented high performance cut resistant material
IMPACT MATERIAL	TPR (Thermoplastic Rubber)

### Sizes M-XL





**REBEL IMPACT GLOVES** 







### **CUT PROTECTION**

### **CUT GLOVE NITRILE**

**GWRNIC5** 

**CUT 5 NITRILE GLOVES** 



### **Features**

- Excellent grip and durability.
- Cut 5 protection.
- Excellent dexterity.

### **Materials**

LINER	HPPE fiber, polyester, nylon, glass fiber and spandex Cut 5 inner
COATING	Nitrile
CUFF	Elasticated knit wrist
COATING FINISH	Double dipped, palm dip, rough finish

### Sizes M-XL





**REBEL CUT PRO** 





- Excellent grip and durability.
- Excellent dexterity.
- Excellent abrasion performance.

### **Materials**

COATING	Nitrile microfoam
CUFF	Elasticated knit wrist
COATING FINISH	Double dipped, palm dip
LINER	15 gauge, patented, high performance cut resistant material

### Sizes S-2XL















**GWRPUC5** 

**CUT 5 PU GLOVES** 





### **Features**

- Excellent grip and durability.
- Cut 5 protection.
- Excellent dexterity.

### **Materials**

LINER	HPPE fiber, polyester, nylon, glass fiber and spandex Cut 5 inner
COATING	Polyurethane (PU)
CUFF	Elasticated knit wrist
COATING FINISH	Double dipped, palm dip, smooth finish

### Sizes S-2XL







LEATHER

**PVC COATED** 

**GL20HRSUP** 

**RED HEAT SUPERIOR GLOVES** 





### **Materials**

PALM	Chrome leather, 0.8mm extra thick, with apron palm for additional heat protection for fingers, palm and thumb     Additional reinforcement below wrist for additional heat protection
BACKING	Chrome leather
CUFF	Elbow length safety cuff
INNER LINING	Fleece on inside of palm, denim lining on inside of collar

### **Size** 10





### **PVC GLOVES**



**RED PVC MEDIUM WEIGHT GLOVES** 





Smooth: G602KW



Rough: G603KW

### **Features**

- General purpose handling glove.
- Good for water, oil and grease environments.
- Good resistance for light chemicals. Ask your sales rep for further advice if more concentrated chemicals are being used.

### **Materials**

LINER	Cotton liner
COATING	Red PVC
CUFF	Elasticated knit wrist
COATING FINISH	Single dip, full dip

### Size 10



4121

### **RED PVC MEDIUM WEIGHT GLOVES**





Smooth: G604



Rough: G605

### **Features**

- General purpose handling glove.
- Good for water, oil and grease environments.
- Good resistance for light chemicals. Ask your sales rep for further advice if more concentrated chemicals are being used.

### **Materials**

LINER	Cotton liner
COATING	Red PVC
CUFF	Elbow length safety cuff
COATING FINISH	Smooth finish, single dip, full dip

### Size 10











**WE ARE ALL WORKERS®** 



HARD HATS



### uvex pheos B·uvex pheos B-WR

- safety helmet with slots for uvex visors, earmuffs and lamps
- side Euroslot adapters (30 mm) for attaching earmuffs
- meets standard EN 397 and additional requirements for very low temperatures (-30 °C) and molten metal (MM) splash
- three variable air vents for maximum ventilation
- $\bullet\ conventional\ suspension\ harness\ for\ comfortable\ adjustable\ fit\ (uvex\ pheos\ B)$
- suspension harness with wheel ratchet for variable width adjustment (uvex pheos B-WR)
- six-point textile band attachment ensures optimal fit and comfort

uvex pheos B (no ratchet)						
Art.no.	9772020	9772120	9772220	9772320	9772421	9772520
Colour	white	yellow	orange	red	green	blue
Version	with long	with long	with long	with long	with long	with long
	brim	brim	brim	brim	brim	brim
Standard	EN 397	EN 397	EN 397	EN 397	EN 397	EN 397
	-30 °C, MM	-30°C,MM	-30°C,MM	-30°C,MM	-30°C,MM	-30 °C, MM
Sizes	51 to 61 cm	51to 61cm	51to 61cm	51to 61cm	52 to 61 cm	51 to 61 cm

uvex pheos B (with ratchet)						
Art.no.	9772030	9772130	9772230	9772330	9772430	9772530
Colour	white	yellow	orange	red	green	blue
Version	with long					
	brim	brim	brim	brim	brim	brim
Standard	EN 397					
	-30°C,MM	-30°C,MM	-30°C,MM	-30°C,MM	-30°C,MM	-30 °C,MM
Sizes	52 to 61 cm					



### **CLIMBING HELMETS**





### uvex pheos alpine

- multifunctional helmet for working at heights and rescue operations
- combination of features from the industrial protection helmet (EN 397) with the requirements for a climbing helmet (EN 12492)
- side Euroslot adapters (30 mm) for attaching earmuffs
- options for attaching head torches, goggles and face protection
- meets standard EN 397 and additional requirement for very low temperatures (-30  $^{\circ}\text{C})$
- firmly riveted four-point chin strap for use in accordance with EN 12492
- chin strap included (art. no. 9790005) for use in accordance with EN 397
- light ABS helmet shell offers high level of protection and durability
- six-point textile band attachment ensures optimal fit and great comfort
- suspension harness with wheel ratchet for variable width adjustment
- fitted with the 9760009 sweatband
- shorter brim for a wider field of upward vision
- delivered as standard with a black PU sweatband (art. no. 9760009); there is also an option of a light sweatband made of synthetic leather (art. no. 9760005)



2013



uvex pheos alpine		
Art.no.	9773050	9773350
Colour	white	red
Version	with short brim	with short brim
Standard	EN 397	EN 397
	EN 12492	EN 12492
	-30°C	-30°C
Sizes	52 to 61 cm	52 to 61 cm
Retail unit	PC	PC

**BUMP CAPS** 

### uvex u-cap





### uvex u-cap sport

uvex u-cap sport		
Art. no.	S-M	L-XL
Version	with long brim	
Standard	EN 812	EN 812
Colour	black	black
Sizes	55 to 59 cm	60 to 63 cm
Retail unit	PC	PC

### uvex u-cap sport vent

uvex u-cap sport vent					
Art. no.	S-M	L-XL			
Version	with short brim and mesh webbing				
Standard	EN 812	EN 812			
Colour	black	black			
Sizes	55 to 59 cm	60 to 63 cm			
Retail unit	PC	PC			





HARD HATS

Code: 806CA

**Product name:** Athol Safety Cap



#### Features:

- Jockey styled cap manufactured with Polypropylene shell.
- 6-point headgear suspension system for unrivalled protection & comfort.
- LDPE 2-part headgear with 2-stage height adjustment.
- · Tricot cushion sweatband.
- 6-pin low slung buckle fastening system.
- Central raised channel with auxiliary channels for vertical rigidity & impact resistance.
- A gutter to divert water around the cap shell and away from the neck.
- · Side slots for a variety of accessory attachments.
- 3-lugs enable attachment of 2 & 3 point chinstraps.
- Flat front panel enables embossing, stickers or lamp brackets.
- 40mm peak.









### Colours::

White, Grey, Bottle Green, Light Green, Dayglow Lime, Maroon, Orange, Powder Blue, Pink, Red, Babcock Blue, Yellow, Navy, Black.

### Standards:

- Meets requirements of SANS 1397:2003
- Government Mining Engineer approved:
- HH 2006-03-07.
- HH 2006-03-08.

- SABS approved: 4886/12692.
- 440 VAC Insulated.

**ACCESSORIES** 

Code: A6L

### **Product name:**

6-Point Replacement Cap Lining



### Features:

- LDPE 2-part headgear with 2-stage height adjustment.
- Tricot cushion sweatband.
- 6-point lining suspension system for unrivalled protection & comfort.
- 6-pin low slung buckle fastening system.

### Standards:

• SABS approved: 4886/12692.



Replacement liner fitted in safety cap







### **FACE PROTECTION**

Code: F100C

**Product name:** Maxi Face Shield





### Features:

- Flip-up brow guard with adjustable fastening side knobs.
- Headgear with automatic locking ratchet adjustment system.
- · Tricot cushion sweatband.
- 3-stage adjustment on brow guard resting position.
- 5-point adjustment on crown strap.
- · 3-point lens attachment.
- Compatible with 1mm polycarbonate replacement visors, 305mm x 205mm.

### Standards:

- 1mm Polycarbonate LEXAN 9030TG.
- EN 166:2001 (lens).

Code: F4MC

**Product name:** Maxi Clip-on Face Shield



Manufactured in SA





### Features:

- · Compatible with Safeco safety caps.
- Flip-up brow guard with adjustable fastening side knobs.
- 3-stage adjustment on brow guard resting position.
- 3-point lens attachment.
- · Compatible with 1mm polycarbonate replacement visors, 305mm x 205mm.

### Standards:

- 1mm Polycarbonate LEXAN 9030TG.
- EN 166:2001 (lens).

**Code:** W250

**Product name:** Maxi Welding Helmet





### Features:

- Flip-up welding helmet with flip-up lens.
- · Headgear with automatic locking ratchet adjustment system.
- · Tricot cushion sweatband.
- 3-Stage adjustment on welding helmet resting position.
- 5-Point adjustment on crown strap.
- Welding lens shade 10 with sacrificial poly carbonate lens.

### Standards:

• EN 175.





HARD HATS

Code: CAPWN

Product name: Nikki 1 Industria Ratchet lining



### Features:

- Manufactured from ABS for superior rigidity, protection & durability.
- Inner features reinforced ribs for enhanced protection against impact & lateral deformation.
- One hand adjustable open vent for breathability or closed vent to protect against chemicals, liquids or falling gravel / rocks.
- 4-point comfort ratchet lining for one-handed adjustment.
- Integrated slots to accommodate earmuffs, face shields & visors.
- Contoured rain channel allows liquids to run off front of peak rather than down neck & shoulders.
- High-viz rear insert.
- Permasweat breathable sweatband.
- Anti-glare peak.
- ARC rated & electrical insulation tested to 18cal/cm2 & 1000 volts dielectric.





#### Colours:

White, yellow, red, orange, lime green, bottle green, royal blue, navy.

### Standards:

- Meets requirements of SANS 1397:2003.
- Meets requirements of SANS 724:2009.
- Government Mining Engineer approved for use in mines.
- SABS approved with Mark Scheme No. 6921.

### **BUMP CAP**



Code: CAPBNBSP

**Product name:** Bump Cap



### Features:

- Inner HDPE liner with foam cushioning for protection & comfort.
- 6-ventillation ports for increased airflow.
- Shape includes protection against minor side and top impact.

Colours: Navy.

### **FACE SHIELD**



### **Product name:**

Aluminium Cap Attachmen with 3mm Clear Visor



### Features:

- To provide protection against impact, splash & heat during industrial work.
- Flash ignition temperature > 450°C.
- Melting point 220°C 230°C.
- 3mm clear polycarbonate visor: 400mm x 250mm.











WE ARE ALL WORKERS®





**EARMUFFS** 

## **3M PELTOR OPTIME 98 EARMUFFS**







Code: **EM1450** Cap-Mount **Earmuffs** 

#### **GENERAL FEATURES:**

- Recommended for TWA noise exposures up to 98 dBA.
- Earcup pivot points tilt for comfort that adjusts to individual wearers.
- \*Stainless steel headband distributes weight for low pressure fit.

SIZE	SNR	ACCREDITATIONS
One size fits all	31dB	EN 352

## **3M PELTOR OPTIME 105 EARMUFFS**



Code: EMOPTIME3 **Over-The-Head Earmuffs** 

#### **GENERAL FEATURES:**

- Effective hearing protection for noise exposure up to 105 dBA.
- · Double-shell technology boosts noise blocking ability.
- · Liquid & foam filled earmuff-cushion improves comfort to wearer.
- Durable stainless steel headband resists bending & warping.

SIZE	SNR	ACCREDITATIONS
One size fits all	34dB	EN 352

**EAR PLUGS** 

## **3M E-A-R REUSABLE EARPLUGS**

Code: EP8776WC - Corded





#### **GENERAL FEATURES:**

- Patented tri-flange design in premolded material makes them fit for most ear canals.
- · Firm, long stem for easy insertion and removal.
- · Made from soft and durable material that is easy to clean.

SIZE	SNR	MATERIAL	ACCREDITATIONS
One size fits all	29dB	TPE	EN 352



# uvex



**WE ARE ALL WORKERS®** 

# uvex



**EAR PLUGS** 

#### **uvex WHISPER - REUSABLE EARPLUGS**

Code: EP2111C - Corded



The Whisper features a Christmas tree shape with a steady stem to enable easy insertion and removal of the earplug. Made from TPE, the earplug is easily cleaned, improving hygiene to the wearer.

#### GENERAL FEATURES:

 Reusable earplug with smooth, dirt-repellent surface making it easy to clean..

#### SIZE

· One size fits all

#### SNR

• 29dB

#### MATERIAL

• TPE

#### ACCREDITATIONS

• EN 352

## **uvex X-FIT - DISPOSABLE EARPLUGS**



Code: EP2112CF - Corded Code: EP2112UCF - Uncorded

These ergonomically pre-shaped earplugs provide strong insulation and are suitable for use in extremely loud environments. The soft foam of the earplugs provides a high level of comfort, even when worn for extended periods.

#### **GENERAL FEATURES:**

- Ergonomically pre-shaped disposable earplugs with sealed surface preventing foreign bodies from penetrating the ear.
- Patented x-grip technology reduces contact pressure in the ear canal and makes it significantly easier to remove the earplug.
- Suitable for use in extremely loud environments.

#### SIZE

• One size fits all

#### SNR

• 37dB

#### MATERIAL

• PU Foam

#### ACCREDITATIONS

• EN 352



# Honeywell

**EAR PLUGS** 

## **QUIET - REUSABLE EARPLUGS**

Code: EPQD30 - Corded



Quiet provides consistent attenuation for all-day wear. Its built-in flexible stem adds ease of insertion without the need for rolling. Its smooth, non-irritating skin provides all-day comfort and is easy to clean for prolonged use.

#### **GENERAL FEATURES:**

- · Patented "no-roll" design is easy to handle and fit.
- Contoured shape comfortably matches contours of the ear canal.
- Smooth, non-irritating skin provides all-day comfort, easy to clean for long-term use.
- · Built-in insertion stem makes insertion quick and easy.

SIZE	SNR	MATERIAL	ACCREDITATIONS
One size fits all	28dB	TPE	EN 352

# PLUXONE

### **PLUXONE - REUSABLE EARPLUGS**

Code: EPPXC | Reusable Earplugs - Corded

Code: EPPXD | Detectable & Reusable Earplugs -Corded



Developed and manufactured in South Africa, the reusable Christmas tree shaped design with gripped stem surface facilitates easy insertion and removal of the earplug. The integrated safety cord reduces the chances of loss, snagging and serious injury in the event that the cord is caught in machinery.

SIZE	SNR	MATERIAL	ACCREDITATIONS
One size fits all	31dB 28dB	TPE	Complies with EN 352





## **PIONEER**

**EARMUFFS** 



## PIONEER VOLUME EARMUFF

Code: EMJMB

An economical styled Earmuff suited to contract workers or those on a budget. Featuring an adjustable plastic headband and plastic cups with foam liner and foam filled cushions.

SIZE	SNR	ACCREDITATIONS
Small, Medium, Large	29dB	EN 352





#### **TYPES OF GAS FILTERS**

Ε



A ORGANIC - Organic Gasses & Vapours e.g. Solvents

INORGANIC - Inorganic Gasses & Vapours e.g. Chlorine, Hydrogen Sulphide, Prussic Acid

ACID GAS - Sulphur Dioxide, Hydrogen Chlorine

K AMMONIA - Ammonia
P3 PARTICLES - Particles

CONTAMINANT	Α	В	E	K	РЗ	CONTAMINANT	A	В	E	К	РЗ	CONTAMINANT	Α	В	E	К	Р3
Acetic Acid	х					Cyclohexanone	х					Nitro-Glycerine	х				
Acetic Anhydride	х					Diacetone Alcohol	х					2-Nitropropane	х				
Acetamide					х	1,2 - Dichloroethane	х					Octane	х				
Acetylene		х				Diglycidyl Ether (DGE)	х				х	Organic Peroxides	х				
Acetyl Chloride		х				Dimethylamine				х		Oxalic Acid					х
Acrylamide	х				х	Dimethylformamide	х					PCB					х
Acrylic Acid	х					Dimethyl Sulphate	х				х	Pentachlorophenol					х
Acrylonitrile	х					Dioxane	х					Perchloric Acid		х			х
Adipic Acid					х	Diphenyl	х	П			х	Perchloroethylene	х				
Aliphatic Naphta	х					Epichlorohydrin	х					Phenol	х				
Allyl Alcohol	х					Ethanol (Ethyl Alcohol)	х					p-Phenylene Diamine					х
Allyl Amine				х		Ethanolamine		П		Х	х	Phosgene (Carbon Chloride)		х			
Allyl Chloride	Х					Ethyl Acetate	х					Phosphine		х			
Aluminium Chloride		х			х	Ethyl Acrylate	х				х	Phosphoric Acid					х
Aluminium Metal & Oxide					х	Ethyl Diamine				х		Phosphorous Trichloride		Х			х
Ammonia			Н	х		Ethylene Glycol	х	П				Phthalic Anhydride					х
Amyl Acetate	Х					Ethyl Ether	Х					Potassium Hydroxide					Х
Aniline & Homologues	Х					Ferrous Chloride		х			х	Potassium Permanganate					Х
Antimony & Compounds					х	Fluoric Silicate		X				Propionic Acid	х				-
Antimony Hydride		Х	$\vdash$		Α	Formaldehyde		X				2-Propanole	Х				$\vdash$
Aromatic Naphtha		Х				Formamide	Х	^				Pyridine	X				
Arsenic & Soluble Compounds		^			х	Formic Acid	^		Х			Quartz (Silica)					Х
Asbestos			$\vdash$		X	Furfurol	Х		^		H	Selenium Compounds (as Se)		х			X
Barium			$\vdash$		Х	Furfuryl Alcohol	X				H	Selenium Sulphide		X			X
Benzaldehyde	Х	Н	$\vdash$		^	Glutaraldehyde	X	Н			х	Silver Nitrate		^			X
Benzene	X	Н	$\vdash$			Glycol Monobutyl Ether	^ X	Н			^	Sodium Carbonate					X
Benzoyl Chloride	^	Х	$\vdash$			Glycol Monoethyl Ether	X	Н				Sodium Fluoride		х			X
Benzyl Alcohol	х	A	$\vdash$		х	Glycol Monomethyl Ether	X				H	Sodium Hypochlorite		Х			Х
Benzyl Chloride	X		$\vdash$		^	Hydrazine	^	Н		х		Sodium Perborate		^			X
Biphenyl	X				х	Hydrochloric Acid Gas		х		^	х	Sodium Silicate					X
Bromine	^	Х			^	Hydrogen Cyanide					^	Styrene Monomer	v				<u> </u>
Butyl Acetate	v	^	$\vdash$			Hydrogen Fluoride (as F)		X			H	Sulphaminic Acid	^				Х
Butyl Alcohol	X		$\vdash$			Hydrogen Selenide		X			v	Sulphur Dioxide			v		^
Butylamine	Х	Н	$\vdash$	Х		Hydrogen Sulphide		X			Х	Sulphuric Acid			x		Х
· · · · · · · · · · · · · · · · · · ·				^	.,	· - ·		Х				Tetrachloroethane			^		_^
Butyl Phenol					Х	Hydroquinone Iodine		Н			Х		X				$\vdash$
Butyraldehyde	Х							Х			L.	Tetrahydrofuran Toluene	X				H
Cadmium		Н	$\vdash$		Х	Iron Oxide, Fume		Н			Х		X				-
Calcium Oxide					Х	Isophorone	Х	⊢				Toluene Diisocyanate (TDI)	Х				Х
Carbon Tetrachloride	Х					Lead, Inorganic Fumes & Dust		⊢			Х	Tributyl Phosphate	X				Х
Chlorates					Х	Maleic Acid Anhydride	Х	Н			Х	Trichloroethane	Х				
Chlorine		Х	┡			Manganese & Compounds		L			Х	Trichloroethylene	Х				$\vdash$
Chlorine Dioxide		Х				Methyl Acrylate	Х	_				Trimethyl Benzene	Х				_
Chlorine Paraffin	Х		_			Methylamine		L		Х		Trisodium					х
Cristobalite			_		Х	Methyl Chloroform	Х					Turpentine	Х				
Chromic Acid & Chromates					Х	Methylene Biphenyl Diisocyanate					Х	Vanadium (as V)					Х
Cobalt Metal, Dust & Fume					Х	Methyl Ethyl Ketone (MEK)						Vinyl Acetate	Х				
Copper					Х	Methyl Isobutyl Ketone(MIBK)	Х					Vinyl Toluene	Х				
Cresol, All Isomers	Х				Х	Methyl Methacrylate	Х					White Spirit	Х				L
Cumene	Х					Monomethyl Amine				х		Xylene	Х				L
Cyanides		х			х	Morpholine	х					Zinc Chromate, Fume		х			х
Cyanogen Chloride		х				Nickel Metal					х						L
Cyclohexane	х					Nitric Acid			х		х						
Cyclohexanol	х					Nitrobenzene	х										







WE ARE ALL WORKERS®





HALF FACE MASKS

## **REUSABLE HALF MASK RESPIRATOR**

Code SMALL: **R6100** Code MEDIUM: **R6200** Code LARGE: **R6300** 



# 6000 SERIES REPLACEMENT HARNESS

Code: **H6281** 



3M™ Reusable Half Face Mask 6000 Series is made from a lightweight, comfortable elastomeric material with a bayonet-style twin-filter design, cradle head harness and easy-fasten neck strap.

- Economical, low maintenance and easy to handle.
- · Reusable half masks designed for simplicity.
- · Cradle head harness and easy-fasten neck strap.
- · Available in 3 sizes: small, medium, large.

**FULL FACE MASKS** 

## **REUSABLE FULL FACE MASK**

Code: M6800



# FULL FACE MASK REPLACEMENT HARNESS

Code: **H6897** 



3M™ Reusable Full Face Mask, FF-6000 Series, features a panoramic visor that is designed to prevent visual distortion and allows for a virtually unrestricted field of vision. Compatible with the 3M™ Filters, and with options suitable for use as part of a powered air system, the FF-6000 is suitable for a wide range of wearers and applications.

 Designed with features to enhance user comfort, including a soft, flexible liquid silicone rubber face seal, adjustable 5-point head harness and a panoramic visor.

#### SIZE

- · Medium.
- · Small & large available upon request.





**CARTRIDGES** 

# FILTER TYPE: P3 R (HF)

Code: **R6038** 



#### PROTECTION TYPE

- · Particulates.
- Relief from nuisance levels, acid gases & organic vapours at levels below the OEL.

#### CONNECTION TYPE

· Bayonet.

#### RESPIRATOR COMPATIBILITY

• 6000 Series, 6500QL Series, 7500 Series, FF-6000.

#### **FILTER TYPE: K1**

Code: **R6054** 



#### PROTECTION TYPE

· Ammonia and derivatives.

#### **CONNECTION TYPE**

· Bayonet.

#### RESPIRATOR COMPATIBILITY

• 6000 Series, 6500QL Series, 7500 Series, FF-6000.

## **FILTER TYPE: A2**

Code: **R6055** 



#### PROTECTION TYPE

• Organic Vapours bp > 65°C.

#### **CONNECTION TYPE**

· Bayonet.

#### **RESPIRATOR COMPATIBILITY**

• 6000 Series, 6500QL Series, 7500 Series, FF-6000.

## **FILTER TYPE: ABE1**

Code: **R6057** 



#### PROTECTION TYPE

- Organic Vapours bp  $> 65^{\circ}\text{C}$  .
- Inorganic Vapours.
- · Acid Gases.

#### **CONNECTION TYPE**

· Bayonet.

#### RESPIRATOR COMPATIBILITY

• 6000 Series, 6500QL Series, 7500 Series, FF-6000.

# FILTER TYPE: ABEK1

Code: **R6059** 



#### PROTECTION TYPE

- Organic Vapours bp > 65°C.
- Inorganic Vapours.
- · Acid Gases.
- · Ammonia and its derivatives.

#### CONNECTION TYPE

· Bayonet.

#### RESPIRATOR COMPATIBILITY

• 6000 Series, 6500QL Series, 7500 Series, FF-6000.

## FILTER TYPE: A1E1HgP3 R

Code: **R6096** 



#### PROTECTION TYPE

- Organic Vapours bp > 65°C.
- · Acid Gases.
- · Mercury Vapours.
- · Chlorine.
- · Particulates.

#### **CONNECTION TYPE**

• Bayonet.

#### RESPIRATOR COMPATIBILITY

• 6000 Series, 6500QL Series, 7500 Series, FF-6000.





**FILTERS** 

## FILTER TYPE: P3 R

Code: **R5935** 



#### PROTECTION TYPE

 Particulates, solids & liquid aerosols.

#### **CONNECTION TYPE**

· Bayonet.

#### RESPIRATOR COMPATIBILITY

• 6500QL Series, 6000 Series, FF-400, 7500 Series.

## **FILTER TYPE: P3 R**

Code: **R2138** 



#### PROTECTION TYPE

- · Solid & liquid particles.
- Ozone protection (10 x OEL).
- Nuisance odour relief against organic vapours & acid gases.

#### **CONNECTION TYPE**

· Bayonet.

#### **RESPIRATOR COMPATIBILITY**

• 3M<sup>™</sup> Half and full face masks with bayonet style connection.

#### **DISPOSABLE MASKS**

# PARTICULATE RESPIRATOR, FFP2

Code: M8810



#### FILTER CLASS

• FFP2 (NPF 12).

#### PROTECTION TYPE

 Dust particles and/or non-volatile liquid particles.

## PARTICULATE RESPIRATOR, FFP2 - VALVED

Code: M8822



#### FILTER CLASS

• FFP2 (NPF 12).

#### PROTECTION TYPE

 Dust particles and/or non-volatile liquid particles.

## WELDING FUME RESPIRATOR, FFP2 - VALVED

Code: **M9925** 



#### FILTER CLASS

• FFP2 (NPF 12).

#### PROTECTION TYPE

- Dust particles and/or non-volatile liquid particles.
- 10 x TLV for Ozone.





#### **DISPOSABLE MASKS**

# N95 - HEALTH CARE PARTICULATE RESPIRATOR AND SURGICAL MASK

Code: **M1860** 



#### FILTER CLASS

• N95.

#### PROTECTION TYPE

- Particulates helps to protect against certain airborne biological particles.
- NIOSH & FDA Approved.

**ACCESSORIES** 

## **REUSABLE RESPIRATOR FILTER RETAINER**

Code: **R501** 



#### USE

 Connects 3M™ Particulate filters 5000 series to the 3M™ Gas & Vapour filters.

# **RESPIRATOR CLEANING WIPES**

Code: R504W





#### USE

- Individually foil wrapped cleaner wipes for reusable face masks.
- 100 units per pack.



**FULL FACE MASKS** 

#### X-PLORE 5500 FULL FACE MASK

Code: M55270



The **Dräger X-plore** ® **5500** full face mask is the right solution for environments where respiratory protection is as important as a clear field of vision.

- A double sealing frame with threefold sealing edges offers safe protection and a secure fit for almost all face shapes.
- The mask body from durable EPDM ensures a great level of wearing comfort even during prolonged use.
- The distortion-free lens with 180° wide angle guarantees a large field of view with excellent peripheral vision.
- The X-plore 5500 is equipped with two lateral bayonet connections for use with the comprehensive Dräger X-plore® bayonet filter series.
- The harness allows quick and easy donning and doffing of the mask without hair entanglement. Additionally, the wide strap design prevents the development of pressure points on the head

#### **ACCREDITATIONS**

• EN 136 | CE 0158

## X-PLORE 3000 SERIES HALF FACE MASKS

HALF FACE MASK



X-PLORE 3300 Code: M55332 The **Dräger X-plore** ® **3000** series half face masks offer light weight, free vision combined with comfort and protection.

- The compact, low-profile design allows optimal field of vision and is compatible with most safety glasses.
- The FlexiFit head straps ensure even distribution of pressure and are compatible with most head shapes.
- The cascade-shaped nose bridge ensures fewer pressure points whilst the criss-cross straps enable easy adjustment for a secure fit.
- The large opening of the exhalation valve keeps resistance low and improves breathing.
- The mask body is made from a soft TPE and is silicon free preventing skin irritations.
- The X-plore 3000 series is equipped with two lateral bayonet connections for use with the comprehensive Dräger X-plore ® bayonet filter series.
- \*The X-plore 3500 enables easy donning and doffing due to its drop-down strap design.

#### ACCREDITATIONS

• EN 140.

#### SIZING

· Small, Medium, Large.



**CARTRIDGES** 

# X-PLORE A2 Cartridge

Code: 6738873





#### **FILTER TYPE**

- A2.
- Also available in A2 P3
   R D R6738875.

#### **PROTECTION TYPE**

 Organic gases & vapours bp > 65°C.

# X-PLORE A2B2. Cartridge

Code: R6738775





#### **FILTER TYPE**

- A2B2.
- Also available in A2B2 P3 R D - R6738776.

#### **PROTECTION TYPE**

- Organic gases & vapours bp > 65°C.
- · Inorganic gases & vapours.

# X-PLORE A1B1E1 Cartridge

Code: 6738778





#### **FILTER TYPE**

• A1B1E1.

#### **PROTECTION TYPE**

- Organic gases & vapours bp > 65°C.
- Inorganic gases & vapours.
- Sulphur dioxide, hydrogen chloride.

# X-PLORE A1B1E1K1

Cartridge

Code: 6738816





#### **FILTER TYPE**

- A1B1E1K1.
- Also available in A2B2E2K2 -R6738814

#### PROTECTION TYPE

- Organic gases & vapours bp > 65°C.
- · Inorganic gases & vapours.
- Sulphur dioxide, hydrogen chloride
- Ammonia & derivatives.

# X-PLORE A1B1E1K1HG P3 R D Encapsulated Cartridge

Code: 6738817





#### **FILTER TYPE**

- A1B1E1K1HG P3 R D.
- Also available in A2B2E2K2 HG P3 R D code: R6738797

#### PROTECTION TYPE

- Organic gases & vapours bp > 65°C.
- Inorganic gases & vapours.
- · Acidic gases.
- Ammonia & derivatives.
- Mercury vapours.
- Particulates, solids & liquid aerosols.

# X-PLORE Pre-filter Retainer

Code: 6738038





#### **CONNECTION TYPE**

 To be used in conjunction with a Drager pre-filter and cartridge.

All Drager X-plore ® cartridges are compatible with the X-plore 5500 full face masks and the 3000 series of half face masks via a bayonet connection and conform to EN 143.



#### **CARTRIDGES & FILTERS**

# X-PLORE Pad P2 Pre-filter

Code: 6738002





#### **FILTER TYPE**

• P2.

#### PROTECTION TYPE

Particulates, solids & liquid aerosols.

#### CONNECTION TYPE

 To be used in conjunction with a retainer.

#### RESPIRATOR COMPATIBILITY

• X-Plore 5500 full face mask. 3300 & 3500 half face masks.

#### **ACCREDITATIONS**

• EN 143.

# X-PLORE P3 Cartridge

Code: 6738354





#### FILTER TYPE

• P3.

#### PROTECTION TYPE

Particulates, solids & liquid aerosols.

#### CONNECTION TYPE

Bayonet.

#### RESPIRATOR COMPATIBILITY

• X-Plore 5500 full face mask. 3300 & 3500 half face masks.

#### **ACCREDITATIONS**

• EN 143.

# X-PLORE P3 R Encapsulated Cartridge

Code: R6738011





#### **FILTER TYPE**

• P3.

#### PROTECTION TYPE

 Particulates, solids & liquid aerosols.

#### **CONNECTION TYPE**

· Bayonet.

#### RESPIRATOR COMPATIBILITY

X-Plore 5500 full face mask.
 3300 & 3500 half face masks.

#### **ACCREDITATIONS**

• EN 143.



**DISPOSABLE MASKS** 

## X-PLORE 1720, FFP 2 - DISPOSABLE WITH VALVE

Code: M3956155V



# HEADBANDS • Rubber band. NOSE CLIP • Tinplate, free of aluminium. EXHALATION VALVE • Polypropylene. ACCREDITATIONS • EN 149 I NRCS/8072/0092

# X-PLORE 1520, FFP 2 – DISPOSABLE

Code: M3956034



# HEADBANDS • Rubber Band. NOSE CLIP • Tinplate, free of aluminium. • EXHALATION VALVE • Polypropylene. ACCREDITATIONS • EN 149.

# X-PLORE 1520, FFP 2 – DISPOSABLE WITH VALVE

\*Code: M3956146V



# uvex



#### **DISPOSABLE MASKS**



#### uvex silv-Air 2200

- particle-filtering preformed mask
- seamless headband and flexible, adjustable nose clip for a comfortable, secure fit
- comfortable sealing lip in nose area for secure fit



#### uvex silv-Air 2210

- particle-filtering preformed mask
- seamless headband and flexible, adjustable nose clip for a comfortable, secure fit
- comfortable sealing lip in nose area for secure fit
- exhalation valve for reducing heat and humidity as well as noticeably reducing breathing resistance



#### uvex silv-Air 2220

- particle-filtering preformed mask with exhalation valve
- additional activated carbon filter against odours, gases and vapours below threshold
- seamless headband and flexible, adjustable nose clip for a comfortable, secure fit
- · comfortable sealing lip in nose area for secure fit
- exhalation valve for reducing heat and humidity as well as noticeably reducing breathing resistance

	uvex silv-Air 2200	uvex silv-Air 2210	uvex silv-Air 2220
Art.no.	8762200	8762210	8762220
Version	FFP2NRD preformed mask without valve	FFP2NRD preformed mask with valve	FFP2 NR D preformed mask with valve and carbon
Colour	white	white	silver
Retail unit	20 PC	15 PC	15 PC



8762310

# uvex

8762320

#### uvex silv-Air 2310

- particle-filtering preformed mask with exhalation valve for larger face shapes
- four-point headband attachment and flexible, adjustable nose clip for a comfortable, secure fit
- very soft, all-around sealing lip for optimal wearer comfort and secure fit
- exhalation valve for reducing heat and humidity as well as noticeably reducing breathing resistance

## uvex silv-Air 2320

- particle-filtering preformed mask with exhalation valve for larger face shapes
- four-point headband attachment and flexible, adjustable nose clip for a comfortable, secure fit
- very soft, all-around sealing lip for optimal wearer comfort and secure fit
- exhalation valve for reducing heat and humidity as well as noticeably reducing breathing resistance
- additional activated carbon filter against odours, gases and vapours below threshold values

	uvex silv-Air 2310	uvex silv-Air 2320
Art.no.	8762310	8762320
Version	FFP3 NR D preformed mask with valve – large version	FFP3 NRD preformed mask with valve and carbon
Colour	white	silver
Retail unit	20 PC	15 PC

**FULL FACE MASKS** 

# RESPIRATORY

# RESPIRATORY ( )

## **HAZMAT Reusable Full Face Mask**

Code: M7800



#### **FEATURES**

 Adjustable 5-point harness with wide view.

#### **ACCREDITATIONS**

• EN 136.

**CANISTERS** 

## **K2P3 Canister**

Code: RK2P3



#### FILTER TYPE

• K2 P3.

#### PROTECTION TYPE

- Ammonia & organic ammonia derivatives.
- · Solid & liquid particles.

#### CONNECTION TYPE

• 40mm DIN.

#### RESPIRATOR COMPATIBILITY

Hazmat full face mask.

## **ABEK P3 Canister**

Code: RABEK



#### FILTER TYPE

• A2B2E2K1 P3.

#### PROTECTION TYPE

- Organic gases & vapours bp > 65°C.
- Inorganic gases & vapours.
- · Acid gases & vapours.
- Ammonia & organic ammonia derivatives.
- · Solid & liquid particles.

#### CONNECTION TYPE

• 40mm DIN.

#### RESPIRATOR COMPATIBILITY

· Hazmat full face Mask.

# RESPIRATORY (

## HALF FACE MASKS

## **DOUBLE RESPIRATOR HALF FACE MASK**

Code: **R7500** 



#### **FEATURES**

- Low-profile design that integrates easily with face shields, eye protection and hard hats.
- High-performance exhalation valve, situated in a blue PVC body, that has a soft seal on the face.
- Dual elastic headband with large quick-release toggles for ease of donning & doffing when wearing gloves.

#### **ACCREDITATIONS**

• EN 140.

**CARTRIDGES** 

### **A1 CARTRIDGE**

Code: 75002X2



#### FILTER TYPE

• A1.

#### **PROTECTION TYPE**

 Organic gases & vapours spray painting.

#### **ACCREDITATIONS**

• EN 143.

## **B1 CARTRIDGE**

Code: **750010X2** 



#### FILTER TYPE

• B1.

#### PROTECTION TYPE

· Inorganic gases & vapours.

#### **ACCREDITATIONS**

• EN 143.

**CARTRIDGES** 

## **P2 CARTRIDGE**

Code: 75003X2





· Dust particles.

• EN 143.

**DISPOSABLE MASKS** 

## **PIONEER AIR, FFP 2 DISPOSABLE**

Code: MEP005

# PIONEER AIR, FFP 2 -**DISPOSABLE WITH VALVE**

\*Code: MEP0061



# · Elastic Band. · Aluminium. NOSE SEAL • Foam. • 12. • Polypropylene. • EN 149 / CE 0194.



RESPIRATORY







**DISPOSABLE MASKS** 

# AIRMAXX, FFP2 - DISPOSABLE

Code: M2000



# AIRMAXX, FFP2 – DISPOSABLE WITH VALVE

\*Code: M2000V



EN 149 / CE 2797.NRCS/8072/0163.\*NRCS/8072/0164.





# K MASK, FFP 2 – DISPOSABLE

Code: MNWR2



#### **HEADBANDS**

• 5mm flat rope.

#### **NOSE CLIP**

• Tinplate, free of aluminium.

#### NOSE SEAL

· Non-allergen sponge.

#### BFE Rating:

· > 95%.

#### \* EXHALATION VALVE

• Plastic.

#### **ACCREDITATIONS**

• EN 149 / NRCS/8072/0312.

# K MASK, FFP 2 – DISPOSABLE WITH VALVE

\*Code: MNWR2V







**DISPOSABLE MASKS** 

# KARAM FFP2 SL NR - DISPOSABLE

Code: RFH02





Individually packed.

#### **HEADBANDS**

• Elasticated rubber, hypoallergenic and latex-free.

#### **NOSE CLIP**

 Thermoplastic material with internal metallic reinforcement.

#### NPF

• 8.

#### \* EXHALATION VALVE

· Polypropylene.

#### ACCREDITATIONS

• EN 149.

# KARAM FFP2 SL NR – DISPOSABLE WITH VALVE

\*Code: RFH02+





Individually packed.



# MEDI 1, 2102 FFP 2 – DISPOSABLE

Code: MHR20

# MEDI 1, 2112 FFP 2 – DISPOSABLE WITH VALVE

\*Code: MHR21V



#### **HEADBANDS**

• 2 x Polyester headbands.

#### NOSE CLIP

• Steel.

#### \* EXHALATION VALVE

• Polypropylene & Silicon.

#### ACCREDITATIONS

• EN 149.













**WE ARE ALL WORKERS®** 





**HARNESSES** 

SABS

#### **CODE:** HSPDRH



**BELTED HARNESS** DOUBLE LEG LANYARD WITH SCAFF HOOKS

#### **SPECIFIC FEATURES:**

SIZING: • ONE SIZE FITS ALL

STANDARDS: • SANS 50354 I EN 354

SANS 50355 | EN 355 SANS 50361 | EN 361

EN 362

**FEATURES:** Adjustable shoulder,

leg, waist & chest straps

· Shock absorbing lanyard

#### **MATERIALS:**

Harness Webbing: • 45mm UV-resistant polyester webbing with a minimum breaking load of 2,6 tonnes

Lanyard Webbing: • 45mm UV-resistant polyester webbing with a minimum breaking load of 2,6 tonnes

Lanyard length:

Buckles:

• 1 750mm when shock absorber is intact - 3 450mm when shock absorber is fully deployed

• Interlocking, corrosion-resistant steel buckles

with a minimum breaking force of 18kN

Hooks: Corrosion-resistant steel scaffolding hooks with

50mm gate opening

#### CODE: HSP01220

#### STANDARD HARNESS

DOUBLE LEG LANYARD WITH SCAFF HOOKS

#### SPECIFIC FEATURES:

SIZING:

• ONE SIZE FITS ALL

**STANDARDS:** • SANS 50354 | EN 354 SANS 50355 | EN 355 SANS 50361 | EN 361 EN 362

**FEATURES:** 

• Adjustable leg & chest straps

 Shock absorbing lanyard

#### **MATERIALS:**

Harness Webbing: • 45mm UV-resistant polyester webbing with a minimum breaking load of 2,6 tonnes

Lanyard Webbing:

• 45mm UV-resistant polyester webbing with a minimum breaking load of 2,6 tonnes

Lanyard length:

• 1 750mm when shock absorber is intact - 3 450mm when shock absorber is fully deployed

**Buckles:** Hooks:

• Interlocking, corrosion-resistant steel buckles with a minimum breaking force of 18kN · Corrosion-resistant steel scaffolding hooks with

50mm gate opening

SABS

#### **MATERIALS:**

Harness Webbing: • 45mm UV-resistant polyester webbing with a minimum breaking load of 2,6 tonnes

Lanyard Webbing:

• 45mm UV-resistant polyester webbing with a minimum breaking load of 2,6 tonnes

Lanyard length:

• 1 750mm when shock absorber is intact - 3 450mm when shock absorber is fully deployed

**Buckles:** 

• Interlocking, corrosion-resistant steel buckles with a minimum breaking force of 18kN

Hooks: Corrosion-resistant steel scaffolding hooks with 50mm gate opening



#### CODE: HARN02260

## WITH STANDING STEP **BELTED HARNESS** DOUBLE LEG

LANYARD WITH SCAFF HOOKS

SPECIFIC FEATURES:

SIZING:

ONE SIZE FITS ALL

**STANDARDS:** • SANS 50354 | EN 354 SANS 50355 | EN 355 SANS 50361 | EN 361

EN 362

**FEATURES:** 

• Adjustable shoulder, leg, waist & chest straps

 Shock absorbing lanyard









## HEAVYWEAR RANGE MULTI-PURPOSE

AGILIS - HSP40000





HEAVYWEAR RANGE ROPE ACCESS & RESCUE

**GORDIAN - HSP50000** 





#### **SPECIFIC FEATURES:**

SIZING: • S | M | L | XL

**STANDARDS:** • SANS 50361 | EN 361

SANS 50358 | EN 358

**FEATURES:** • 4 attachment points: Chest & dorsal D-ring with work

positioning D-rings

• Adjustable leg, waist, shoulder & chest straps

• Padded waist

• Standing step

#### **MATERIALS:**





Harness Webbing: • 45mm UV-Resistant polyester webbing with a minimum breaking load of 2,6 tonnes

Padding: • 5mm laminated foam to spread pressure over a

larger area

• Interlocking, corrosion-resistant steel buckles with **Buckles:** 

a minimum breaking force of 18kN

#### **SPECIFIC FEATURES:**

SIZING: • S | M | L | XL

STANDARDS: SANS 50361 | EN 361 SANS 50358 I EN 358

SANS 50813 | EN 813

**FEATURES:** • 5 attachment points: Front waist, chest & dorsal

D-ring with work positioning D-rings & Gear

• Adjustable leg, waist, shoulder & back straps

• Padding in the leg & waist areas

#### **MATERIALS:**

**Buckles:** 





Harness Webbing: • 45mm UV-Resistant polyester webbing with a minimum breaking load of 2,6 tonnes

Padding: • 5mm laminated foam to spread pressure over a

larger area

• Interlocking, corrosion-resistant steel buckles with a minimum breaking force of 18kN

Front Connector: • Steel screw gate carabiner with a minimum

breaking strength of 25kN









#### EXTREAMWEAR RANGE MINING

KHUMBA - HSP51212





## REAMWEAR ELECTRICAL

**ARC - HARN70000** 



#### **ROPE ACCESS & RESCUE HARNESS**

**SPECIFIC FEATURES:** 

SIZING: •S|M|L|XL

STANDARDS: • SANS 50361 | EN 361

SANS 50358 | EN 358 SANS 50813 | EN 813

**FEATURES:** • 5 Aluminium attachment points

> • Adjustable Aluminium quick-release buckles on the leg & waist area with adjustable Aluminium buckles on the shoulder and back strap

• Padding in the leg, waist & shoulder areas

Standing step

• Flame retardant webbing

#### MATERIALS:



Harness Webbing: • 45mm UV-Resistant & Flame retardant webbing with a minimum breaking load of 3,2 tonnes

Padding: • 5mm laminated foam encased in a Cordura flame

retardant nylon/cotton blend fabric Buckles: • Aluminium corrosion-resistant quick-release

buckles with a minimum breaking force of 18kN

Front Connector: • Steel screw gate carabiner with a min. breaking strength of 25kN

#### **ROPE ACCESS & RESCUE HARNESS**

SPECIFIC FEATURES:

SIZING: •S|M|L|XL

STANDARDS: • SANS 50358 | EN 358

SANS 50361 | EN 361

ASDM F887-13 | ATPV 40Cal/cm<sup>2</sup>

**FEATURES:** • 4 Aluminium attachment points: Chest & dorsal D-ring with work positioning D-rings

• Adjustable Aluminium quick-release buckles

on the leg, waist and abdominal area with adjustable Aluminium buckles on the shoulder and back straps

• Padding in the leg, waist, & shoulder areas

• All attachment points, adjustments & padding are covered in full grain leather

#### MATERIALS:



Harness Webbing: • Fire retardant & ARC flash rated,

45 mm Para-aramid/Meta-aramid blended webbing Padding: • 5 mm laminated foam encased in full grain leather

**Buckles:** • Aluminium corrosion-resistant quick-release

buckles with a minimum breaking force of 18kN

D-Ring: • Corrosion-resistant Aluminium D-rings with a

min. breaking strength of 22kN





**HARNESSES** 

#### SPARK - HARN60000



#### **WELDING HARNESS**

#### **SPECIFIC FEATURES:**

SIZING: • One size fits all

STANDARDS: **FEATURES:** 

- SANS 50361 | EN 361
- 2 Aluminium attachment points: Chest & dorsal D-ring
- Adjustable Aluminium quick-release buckles on the leg & chest straps
- Flame resistant webbing

#### **MATERIALS:**

- Harness Webbing: Flame retardant, 45mm Para-aramid / Meta-aramid blended webbing
- **Buckles:**  Aluminium corrosion-resistant quick-release buckles with a minimum breaking force of 18kN

**SPARK - HL05220** 

**LANYARDS** 

SABS

#### CODE: WPSR01010

#### WORK POSITIONING LANYARD

SPECIFIC FEATURES:

SIZING:

MAX 2000MM

**STANDARDS:** • SANS 50358 | EN 358 EN 362

**FEATURES:** 

Two snap hooks

 Adjustable webbing with pvc protector

#### ARC / WELDING LANYARD

#### **SPECIFIC FEATURES:**

SIZING:

**STANDARDS:** • SANS 50354 | EN 354 SANS 50355 | EN 355

EN 362

• 1750MM

ASDM F887-13 | ATPV

40Cal/cm<sup>2</sup>

**FEATURES:** 

- Double leg with Aluminium pylon hooks
- Single leg with Aluminium auto-lock carabiner
- Shock absorber
- Fire retardant & ARC flash rated webbing

#### **MATERIALS:**

Webbing:

**Lanyard Adjustment:** 

**Buckle:** 

**Protective Sleeve:** Hooks:

- 45mm UV-resistant polyester webbing with a minimum breaking load of 2,6 tonnes
- 800mm 2 000mm utilising a floating buckle
- Corrosion-resistant steel buckle with a minimum breaking force of 18kN
- PVC material for enhanced durability
- Corrosion-resistant steel snap hooks with 20mm gate opening that can withstand a force of 22kN

#### **MATERIALS:**

Webbing:

• Fire retardant & ARC flash rated webbing, 25mm Para-aramid/Meta-aramid blended webbing with a minimum breaking load of 2,6 tonnes

Shock cover:

• Full grain leather sock to protect shock absorber from burns created by an ARC flash or sparks

**Lanyard Length:** 

- 1 750mm when shock absorber is intact - 3 450mm when shock absorber is fully deployed
- Hooks: • Aluminum pylon hooks: 60mm gate opening that can withstand a force of 23kN
- Carabiner: · Auto-Lock Carabiner: 20mm gate opening that







#### **LANYARDS**

#### KHUMBA LANYARD - LANY05420



#### FIRE RETARDANT LANYARD

SPECIFIC FEATURES:

SIZING: • 1750MM

**STANDARDS:** • SANS 50354 | EN354

SANS 50355 | EN355 EN362

**FEATURES:** 

- Adjustable double leg with Aluminum pylon hooks
- · Single leg with auto-lock carabiner
- Shock absorber
- Fire retardant webbing



## **CODE:** HL01220

#### **DOUBLE LEG LANYARD**

**SPECIFIC FEATURES:** 

SIZING: • 1750mm

STANDARDS: • SANS 50354 | EN 354 SANS 50355 | EN 355

EN 362

**FEATURES:** • Double leg with scaff hooks

• Single leg with snap hook

SABS

Shock absorber

**MATERIALS:** 

Lanyard Length:



Webbing: • Fire retardant, 25mm Para-aramid/Meta-aramid blended webbing with a minimum breaking load

• 1 400mm - 1 750mm (when shock absorber is intact) - 3 450mm when shock absorber is fully deployed

**Buckles:** • Corrosion-resistant steel buckles with minimum


breaking force of 18kN Hooks: Aluminum pylon hooks: 60mm gate opening that

can withstand a force of 23kN

Carabiner:

 Auto-Lock Carabiner: 20mm gate opening that can withstand a force of 22kN

**MATERIALS:** 



**Lanyard Length:** 

• 1 750mm when shock absorber is intact

- 3 450mm when shock absorber is fully deployed

Hooks: • Corrosion-resistant steel hooks:

- Scaffolding hooks: 50mm gate opening that can withstand a force of 23kN

- Snap hook: 20mm gate opening that can withstand a force of 22kN

#### CODE: LANY01420





**MATERIALS:** 

**Lanyard Length:** 

**Buckles:** 

Hooks:

Carabiner:

**SPECIFIC FEATURES:** 

SIZING: • 1750MM

**STANDARDS:** • SANS 50354 | EN 354

SANS 50355 | EN 355

EN 362

**FEATURES:** • Adjustable double leg with scaff hooks

· Single leg with screw gate

carabiner

Shock absorber

 $\epsilon$ **MATERIALS:** 

## CODE: LANY01620

## **ELASTICATED DOUBLE LEG LANYARD**

**SPECIFIC FEATURES:** 

SIZING: • 1750MM

**STANDARDS:** • SANS 50354 | EN 354

SANS 50355 | EN 355

EN 362

**FEATURES:** • Elasticated double leg with scaff hooks

• Single leg with snap hook

Shock absorber



• 25mm UV-resistant polyester webbing with a Webbing: minimum breaking load of 2,6 tonnes

> • 1 400mm - 1 750mm when shock absorber is intact - 3 450mm when shock absorber is fully deployed

• Corrosion-resistant steel buckles with minimum breaking force of 18kN

• Corrosion-resistant steel scaffolding hooks: 50mm gate opening that can withstand a force of 23kN

 Corrosion-resistant steel screw gate carabiner: 23mm gate opening that can withstand a force of 23kN

Webbing:

Hooks:

• 25mm UV-resistant polyester webbing with a minimum breaking load of 2,6tonnes

**Lanyard Length:** 

• 1 750mm when shock absorber is intact

- 3 450mm when shock absorber is fully deployed

• Corrosion-resistant steel hooks:

- Scaffolding hooks: 50mm gate opening that can withstand a force of 23kN

- Snap hook: 20mm gate opening that can withstand a force of 22kN





### **ACCESSORIES**

#### CODE: ERCS01000

#### **ENDLESS ROUND SLING**





#### **SPECIFIC FEATURES:**

SABS (E

• 1500mm

STANDARDS:

SIZING:

• SANS 50795 | EN 795

FEATURES:

• 38mm seatbelt webbing encased into 50mm

tubular webbing

• Supplied as a set of two

**MATERIALS:** 

Webbing:

• 45mm UV-resistant polyester webbing with a

minimum breaking strength of

- Straight - 25kN - Basket - 50kN - Backlash - 20KN

**Length:** • 1500mm per sling

LIFELINE

#### CODE: TLLH01020



 $\epsilon$ 

#### **SPECIFIC FEATURES:**

• 20M LIFELINE

STANDARDS: FEATURES:

SIZING:

- SANS 50795 | EN 795 / EN 362
- 1x 20m Webbing line with snap hooks on either end
- 1x Ratchet tensioning system
- 2x Anchor straps
- 1x Equipment carry bag

#### MATERIALS:

Webbing:

• 50mm UV-Resistant polyester webbing with a minimum breaking load of 40kN

Hooks:

 Corrosion-resistant steel snap hooks with a 20mm gate opening that can withstand a force of 22kN

Ratchet: Anchor Straps:

- Corrosion-resistant steel ratchet
- 45mm UV-Resistant polyester webbing with a minimum breaking load of 2.6 tonnes
- PVC protective sleeve
- Corrosion-resistant steel D-rings with a minimum breaking load of 25kN







**WE ARE ALL WORKERS®** 





#### **FALL ARREST BLOCKS**

#### **MIKRON BLOCK**



Code: BM112131

#### **FEATURES:**

· Attachment: Steel scaff hook · Anchorage: Steel screw locking carabiner · Weight: 1.17kg

· Webbing Length: 2m · Webbing Width: 21mm · Max. Fall Weight: 140kg · Min. Breaking Strength: 16kN

Accreditation: EN 360

### **MINI BLOCK**



## **FEATURES:**

Code: BS2002

· Attachment: Steel screw locking

carabiner

· Anchorage: Steel screw locking

carabiner

• Weight: 1.35kg

• Webbing Length: 2.5m • Webbing Width: 47mm · Max. Fall Weight: 100kg · Min. Breaking Strength: 15kN

· Accreditation: EN 360

## RETRACTABLE FALL ARRESTER **WITH GALVANISED STEEL - 6M**



Code: FAR06

### **FEATURES:**

· Attachment: Steel snap hook

· Anchorage: Steel screw locking

carabiner

· Weight: 2.88kg

· Steel Wire Rope Length: 6m

• Diameter of Steel Wire Rope: 4.5mm

· Max. Fall Weight: 140kg

• Min. Breaking Strength: 15kN

Accreditation: EN360

ATEX 2014/34/EU

## RETRACTABLE FALL ARRESTER WITH GALVANISED STEEL - 10M



Code: FAR10

#### **FEATURES:**

· Attachment: Steel snap hook

· Anchorage: Steel screw locking

carabiner

· Weight: 4.28kg

· Steel Wire Rope Length: 10m

• Diameter Of Steel Wire Rope: 4.5mm

· Max. Fall Weight: 140kg

· Min. Breaking Strength: 15kN

Accreditation: EN360

ATEX 2014/34/EU





#### **FALL ARREST BLOCKS**

# RETRACTABLE FALL ARRESTER WITH GALVANISED STEEL - 15M

# RETRACTABLE FALL ARRESTER WITH 25MM WEBBING - 6M



Code: FAR15

#### **FEATURES:**

**Attachment**: Steel snap hook **Anchorage**: Steel screw locking

carabiner

Weight: 5.65kg

Steel Wire Rope Length: 15m

Diameter of Steel Wire Rope: 4.5mm

Max. Fall Weight: 140kg Min. Breaking Strength: 15kN

Accreditation: EN360

ATEX 2014/34/EU



Code: FARW06

#### **FEATURES:**

**Attachment**: Steel snap hook **Anchorage**: Steel screw locking

carabiner

Weight: 2.31kg Webbing Length: 6m Webbing Width: 25mm Max. Fall Weight: 140kg Min. Breaking Strength: 15kN

Accreditation: EN 360

**TOOL LANYARDS** 

## TOOL LANYARD - SINGLE ARM I DOUBLE ARM

Code: FAL01



Code: FAL02



**FEATURES:** 

Attachment: Loops for tools

Anchorage: Aluminium alloy carabiner

Weight: 55g

Webbing Length: 85cm -135cm

Webbing Width: 20mm Max. Load Weight: 10kg





#### **CONFINED SPACE**

#### **TRIPOD**



Code: PN 800 (DP) 7ft

#### **FEATURES:**

Attachments: 2 x Auxiliary eye bolts

Weight: 12.25kg

Material: Aluminium Alloy

Wheelbase Footprint: 1.5m. Consists of Steel supportshoes provided with rubber soles to increase friction and

improve stability

Height: 7ft (also available in 10ft) Min. Breaking Strength: 23kN Max. Load Capacity: 500kg

Comes with Double Integral Head Mounted Pulleys that are permanently incorporated in the head of the tripod and provides independent passing over of the cable from a winch and a retrieval block. Every tripod is provided with pre-installed universal mounting attachments to easily mount the winch and retrieval blocks.

Accreditations: EN 795 Type B ATEX 2014/34/EU

LIFELINE

# HANDY LINE TEMPORARY HORIZONTAL LIFELINE

Code: PN 4001 (2 users) | PN 3001 (4 users)



#### **FEATURES:**

Attachment: Steel snap hook

Weight: 13.42kg

**Rope:** Galvanised steel wire rope **Max. Span Length of Rope:** 18m

**Diameter of Rope:** 6mm **Min. Breaking Strength:** 24kN

Max. No. of Users: 2 users simultaneously

**Housing Material:** Durable, high strength polymer moulded and padded handle for ease carriage inbuilt shock absorption mechanism to limit impact forces experienced during a fall.

Accreditations: EN 795 Type C

TS 16415 Type C for up to 2 users.

ATEX 2014/34/EU





#### **MEN'S SIZING CHART**



#### **Dust Coats / Jackets / Golfers / T-shirts**

SIZE	XS	S		M			L l		XL		2XL		<b>(L</b>	4XL		5XL	
CHEST CM	76	81	87	92	97	102	107	112	117	122	127	132	137	142	148	153	158
CHEST INCHES	30	32	34	36	38	40	42	44	46	48	50	52	54	56	58	60	62

#### **Trousers / Jeans / Shorts**

SIZE	XS		5	M		L		XL		2XL		.   3XL		4XL		5)	XL
WAIST CM	66	71	76	81	86	91	96	101	106	111	116	121	126	131	136	141	146
WAIST INCHES	26	28	30	32	34	36	38	40	42	44	46	48	50	52	54	56	58

#### Conti Suits Sets\*/ Boilers

SIZE	XS	S		M		L		XL		2XL		3XL		4XL		5XL	
CHEST CM	30	32	34	36	38	40	42	44	46	48	50	52	54	56	58	60	62
WAIST INCHES	26	28	30	32	34	36	38	40	42	44	46	48	50	52	54	56	58

#### **WOMEN'S SIZING CHART**

Dresses / Jackets / Shirts / Dustcoats

SIZE	XS		S	l N	4		L	X	(L	2)	(L	3)	<b>(L</b>	4)	KL	52	KL
SIZE	6	8	10	12	14	16	18	20	22	24	26	28	30	32	34	36	38
BUST CM	80.5	84	89	94	99	104	109	114	119	124	129	134	139	144	149	154	159
BUST INCHES	32	33	35	37	39	41	43	45	47	49	51	53	55	57	59	61	63

#### Skirts / Trousers / Shorts

SIZE	XS	9	5	l N	4		L	Х	(L	2)	<b>KL</b>	3)	<b>KL</b>	4)	<b>KL</b>	5)	KL
SIZE	6	8	10	12	14	16	18	20	22	24	26	28	30	32	34	36	38
WAIST CM	58	64	69	74	79	84	89	94	99	104	109	114	119	124	130	135	140
WAIST INCHES	23	25	27	29	31	33	35	37	39	41	43	45	47	49	51	53	55
HIP CM	83	88	93	98	103	108	113	118	123	128	133	138	143	148	153	158	163
HIP INCHES	32.6	34.6	36.6	38.5	40.5	42.5	44.4	46.4	48.4	50.4	52.4	54.3	56.4	58.3	60.2	62.2	64

#### **Dustcoats**

SIZE	5	5	l N	1		L	X	(L	2)	<b>(L</b>	3)	KL	4)	ΚL	5)	XL
SIZE	S۱	N	V	/S	О	S	X	OS	2X	OS	3X	OS	4X	OS	5X	OS
BUST CM	82	87	92	97	102	107	112	117	122	127	132	137	142	147	152	157
BUST INCHES	32	34	36	38	40	42	44	46	48	50	52	54	56	58	60	62

#### **SURCHARGES**

Please note that our workwear garments typically carry the following surcharges, though these can vary depending on supplier and order details.

T-SHIRTS	XL - 10%	2XL - 15%	3XL - 20%	4XL - 25%	5XL - 30%		
REFELECTIVE JACKETS	XL - 10%	2XL - 15%	3XL - 20%	4XL - 25%	5XL - 30%		
WORK SHIRTS	XL - 10%	2XL - 15%	3XL - 20%	4XL - 25%	5XL - 30%		
FREEZER SUITS	XL - 10%	2XL - 20%	3XL - 30%	4XL - 40%	5XL - 50%		
JERSEYS	XL - 10%	2XL - 20%	3XL - 30%	4XL - 40%	5XL - 50%		
RAINWEAR & JACKETS	XL - 10%	2XL - 20%	3XL - 30%	4XL - 40%	5XL - 50%		
LADIES HOUSECOATS	XOS - 10%	2XOS - 15%	3XOS - 20%	4XOS - 25%	5XOS - 30%		
MENS OVERALLS	SIZE 46 - 10%	SIZE 48 - 15%	SIZE 50 - 20%	SIZE 52 - 25%	SIZE 54 - 30%	SIZE 56 - 35%	SIZE 58 - 40%
TROUSERS (WAIST)	SIZE 42 - 10%	SIZE 44 - 15%	SIZE 46 - 20%	SIZE 48 - 25%	SIZE 50 - 30%	SIZE 52 - 35%	SIZE 54 - 40%

<sup>\*</sup> When ordering a conti suit set (jacket & trousers), it is recommended that you order based on the chest size and inform your sales agent accordingly to avoid confusion.

<sup>\*\*</sup> When ordering a boilersuit, it is recommended that you order based on the chest size and inform your sales agent accordingly to avoid confusion.

In the event that the measurement taken does not fall within the size stated in the guideline above, it is recommend that you round the measurement up to the next size stated. le. should the man's waist measurement in inches read 35, is recommended that you order the next stated size up, which is 36."



# PIENAAR BROTHERS PERSONAL PROTECTIVE EQUIPMENT



WE ARE ALL WORKERS®





#### **SAMURAI 2PC CONTI SUIT**

Non reflective code: O109S

With reflective code: O109SRBRT\*



#### **JACKET**

#### **TROUSER**

**FABRIC** 

**POCKETS** 

**CLOSURES** 

\*REFLECTIVE **TAPE** 

**FEATURES** 

80/20 Polycotton, 185gsm.

2 x front pockets. 1 x chest pocket with Monza flap.

Concealed frontal zip closure.

50mm Lime / Silver / Lime on arms.

Double stitched and bar tacked on stress points for increased durability.

**FABRIC** 

**POCKETS** 

**CLOSURES** 

\*REFLECTIVE **TAPE** 

**FEATURES** 

80/20 Polycotton, 185gsm.

2 x side pockets. 1 x back pocket.

Concealed zip with button closure.

50mm Lime / Silver / Lime on legs.

Double stitched throughout with triple stitching on back-rise and bar tacks on stress points for increased durability.

**SIZES** 

28 - 60. Product sold as a set (Jacket & Trousers). It is recommended that orders are placed according to chest size.

COLOURS Non reflective:

**COLOURS** Reflective: White, Grey, Royal Blue, Navy, Black, Orange, Emerald Green, Khaki, Red.

Royal Blue, Navy.





# **SAMURAI DENIM 2PC CONTI SUIT**

Non Reflective Code: **O109SBD**With Reflective Code: **O109SBDRT\*** 





#### **JACKET**

#### **TROUSER**

FABRIC

**POCKETS** 

CLOSURES

\*REFLECTIVE TAPE

**FEATURES** 

Cotton rich denim, 10oz.

2 x front pockets. 1 x chest pocket with pen division.

Concealed frontal zip closure. Metal press stud button on chest pocket.

50mm Lime / Silver / Lime on arms.

Double stitched with overlock for superior strength. Bar tacked on stress points for increased durability.

FABRIC

**POCKETS** 

**CLOSURES** 

\*REFLECTIVE TAPE

**FEATURES** 

Cotton rich denim, 10oz.

2 x side pockets. 1 x back pocket.

Concealed zip with button closure.

50mm Lime / Silver / Lime on legs.

Triple stitched on inner leg & back-rise for superior strength. Bar tacked on stress points for increased durability.

SIZES

28 - 52. Product sold as a set (Jacket & Trousers). It is recommended that orders are placed according to chest size.

COLOURS

Indigo.



# **GLADIATOR 2PC CONTI SUIT**

Non reflective code: O107

With reflective code: O107NBGRT\*



#### **JACKET**

#### **TROUSER**

FABRIC

80/20 Polycotton, 185gsm.

**POCKETS** 

2 x front pockets. 1 x chest pocket with pen division.

**CLOSURES** 

Concealed YKK frontal zip closure. Press stud closure on chest pocket.

\*REFLECTIVE TAPE

50mm Lime / Silver / Lime on arms.

**FEATURES** 

Triple stitched throughout for superior strength. Bar tacked on stress points for increased durability. Side vents for ease of movement.

**FABRIC** 

**POCKETS** 

**CLOSURES** 

**FEATURES** 

**TAPE** 

\*REFLECTIVE

80/20 Polycotton, 185gsm.

2 x side pockets. 1 x back pocket.

1 x ruler pocket.

Concealed YKK Zip with button closure.

50mm Lime / Silver / Lime on legs.

Triple stitched throughout for superior strength. Bar tacked on stress points for increased durability.

**SIZES** 

28 - 60. Product sold as a set (Jacket & Trousers). It is recommended that orders are placed according to chest size.

COLOURS

White, Grey, Royal Blue, Navy, Black, Orange, Emerald Green, Khaki, Red.



# **WARRIOR 2PC CONTI SUIT**



Non Reflective Code: O105RBW With Reflective Code: O105RBWRT\*



Non Reflective Code: O105NBW With Reflective Code: O105NBWRT\*

#### **JACKET**

#### **TROUSER**

FA	R	P	IC .
	_	ш	

**POCKETS** 

100% Cotton, 210gsm.

2 x front pockets. 1 x chest pocket with

**CLOSURES** 

Concealed YKK frontal zip closure.

\*REFECTIVE TAPE

**FEATURES** 

pen division.

Press stud closure on chest pocket.

50mm Lime / Silver / Lime on arms.

Triple stitched throughout for superior strength. Bar tacked on stress points for increased durability. **FABRIC** 

**POCKETS** 

**CLOSURES** 

\*REFECTIVE TAPE

**FEATURES** 

100% Cotton, 210gsm.

2 x side pockets. 1 x back pocket. 1 x ruler pocket.

Concealed YKK zip with button closure.

50mm Lime / Silver / Lime on legs.

Triple stitched throughout for superior strength. Bar tacked on stress points for increased durability.

**SIZES** 

28 - 60. Product sold as a set (Jacket & Trousers). It is recommended that orders are placed according to chest size.

COLOURS

Royal Blue, Navy.





#### **D59 ACID & FLAME JACKET**

Code: J59NBAF

**FABRIC** 

D59, 100% Cotton, 300gsm.

**POCKETS** 

2 x front pockets. 1 x left chest pocket.

**CLOSURES** 

Concealed YKK frontal zip closure.

Concealed press stud closure on chest pocket.

Elasticated cuffs.

REFLECTIVE TAPE

50mm silver reflective tape on arms.

**FEATURES** 

Triple stitched seams. Bar tacked on stress points. Side slits for ease of movement.

Flame & acid resistant.

**STANDARDS** 

SABS approved.

**SIZES** 

28 - 64.

COLOURS

Navy.



#### **D59 ACID & FLAME TROUSERS**

Code: T59NBAF

**FABRIC** 

D59, 100% Cotton, 300gsm.

**POCKETS** 

2 x swing pockets. 1 x back pocket. 1 x ruler pocket.

CLOSURES

Concealed YKK zip with button closure.

REFLECTIVE

TAPE

50mm silver reflective tape on legs.

**FEATURES** 

Triple stitched seams. Bar tacked on stress points. Flame & Acid resistant.

**STANDARDS** 

SABS approved.

**SIZES** 

26 - 56.

COLOURS

Navy.





Code: **0100** 











**FABRIC POCKETS** 

**CLOSURES** 

**FEATURES** 

**COLOURS** 

SIZE

80/20 Polycotton, 185gsm.

1 x chest pocket. 1 x back pocket.

Button up frontal closure with flap.

Side slits for ease of access to inner pant's pockets. Triple stitched. Bar tacked on stress points. Elasticated waist for improved fit.

**DUNGAREES** 

Royal Blue, Red, White.

**32 - 60**.

# **DENIM DUNGAREE**

Code: **ODD** 





**FABRIC** 

**POCKETS** 

**CLOSURES** 

**FEATURES** 

**COLOURS** 

SIZE

100% cotton.

2 x side pockets. 1 x front bib pocket.

Adjustable shoulder straps for secure fit whilst working. Clip-lock buckles for ease of entering and existing the garment. 2 x side buttons. 1 x YKK zip on bip pocket.

Bar tacked on stress points for increased durability.

Indigo.

28 - 56.





**RAIN WEAR** 

# **BREATH-EX JACKET**

Code: F101JB



**FABRIC** 

Outer: 100% Polyester.

Inner: 100% Polyester. Quilted to insulate

& retain heat.

**POCKETS** 

2 x front pockets with flaps. 1 x chest pocket.

**CLOSURES** 

Frontal lapped zipper with 4 x Velcro strips. Velcro flap closure on chest pocket. Zip closure on front pockets with Velcro

flap. Side toggles for customised fit. Elasticated cuffs with adjustable Velcro strip.

**FEATURES** 

Fold-away hood. Reinforced stitching on pockets for enhanced durability. Neckline collar for defence against

wind and cold. Lint free. Wind resistant.

REFLECTIVE

H20 resistant.

**COLOURS** 

SIZE

Reflective strips on front pockets for enhanced visibility in misty conditions.

Black.

Small - 5XL.

# **ALL WEATHER MAC JACKET**

Code: **J602** 









**FABRIC** 

**POCKETS** 

**CLOSURES** 

**FEATURES** 

COLOURS

SIZE

Nylon with inner towel lining.

2 x side slanted pockets.

Drawstring closure on hem and hood.

Fold-away hood. Elasticated cuffs. Ragan sleeves for improved movement whilst working. Wind resistant. H20 resistant.

Black, Navy, Royal Blue, Bottle Green. \*Other colours available upon request.

Small - 5XL.

# PIENAAR BROTHERS PERSONAL PROTECTIVE EQUIPMENT



#### **RAIN WEAR**

# **FUR-LINED JACKET**

Code: **J700** 





**FABRIC** 

Outer: 100% Polyester.

Inner: Polar fleece lining with heavy quilting.

**POCKETS** 

2 x side pockets with reflective strips.

**CLOSURES** 

1 x chest pocket.

Frontal zip closure. Metal press stud button on chest pocket. Drawstring hood.

Rib knit cuffs.

**FEATURES** 

**COLOURS** 

Removable fleece lined hood. Ragan sleeves for improved movement whilst

working. Wind resistant. H20 resistant. Black, Navy.

SIZE

Small - 5XL.

# **OXFORD FLEECE JACKET**

Code: **J606** 





**FABRIC** 

Outer: 100% Polyester.

Inner: Polar fleece with heavy quilting to

insulate & retain heat.

**POCKETS** 2 x side pockets with reflective strips.

1 x chest pocket.

**CLOSURES** 

Frontal zip closure. Metal press stud button on chest pocket. Drawstring closure on hood & hem. Elasticated cuffs.

**FEATURES** 

Lose hood. Ribbed cuffs.

Ragan sleeves for improved movement.

Wind resistant. H20 resistant.

**COLOURS** 

SIZE

Black, Navy.

Small- 5XL.

**PUFFER JACKET** 

Code: JPLS



**FABRIC** 

Outer: 100% Nylon.

Inner: 100% Polyester with quilted padding.

**POCKETS** 

**CLOSURES** 

Frontal zip closure. Zip closure on

side pockets.

2 x side pockets.

**FEATURES** 

Neckline collar to defend against wind. Wind resistant. H2O resistant.

**COLOURS** 

SIZE

Black. Small - 5XL.



#### **RAIN WEAR**

# **SOFT SHELL JACKET**

Code: JSST





**FABRIC** 

Outer: 92% Polyester, 8% Spandex. Inner: Fleece lining, 310gsm.

2 x side pockets.

**POCKETS CLOSURES** 

Frontal zip closure with zip closure

on side pockets.

**FEATURES** 

Neckline collar to defend against wind. Wind resistant. H2O resistant.

**COLOURS** 

Black, Navy.

SIZE

Small - 5XL.

# **POLAR FLEECE JACKET**

Code: TPF203





**FABRIC** 

High quality anti-pill microfibre fleece, 240gsm.

**POCKETS** 

2 x slanted front pockets. 1 x chest pocket.

**CLOSURES** 

Frontal zip closure. Zip closure on

**FEATURES** 

all pockets. 2 x zip on / off sleeves.

Removable sleeves. Side toggles for customised fit. Stylish stand-up collar.

Wind resistant.

Black, Navy.

**COLOURS** SIZE

Small - 5XL.

# **POLO NECK KNIT JERSEY**

Code: FJ



**FABRIC** 

**FEATURES** 

**COLOURS** 

SIZE

100% Acrylic yarn, 5 gauge.

Pull-over. Ribbed cuffs and hem. Rolled neck which can be folded over.

Navy.

Small - 5XL.





**RAIN WEAR** 

# **UNLINED RAIN SUIT**

Code: RSR



#### **JACKET**

**TROUSER** 

**FABRIC** 

**POCKETS** 

**CLOSURES** 

REFLECTIVE TAPE

**FEATURES** 

Outer: Oxford nylon. Inner: Rubber coating.

2 x front pockets with Monza flaps.

Frontal zip closure. Drawstring closure

on hem and hood.

Reflective tape on back for increased visibility in misty conditions.

Fold-away hood. Vented back flap for air circulation. Taped seams for H20 defence. Ragan sleeves for improved movement when working. Storm cuffs to defend against H20 penetration. Wind resistant.

**FABRIC** 

CLOSURES

**FEATURES** 

Outer: Oxford nylon. Inner: Rubber coating.

Elasticated waist.

Ankle poppers for size adjustment.

Taped seams for H20 defence. Wind resistant.

. 100% H20 proof.

**SIZES** 

**COLOURS** 

Small - 5XL.

Navy, Yellow.

# PIENAAR BROTHERS PERSONAL PROTECTIVE EQUIPMENT



#### **RAIN WEAR**

**JACKET** 

# **LINED RAIN SUIT**

Code: RSRNBLINRF





**FABRIC** 

Outer: Oxford nylon.

Inner: Rubber coating.

Flannel lined for warmth and comfort.

**POCKETS** 

**CLOSURES** 

2 x front pockets with Monza flaps.

Front zip closure. Drawstring closure on hem and hood.

**REFLECTIVE** TAPE

**FEATURES** 

Reflective tape on arms, chest and back for increased visibility in misty conditions.

Fold-away hood. Taped seams for H20 defence. Ragan sleeves for improved movement when working. Wind resistant.

100% H20 proof.

#### **TROUSER**

**FABRIC** 

Outer: Oxford nylon. Inner: Rubber coating.

Elasticated waist.

**CLOSURES REFLECTIVE** 

TAPE **FEATURES** 

Reflective tape on legs for increased visibility in misty conditions.

Ankle poppers for size adjustment. Taped seams for H20 defence. Wind resistant.100% H20 proof.

COLOURS

Navy.

SIZES

Small - 5XL.

#### **UNLINED RAINCOAT**

Code: RRC50





**FABRIC** 

Outer: Oxford nylon. Inner: Rubber coating.

**POCKETS** 

2 x front pockets with flaps.

**CLOSURES** 

Concealed frontal zip with press stud flap closure. Drawstring closure on hood.

**FEATURES** 

Taped seams for H20 defence. Wrist poppers for size adjustment.

Ragan sleeves for improved movement when working. Vented back flap for air circulation. Wind resistant. 100% H20 proof.

**COLOURS** 

**SIZES** 

Navy, Yellow. Small - 5XL.

PIENAAR BROTHERS



#### **RAIN WEAR**

# **MAXDEN JACKET**

Code: RJ4





**FABRIC** 

200d x 200d woven polyester with a double PVC coating offering superior H20 defence.

**POCKETS** 

**CLOSURES** 

2 x front pockets with flaps.

Pull-over styled jacket with lace-up front. Drawstring closure on the hood. Velcro

closure on the pockets.

**FEATURES** 

Stitched & welded seams for superior H20 defence. Storm cuffs to defend against H20 penetration. Ragan sleeves for improved movement when working. Wind resistant. 100% H20 proof.

**COLOURS** 

SIZE

Green, Orange.

Small - 5XL.

# **MAXDEN TROUSERS**

Code: RT4E



#### **MAXDEN BIB BRACE TROUSERS**

Code: RT4





**FABRIC** 

200d x 200d woven polyester with a double PVC coating offering superior H20 defence.

**CLOSURES** 

Elasticated waist with drawstring

**FEATURES** 

Stitched & welded seams for superior H20 defence. Wind resistant. 100% H20 proof.

**COLOURS** 

Green.

SIZE

Small - 5XL.

**FABRIC** 

200d x 200d woven polyester with a double PVC coating offering superior H20 defence.

**CLOSURES** 

Criss-cross straps for a secure fit whilst working. Adjustable straps for a customised fit.

**FEATURES** 

Stitched & welded seams for superior H20 defence. Wind resistant. 100% H20 proof.

**COLOURS** 

Green, Orange.

# PIENAAR BROTHERS PERSONAL PROTECTIVE EQUIPMENT



# **CHEST WADER**

Code: WC



#### **CHEST WADER**

**FABRIC** 

70d Nylon with PVC backing.

**CLOSURES** 

Adjustable quick-release buckles on each shoulder for ease of donning

and doffing.

**FEATURES** 

Stitched on the front rise for durability. Back strap for a secure fit. PVC boot

with steel toe cap.

**COLOURS** 

SIZE

Green. 6 -12.

# FREEZER WEAR

# **QUILTED FREEZER JACKET WITH FLANNEL STRIPE**

Code: F100NBH





FABRIC

Outer: 100% Polyester.

Inner: Soft cotton with heavy quilting to insulate and retain heat.

**POCKETS** 

2 x front pockets with flap. 1 x chest pocket with flap.

**CLOSURES** 

Frontal zip closure with drawstring toggles at the bottom and cotton flap at the top. Metal press stud buttons on front and chest pockets. Drawstring closure on hood. Ribbed knit cuffs.

**FEATURES** 

Lose hood. Ragan sleeves for improved movement. Wind resistant.

H20 resistant.

COLOURS

SIZE

Navy.

Small - 5XL.

#### **PATRIOT FREEZER JACKET**

Code: F100SNBT





**FABRIC** 

**POCKETS** 

**CLOSURES** 

**FEATURES** 

**COLOURS** 

SIZE

100% Polyester with 160gsm padding to insulate and retain heat.

2 x Monza flap front pockets.

1 x Monza flap chest pocket.

Heavy duty frontal zip closure.

Lose hood. Elasticated cuffs. Ragan sleeves for improved movement when working. Wind resistant. H20 resistant.

Navy.

Small - 5XL.

# PENAAR BROTHERS PERSONAL PROTECTIVE EQUIPMENT



FREEZER WEAR

#### **FREEZER SUIT**

Code: F200H



FABRIC 100% Polyester with 250gsm, extra heavy-duty padding to insulate and retain heat.

POCKETS 2 x side pockets.

CLOSURES

Heavy-duty frontal zip closure.

Elasticated back for improved fit.

FEATURES

Lose hood. Ragan sleeves for improvement movement. Elasticated cuffs to defend against cold.

Wind resistant. H20 resistant.

COLOURS Navy.

SIZE Small - 5XL.

Non Reflective Code: **O105NBW**With Reflective Code: **O105NBWRT\*** 

### **FREEZER JACKET & TROUSERS**



JACKET
Non Reflective Code: F100NBHD
With Reflective Code: F100NBHDRT



TROUSER

Non Reflective Code: F100THD

With Reflective Code: F100TNBHDRT\*

# JACKET

FABRIC 100% Polyester with 250gsm, extra heavy-duty padding to insulate and retain heat.

POCKETS 2 x Monza flap front pockets.

CLOSURES Heavy-duty frontal zip closure.

Fold-away hood. Ragan sleeves for improved movement when working. Wind resistant. H20 resistant.

\*REFLECTIVE 50mm Lime / Silver / Lime on legs. TAPE

COLOURS Navy.

**FEATURES** 

**COLOURS** 

SIZE

SIZE Small - 5XL.

#### **TROUSER**

FABRIC

100% Polyester with 250gsm, extra heavy-duty padding to insulate and retain heat.

CLOSURES

Elasticated waist.

Wind resistant. H20 resistant.

\*REFLECTIVE TAPE

50mm Lime / Silver / Lime on legs.

Navy.

Small - 5XL.





# **MENS' THERMAL UNDERGARMENT**

FREEZER WEAR

**VEST** Code: **VESTT** 



#### **TROUSER** Code: **UPANTT**

	TROUSER Code. UPANT
FABRIC	65% Polyester / 35% Cotton.
CLOSURES	Stretch fabric enables snug fit with elasticated waist and stretch ankle areas. Flap closure around crotch area.
FEATURES	Ribbed knit construction for warmth and comfort. Moisture-wicking to keep the wearer dry and comfortable.
COLOURS	White, Black.
SIZE	Small - 3XL.

# **APRONS**

# **HEAVY DUTY PVC APRONS**



Heavy weight woven polyester base with PVC coating on both sides. **FABRIC WEIGHT** 600gsm. **CLOSURES** Strap fasetners. **FEATURES** Four plastic eyelets fitted with strap fasteners; two at the neck and one on either side of the waist. **COLOURS** White, Green, Blue, Red. SIZE One size fits all.

# PERSONAL PROTECTIVE FOULPMENT



# **CHROME LEATHER APRON**

Code: AL



**APRONS** 

**FABRIC** 

**CLOSURES** 

**COLOURS** 

SIZE

Chrome leather.

Adjustable neck loop for a customised fit. 1 x leather strap that secures around the back into an adjustable side buckle for a customised fit.

Off-white.

One size fits all (60cm x 90cm).

# **BUTCHERS STRIPE APRON**

Code: ADBS



**FABRIC** 

POCKETS

CLOSURES

COLOURS

SIZE

65/35 PolyCotton.

1 x large front pocket with centre divide.

Neck loop. 2 x 70cm fabric ties.

Navy with white stripes.

One size fits all (72cm x 86cm).

# **DENIM APRON**

Code: **AD9070** 



FABRIC

**POCKETS** 

**CLOSURES** 

**COLOURS** 

SIZE

100% Cotton, 8oz denim.

1 x large front pocket with centre divide.

Neck loop. 2 x 70cm fabric ties.

Navy

One size fits all (72cm x 86cm).





**ACCESSORIES** 

# **KNITTED BALACLAVA**

Code: FBA





**FEATURES COLOURS** 

SIZE

Full-face knitted balaclava.

Navy, Black.

One size fits all.

# **KNITTED BEANIE**

Code: CAPB





**FEATURES** 

**COLOURS** 

SIZE

Knitted beanie with fold-up hem.

Navy, Black.

One size fits all.

# **LADIES HOUSE COAT**

Code: OL325



**FABRICS** 

**POCKETS** 

**CLOSURES** 

**COLOURS** 

65/35 Polycotton, 160gsm.

2 x front pockets.

Button-up front closure.

Royal Blue, Navy, Emerald Green, White.

\*Other colours and styles avaialable upon request.

SIZE Small - 5XL. PIENAAR BROTHERS PERSONAL PROTECTIVE EQUIPMENT



**ACCESSORIES** 

# **BUTCHERS CAPE**

Code: CB



**FABRIC** 

Woven polyester with PVC coating, 300gsm.

**CLOSURES** 

3 x Press stud button closures.

**STYLE** 

Shoulder length. Pull-over with attached hood and press stud fastening down the front.

**COLOURS** 

SIZE

Yellow.

One size fits all.

#### **WELDERS YOKE**

Code: WY



**FABRIC** 

**CLOSURES** 

**FEATURES** 

**COLOURS** 

SIZE

Chrome leather.

3 x Press stud button closures.

Finished with a red trim to reinforce the edges & enhance durability.

Off-white.

Medium - 5XL.

# YELLOW OVERSHOE

Code: OSDPVC



**FABRIC** 

**CLOSURES** 

Washable and reusable.

**COLOURS** 

**FEATURES** 

SIZE

PVC coated nylon, 180gsm

Elasticated for secure fit.

Stitched & welded seams.

One size fits all.

#### **BOOT FUR LINER**

Code: BFL



**FABRIC** 

**FEATURES** 

100% Polyester.

Navy.

Overlocked for improved comfort. Extended length to allow for fold over at the top of the boot to prevent the liner sliding down during work.

**COLOURS** 

SIZE

Small, Medium, Large, XLarge.





# **NYLON REUSABLE SLEEVE PROTECTOR**

Code: SPN



**ACCESSORIES** 

**FABRIC** Nylon. **CLOSURES** Elasticated cuff and sleeve areas. **FEATURES** Washable and reusable. **COLOURS** White, Navy. SIZE 40cm.

# YELLOW REUSABLE SLEEVE PROTECTOR

Code: SPPVC



**FABRIC CLOSURES FEATURES** 

**COLOURS** SIZE

PVC coated nylon, 180gsm.

Elasticated cuff and sleeve areas.

Washable and reusable. Stitched & welded seams.

Yellow.

40cm.

# **CHROME LEATHER SLEEVE PROTECTOR**

Code: SVL



**FABRIC CLOSURES COLOURS** 

SIZE

Chrome Leather.

2 x Velcro straps for adjustable fit.

Off-white.

40cm.

# PIENAAR BROTHERS PERSONAL PROTECTIVE EQUIPMENT



# **LEATHER SPATS**



**ACCESSORIES** 



Code: SPAT (Standard)

Code: SPATL (Long)

**FABRIC** 

**CLOSURES** 

**COLOURS** 

SIZE

Chrome leather.

 $2\,x$  adjustable anchoring points on the leg, with 1 x adjustable anchoring point under foot to ensure a secure fit.

Off-white.

One size fits all.

**FABRIC** 

**CLOSURES** 

**COLOURS** 

SIZE

Chrome leather.

 $3\ x$  adjustable anchoring points on the leg, with  $1\ x$  adjustable anchoring point under foot to ensure a secure fit.

Off-white.

One size fits all.

DISPOSABLES

#### **DISPOSABLE DELI GLOVES**

Code: GPDISP



**FABRIC** 

**MICRONS** 

**PACKS** 

**COLOURS** 

SIZE

Latex-free, polyethylene.

8.

Sold in packs of 100.

Clear.

One size fits all (265mm x 290mm).

#### **DISPOSABLE MOP CAPS**

Code: CAPMD



**FABRIC** 

GSM:

**FEATURES** 

**PACKS** 

SIZE

**COLOURS** 

Sold in packs of 100.

Blue, Green, Yellow, Red, White, Black, Pink.

Elasticated. Lightweight. Soft.

Non-woven, spunbond polypropylene.

24".





# **NON-WOVEN OVERSHOE**

Code: OSDB



**DISPOSABLES** 

**FABRIC** Non-woven, polypropylene, 30gsm. **CLOSURES** Elasticated for secure fit. **FEATURES** Double stitched seams. **PACKS** Sold in packs of 100 units. COLOURS Light Blue.

One size fits all (16cm x 46cm).

# **DISPOSABLE PLASTIC OVERSHOE**

Code: OSDPB



**FABRIC CLOSURES FEATURES PACKS COLOURS** 

SIZE

SIZE

Polyethylene, 15 microns. Elasticated for secure fit. Double stitched seams. Sold in packs of 100 units.

One size fits all (14cm x 40cm).

# WHITE DISPOSABLE SLEEVE PROTECTOR

Code: SPP



**FABRIC CLOSURES PACKS** 

**COLOURS** SIZE

Polyethylene, 15 microns.

Elasticated cuff and sleeve areas.

Sold in packs of 100 units.

One size fits all (40cm).

# PIENAAR BROTHERS PERSONAL PROTECTIVE EQUIPMENT



# **DISPOSABLE APRON**

Code: APD



DISPOSABLES

**FABRIC** 

Recycled polyethylene.

**MICRONS** 

20.

**CLOSURES** 

Looped neck. 2 x side arms that are tied at the back.

Sold in packs of 100 units.

PACKS:

White.

**COLOURS** 

\*other colours available upon request.

SIZE

One size fits all (1100mm x 650mm).

# **DISPOSABLE SMOCK**

Code: SPDL



FABRIC

Recycled linear low-density polyethylene for improved tear and puncture resistance.

**MICRONS** 

**CLOSURES** 

Elasticated for secure fit.

PACKS

Sold in packs of 100 units.

COLOURS

White.

SIZE

1500mm x 710mm (extended length for better defence against liquids entering boots).

#### **DISPOSABLE LAB COATS**

Code: CVDW



**FABRIC** 

Non-woven, spunbond polypropylene,

40gsm

**CLOSURES** 

Elasticated cuffs. 5 x Velcro fasteners.

**FEATURES** 

Collar.

COLOURS

White.

SIZE

One size fits all (1040mm x 1570mm).





# **REFLECTIVE BIBS**

**REFLECTIVES** 





**FABRIC CLOSURES** REFLECTIVE TAPE **COLOURS** SIZE

100% solid polyester, 125gsm. 2 x side ties.

25mm reflective tape on front and back.

Lime, Orange.

One size fits all.

# **REFLECTIVE JACKET**



Code: BHV2L



Code: BHV2O





Code: BHV2LO

**FABRIC** 

**CLOSURES** 

**FEATURES** REFLECTIVE

TAPE COLOURS

SIZE

Fluorescent polyester knit with grade 4 colour fastness, 120gsm.

Frontal zip closure.

PVC name badge holder on left chest.

50mm reflective tape on chest and shoulder areas - EN 20471.

Lime, Orange, Lime/Orange.

Small - 5XL.

### PIENAAR BROTHERS PERSONAL PROTECTIVE EQUIPMENT



**REFLECTIVES** 

# **REFLECTIVE JACKET - MESH**

Code Lime: **BAW4AL**Code Orange: **BAW4AO** 





**FABRIC** 

**CLOSURES** 

**FEATURES** 

**REFLECTIVE** 

**COLOURS** 

TAPE

SIZE

Airtek polyester mesh, 140gsm.
Frontal zip closure.

PVC name badge holder on left chest.

50mm reflective strips on chest and shoulder areas – EN 20471.

Lime, Orange.

Small - 5XL.

# TWO TONE METRO JACKET WITH ZIP-OFF SLEEVES

Code: BCJLS





**FABRIC** 

**CLOSURES** 

REFLECTIVE TAPE

COLOURS

SIZE

Combination of solid polyester & Airtek polyester mesh, 120gsm.

1 x frontal zip with press stud flap at the base. 2 x zip on / off sleeves. Elasticated cuffs. Elasticated waist.

50mm reflective tape on waist (front and back), side of torso (front and back) and arm sleeves. 25mm reflective tape on shoulders (front and back).
17mm reflective tape on collar.

Lime/Orange.

Small - 4XL.





# **BUNNY JACKETS**

**REFLECTIVES** 





Code: BJLT

Code: BJNT

**FABRIC** 

Outer: 300d Oxford nylon. Inner: Polar fleece + 160gsm polyester padding.

**POCKETS** 

2 x slanted front pockets. 1 x chest pocket. 1 x cell phone pocket.

**CLOSURES** 

Frontal zip closure. Velcro closure on chest and cell phone pocket. Zip on /

off sleeves.

**FEATURES** 

REFLECTIVE

TAPE COLOURS

SIZE

Wind resistant. H20 resistant. Removable sleeves.

50mm strips on wrist, arms, waist (front & back) and chest (front & back) - EN 20471.

Navy, Lime, Orange.

Small - 5XL.

# **2 TONE HIGH VIZ JACKET**

Code: BHV261





**FABRIC** 

**POCKETS** 

**CLOSURES** 

**FEATURES** 

REFLECTIVE TAPE

**COLOURS** 

SIZE

Outer: 300d polyester with PU coating. Inner: Polyester with 160gsm padding for body and 140gsm for sleeves.

2 x front pockets with flaps.

Concealed frontal zip closure with press stud storm flap. Press stud closure on pockets. Inside ribbed sleeve for improved H20 defence.

Fold-away hood. Taped seams for H20 defence. Wind resistant. H20 resistant

50mm strips on arms, waist (front & back), chest & shoulders - EN 20471.

Lime / Navy.

Small - 5XL.

# PERSONAL PROTECTIVE FOULDMENT



**COVERALLS** 

# **CAPSULE - WET**

Code: **ODISPWET** 





FABRIC

WEIGHT

CLOSURES

**FEATURE** 

COLOURS

SIZE

Coated spunbond polypropylene.

50gsm - 70gsm.

Zippered front with flap fastening.

Elasticated hood, ankles and waist with ribbed cuffs.

White.

Medium - 5XL

*Warning:* In case of high exposure to very fine particles or intensive liquid sprays of highly hazardous substances, a coverall of higher mechanical strength and resistance may be required.





# DuPont™ Tyvek® 500 Xpert CE certified Type 5B/6B chemical Protection Clothing

**FEATURES** 

Hooded coverall. Ergonomic-protective design. Stitched external seams. Elasticated wrists, ankles and face. Elasticated waist (glued-in). Tyvek® zipper and flap. Superior particulate and limited chemical splash protection.

**COLOUR** 

White.

SIZE

SM, MD, LG, XL, 2X, 3X, 4X, 5X, 6X, 7X

**STANDARDS** 

Certified according to Regulation (EU) 2016/425, Chemical protective clothing, Category III, Type 5-B and 6-B, EN 14126 (barrier to infective agents), EN 1073-2 (protection against radioactive contamination). Antistatic treatment (EN 1149-5) - on both sides. High liquid and particle protection. Exceptional comfort and design. Good breathability thanks to moisture and air permeability.

**TYPICAL APPLICATIONS**  Manufacturing, maintenance operations, spray painting, chemical industry, pharmaceutical industry.



Code: ODISP500



# DuPont™ Tyvek® 6000 F Plus CE certified Type 3B/4B/5B/6B chemical Protection Clothing

**FEATURES** 

Hooded chemical suit. Stitched and overtaped seams. Knitted inner cuffs. Thumb loops. Elastication at wrists, ankles, face and waist. Outer zipper flap with adhesive tape. Double cuffs, double zippers and double flaps.

**COLOUR** 

Grey.

SIZE

SM, MD, LG, XL, 2X, 3X, 4X, 5X

**STANDARDS** 

Certified according to Regulation (EU) 2016/425 Chemical protective clothing, Category III, Type 3-B, 4-B, 5-B and 6-B, EN 14126 (barrier to infective agents), EN 1073-2 (protection against radioactive contamination), Antistatic treatment (EN 1149-5) - on inside.

**TYPICAL APPLICATIONS**  Chemical spill clean-up, emergency response to petrochemical applications.



Code: CS6000F







**WE ARE ALL WORKERS®** 





#### TECH GEAR



Sizes S-3XL



Sizes S-3XL



Sizes S-3XL



**Sizes** 28-48



**Sizes** 28-48



**Sizes** 28-48





#### TECH GEAR



**Sizes** 28-48






LADIES TECH GEAR TROUSERS DESERT DUST V / GUN METAL / RAVEN BLACK / ACID FLAME TRREDD-LAD TRREGM-LAD TRREBK-LAD TRREAB-LAD

**Sizes** 26-46





Sizes S-3XL







WE ARE ALL WORKERS®





#### TITAN PREMIUM PC CONTI JACKET

CODE: J104

65/35 Polycotton, 240gsm.

Concealed YKK zip with top press stud closure. Press stud closure on

chest pocket.

2 x front pockets. 1 x right open chest pocket. 1 x left chest pocket

with flap & pen division.

Side vents for ease of movement. Triple stitched on high-stress

seams. Bar tacks of pockets, flap, side vents & zips.

Small - 5XL.

Royal Blue, Navy, Grey, Black, Emerald Green, Bottle Green, Fatigue Green, Khaki, Charcoal, Orange, Red, White.

2 Tone: Fatigue Green / Khaki, Navy / Grey





Manufactured in SA



#### TITAN PREMIUM PC CONTI TROUSERS

CODE: T102

65/35 Polycotton, 240gsm.

Concealed YKK zip with button closure. Half elasticated waist

band.

 $2\,x$  swing pockets.  $1\,x$  internal

safety pocket.  $1\,\mathrm{x}$  back pocket with flap.  $1\,x$  open back pocket. 1 x reinforced ruler pocket.

Bar tacks on pockets, flap and zip.

YKK zip. Triple stitched on in-leg & back rise. 7 Belt loops.

Royal Blue, Navy, Grey, Black,

Emerald Green, Bottle Green, Fatigue Green, Khaki, Charcoal,





























#### TITAN PREMIUM PC CONTI JACKET - REFLECTIVE TAPE

**CONTI SUITS** 

CODE: J102NBRT

65/35 Polycotton, 240gsm.

Concealed YKK zip with press stud closure. Press stud closure on

chest pocket.

**POCKETS:** 2 x front pockets. 1 x right open chest pocket. 1 x left chest pocket

with pen division.

**REFLECTIVE** 

50mm Lime / Silver / Lime on arms.

Side vents for ease of movement. YKK zip. Bar tacks on pockets, side vents, flap and zip. Triple stitched

on high-stress seams. Small - 5XL.

Royal Blue, Navy, Grey, Black, Emerald Green, Bottle Green, Fatigue Green, Khaki, Charcoal,

Orange, Red, White.







#### TITAN PREMIUM PC CONTI TROUSERS - REFLECTIVE TAPE

CODE: T102NBRT

65/35 Polycotton, 240gsm

Concealed YKK zip with button closure. Half elasticated waist

band.

**POCKETS:**  $2\,x$  swing pockets.  $1\,x$  internal

safety pocket. 1 x back pocket with flap. 1 x open back pocket. 1 x reinforced ruler pocket.

50mm Lime, Silver, Lime on legs.

Bar tacks on pockets, flap and zip. YKK zip. Triple stitched on in-leg & back rise. 7 Belt loops.

28 - 60.

Royal Blue, Navy, Grey, Black, Emerald Green, Bottle Green, Fatigue Green, Khaki, Charcoal, Orange, Red, White.































#### **TITAN PREMIUM 2-TONE REFLECTIVE JACKET**

CODE: J102NORT

**CONTI SUITS** 

65/35 Polycotton, 240gsm.

Concealed YKK zip with top press stud closure. Press stud closure

on chest pocket.

 $2\,x$  front pockets.  $1\,x$  right open chest pocket. 1 x left chest pocket

with pen division.

REFLECTIVE

50mm Silver reflective tape on

arms and waist.

Side vents for ease of movement. YKK zip. Bar tacks on pockets, side

vents, flap and zip. Triple stitched on all high-stress seams.

Small - 5XL.

Navy / Yellow, Navy / Orange,

Bottle Green / Lime.









#### **TITAN PREMIUM 2-TONE REFLECTIVE TROUSERS**

**CODE:** T102ONRT

65/35 Polycotton, 240gsm.

Concealed YKK zip with button closure. Half elasticated waist

band.

 $2\,x$  swing pockets.  $1\,x$  internal safety pocket. 1 x back pocket with flap. 1 x open back pocket.  $1\,x\,reinforced\,ruler\,pocket.$ 

REFLECTIVE TAPE:

50mm silver reflective tape on leg.

Bar tacks on pockets, flap and zip. YKK zip. Triple stitched on in-leg & back rise. 7 Belt loops.

28 - 60.

Navy / Yellow, Navy / Orange, Bottle Green / Lime.













#### TITAN PREMIUM DENIM CONTI JACKET

**CONTI SUITS** 

CODE: J104BD

FABRIC:

100% Cotton denim, 12oz.

CLOSURE!

Concealed YKK zip with top press stud closure. Press stud closure on

chest pocket.

POCKETS

 $2\,x$  front pockets.  $1\,x$  right open pocket.  $1\,x$  left chest pocket with pen division.

**FEATURES** 

Side vents for ease of movement. YKK zip. Bar tacks on pockets, side vents, flap and zip. Triple stitched on high-stress seams.

SIZE:

Small – 5XL.

COLOURS:

Dark Denim.







#### TITAN PREMIUM DENIM CONTI TROUSERS

CODE: T104BD

100% Cotton denim, 12oz.

**CLOSURE** 

Concealed YKK zip with button closure. Half elasticated waist

band.

POCKETS

2 x swing pockets. 1 x internal safety pocket. 1 x back pocket with flap. 1 x open back pocket. 1 x reinforced ruler pocket.

**FEATURES:** 

Bar tacks on pockets, flap and zip. YKK zip. Triple stitched on in-leg & back rise. 7 Belt loops.

SIZE:

28 - 60.

COLOURS

Dark Denim.











#### TITAN HACCP PRESS STUD JACKET

CODE: J104WH

65/35 Polycotton, 240gsm.

Full press stud front closure with chinese collar. Elasticated cuffs.

1 x internal chest pocket with flap.

HACCP.

Small - 4XL.

White, Royal Blue, Navy Blue.





#### **TITAN HACCP PYJAMA TROUSERS**

CODE: T104WH

65/35 Polycotton, 240gsm. Fully elasticated waist with

1 x internal pocket.

HACCP. 26-54.

White, Royal Blue, Navy Blue.



#### TITAN HACCP DUST COAT

**HACCP** 

POCKETS:

65/35 Polycotton, 240gsm.

Full press stud front closure.

1 x internal chest pocket with flap.

HACCP.

32-56.

White, Royal Blue.  $*Navy\ Blue\ available\ on\ request.$ 



Manufactured in SA





CODE: DC50RBH

PIENAAR BROTHERS





**MINING SHIRTS** 

# TITAN HI-VIZ VENTED SHAFT SHIRT

CODE: SMTT05

100% Cotton, 145gsm.

Button-up front. Button flap chest pockets. Button cuff closure.

2 x chest pockets.

50mm Silver reflective tape on

arms, waist & chest.

Back vent for breathability .

Small - 5XL.

Navy, Navy / Orange, Electric Blue/

Charcoal, Navy / Yellow, Red / Navy, Apple Green / Fatigue.

Ladies: Navy / Pink.













# HOMEGROWN MEN'S SHORT SLEEVE WORK SHIRT

**WORK SHIRTS** 

CODE: SMT13SS

100% Cotton, 145gsm.

Full button-up front.

Velcro closure on pocket flaps.

2 x chest pockets.

Generous cut. Short sleeve.

Stone, Navy, Charcoal, Fatigue

Green.

Small - 5XL.



Manufactured in SA









# HOMEGROWN LADIES SHORT SLEEVE WORK SHIRT

CODE: SLT11SS

100% Cotton, 145gsm.

Full button-up front. Button closure on chest pockets.

2 x chest pockets.

Feminine shape. Short sleeve.

Small - 5XL.

Stone, Navy, Charcoal, Fatigue

Green.



Manufactured in SA













# HOMEGROWN MEN'S LONG SLEEVE WORK SHIRT

**WORK SHIRTS** 

CODE: SMT14LS

100% Cotton, 145gsm.

Full button-up front. Velcro closure on pocket flaps.

2 x chest pockets.

Generous cut. Long sleeve.

Small - 5XL.

White, Stone, Navy, Charcoal,

Fatigue Green.



Manufactured in SA









# HOMEGROWN LADIES LONG SLEEVE WORK SHIRT

**CODE:** SLT12LS

100% Cotton, 145gsm.

Full button-up front. Button closure on chest pockets.

2 x chest pockets.

Feminine shape. Longer length. Double layered back yoke. Long

sleeve.

Small - 5XL.

Stone, Navy, Charcoal, Fatigue



Manufactured in SA













**WORK TROUSERS** 

#### **HOMEGROWN MEN'S CARGO TROUSERS**

CODE: TCT15M

**POCKETS:** 

65/35 Polycotton, 240gsm. YKK zip with button closure.

2 x side cargo pockets. 2 x side swing pockets. 2 x back pockets.

Riveted & bar tacked on stress points.

Khaki, Navy, Fatigue Green.

Manufactured in SA

28 - 48.







## TITAN RIPSTOP STRETCH TECH CARGO PANTS

**CODE:** T1705

97% Cotton, 3% Spandex, 260gsm.

YKK zip with button closure. Velcro closure on cargo & back pockets.

2 x swing pockets with 1 x inner pocket. 2 x back pockets with flap. 1 x cargo pocket with flap. 2 x multi-layered leg pockets with 2 x pen divisions.

Tool loop. Canvas heel tape for enhanced durability. Triple stitched on all seams for superior strength. Pleated knees for greater range of movement, making it easier to kneel, squat, or climb without restriction.

28-48

Bushveld Green/Fern, Black/Slate Grey, Khaki/Slate Grey













# **TITAN CARGO STRETCH SHORTS**

**WORK SHORTS** 

97% Cotton, 3% Spandex,

250gsm

YKK brass zip with button closure.

**POCKETS:** 

2 x cargo pockets. 2 x side swing pockets. 2 x back pockets.

Bar tacks on all pockets, pocket flaps and zip. Tripled stitched on

all high stress points.

28-48.

Fatigue Green, Khaki, Navy.





**CODE 8 INCH: SCT30M** 









**JACKETS** 

## **TITAN LUMBER JACKETS**

CODE: TT35

Outer: 65/35 Polycotton.

Inner: Thick polar fleece lining

for warmth.

YKK zip closure. Adjustable cuffs.

 $\label{eq:Zip} \mbox{Zip closure on chest pocket.}$ 

2 x side pockets. 1 x chest pocket.

Triple stitched seams. Bar tacks

on all stress points.

Small - 4XL.

Fatigue Green, Khaki.













WE ARE ALL WORKERS®





# **ENDURANCE D59 FLAME & ACID CONTI JACKET**

**CONTI SUITS** 

**CODE:** J102NBAFRT

FABRIC:

D59, 100% cotton, 320gsm.

**CLOSURES:** 

Concealed YKK frontal zip with press stud closure. Concealed press stud pocket. Elasticated

cuffs.

**POCKETS:** 

2 x front pockets. 1 x left chest

pocket.

REFLECTIVE TAPE:

50mm silver reflective tape on arms - flame retardant.

**FEATURES:** 

Bar tacks on pockets and zip. YKK Zip. Flame and acid resistant.

STANDARDS:

SABS 434 approved.

SIZE:

26 - 60.

COLOURS:

Navy.





# **ENDURANCE D59 FLAME & ACID TROUSERS**

CODE: T102NBAFRT

FABRIC: CLOSURES: D59, 100% cotton, 320gsm.

YKK zip with button closure. Half elasticated waistband.

POCKETS:

2 x side swing pockets.

1 x money pocket. 1 x back pocket.

 $1\,x\,reinforced\,ruler\,pocket.$ 

REFLECTIVE: TAPE:

 $50 mm \ silver \ reflective \ tape \ on \ legs$ 

- flame retardant.

**FEATURES:** 

Bar tacks on pockets and zip. YKK zip. Flame and acid resistant.

STANDARDS:

SABS 434 approved.

SIZE:

28 - 60.

COLOURS:

Navy.









## **BOILERSUITS**

## **JACKETS**

# ENDURANCE D59 FLAME & ACID BOILERSUIT

CODE: O101NBD59

FABRIC:

D59, 100% cotton, 320gsm.

**CLOSURES:** 

Concealed YKK frontal zip with press stud closure. Press stud closure on chest pockets. Elasticated cuffs.

POCKETS:

2 x chest pockets with flap.

2 x swing pockets. 1 x back pocket.

 $1\,x\,reinforced\,ruler\,pocket.$ 

REFLECTIVE TAPE:

50mm silver reflective tape on arms & legs - flame retardant.

FEATURES:

Bar tacks on pockets and zips. Triple stitched. YKK zip. Flame and

acid resistant.

STANDARDS:

SABS 434 approved.

SIZE:

COLOURS: Navy.

32 - 64.





# ENDURANCE D59 FLAME & ACID THERMAL JACKET

**CODE: JD59FAW** 

FABRIC:

D59, 100% cotton, 320gsm.

**CLOSURES:** 

Concealed YKK frontal zip with press stud closure. Press stud closure on all pockets. Fasterners on sleeves.

POCKETS:

2 x front pockets with flaps. 2 x chest pockets with flaps.

REFLECTIVE

. . . .

TAPE:

50mm silver reflective tape on arms - fame retardant.

FEATURES:

Bar tacks on all pockets, flaps and zip. YKK chunky zip. Flame & acid resistant.

STANDARDS:

SABS 434 approved. Sasol spec.

SIZE: COLOURS:

S - 5XL. Navy.











**WE ARE ALL WORKERS**®





# **DUST COATS**

CODE: DC3390

FABRIC:

80/20 Polycotton, 200gsm.

CLOSURES:

Button-up front.

**POCKETS:** 

2 x front pockets. 1 x left chest pocket with pen division.

FEATURES:

Lapel collar. Back air vent. Double-needled pockets. Bar tacked at stress points.

SIZE:

E: XS-5XL.

COLOURS:

White, Red, Emerald Green, Grey, Khaki, Royal Blue, Navy. DUST COATS













**SHIRTS** 

# TWO TONE RACING SHIRTS

**CODE:** SM5041

FABRIC: CLOSURES: POCKETS:

50/50 Polycotton, 145gsm.

Button-up front placket closure.

1 x left chest pocket with pen

**FEATURES:** 

Panel cut sleeve with reflective piping. Chest and mid-back reflective piping. Regular fit.

SIZE: Small – 5XL.

COLOURS:

Black / Royal Blue, Navy / High-Viz Orange, Navy / High-Viz Lime, Black / Red, Black / Grey





**GOLFERS** 





**SHIRTS** 

# **DELTA TWO TONE BUSH SHIRT**

**CODE:** SM4611

FABRIC: 100% Cotton fine twill, 140gsm.

**CLOSURES:** Button-up front. Velcro pocket

closure.

**POCKETS:** 2 x chest pockets with pen

division.

**FEATURES:** Contrast soft fused collar. Contrast front & back yolks.

Mock cuffs. Rounded shirt tail. Double needle topstitched throughout. Relaxed fit.

SIZE:

Stone / Olive, Stone / Airforce **COLOURS:** 

Blue, Khaki / Olive.



## **HI-VIZ TWO TONE GOLFER**

CODE: TSGONRT (Orange / Navy) | TSGLNRT (Lime / Navy)

FABRIC:

100% Softex polyester, 140gsm.

**CLOSURES:** 

3-Button placket.

REFLECTIVE TAPE:

50mm silver reflective tape over shoulders, chest and waist.

**FEATURES:** 

Ribbed contrast collar. Breathable & quick-dry technology.

SIZE: Small - 5XL.

**COLOURS:** 

Orange / Navy, Lime / Navy.







**DENIMS** 

# **LADIES DENIM WORK JEANS**

CODE: T5007BD

FABRIC:

Cotton / polyester / viscose stretch denim, 9oz.

CLOSURES: POCKETS:

Brass zipper with button.

2 x front pockets. 1 x money pocket. 2 x back pockets.

FEATURES:

Relaxed fit. Stonewashed. Brass rivets. Bar tacks on all stress points. Double needle front rise,

seat & in-leg

SIZE: COLOURS: 28 - 58. Blue.



FABRIC:

**CLOSURES:** 

POCKETS:

**FEATURES:** 

100% Cotton denim, 12oz.

Brass zipper with button.

2 x front pockets. 1 x money pocket. 2 x back pockets.

Relaxed fit. Stonewashed. Brass rivets. Bar tacks on all stress points. Double needle front rise,

seat & in-leg.

Blue.

COLOURS:

MEN'S DENIM WORK JEANS

CODE: T9007BD

SIZE:

26 - 60



CODE: S9008BD

SIZE:

26 - 56







**CODE:** JSSMEJ



JACKETS

## MEN'S ETOSHA SOFTSHELL JACKET

# LADIES TULI SOFTSHELL JACKET

**CODE:** JSSLTJ





FABRIC:

**CLOSURES:** 

POCKETS:

**FEATURES:** 

**COLOURS:** 

SIZE:

92% Polyester, 8% Spandex, 310gsm. Front zip closure. Adjustable cuffs. 2 x side pockets with fleece lining.

Regular fit. Premium 3-layer softshell technology: windproof, H20 proof and breathable; with 4-way stretch.

Small – 5XL. Navy, Olive, Black.









# HI VIZ TWO TONE UTILITY SOFTSHELL JACKET

CODE: JSSJLN



FABRIC: 92% Polyester, 8% Spandex, 310gsm. **POCKETS:** 

1 x utility chest pocket. 2 x fleece lined side pockets.  $1\,\mathrm{x}$  inner storage pocket.

**CLOSURES:** Frontal zip closure. Zip closure on utility pocket. Adjustable Velcro tab cuffs for customised fit.

> 50mm silver reflective tape on arms, waist (front & back) and shoulders (front & back) - EN 20471 Class 2, fluorescent material and tape retroreflectivity.

**FEATURES:** Regular fit. Premium 3-layer softshell technology: windproof, H20 proof and breathable; with 4-way stretch.

Small - 5XL. SIZE: **COLOURS:** Lime / Navy.

REFLECTIVE

TAPE:

PIENAAR BROTHERS









**T-SHIRTS** 

# **CREW NECK T-SHIRTS**

Adult Unisex Lightweight, 140gsm | Code: TS Adult Unisex Heavyweight, 180gsm | Code: TSH



**MATERIAL** 

**FEATURES** 

**COLOURS** 

SIZE

100% Carded cotton, 140gsm or 180gsm.

Crew neck style. Neck ribbing, tubular knit. Double stictching on sleeves & hem.

\*Unisex styles are based on men's sizes.

Black, Navy, Royal Blue, Grey, Emerald Green, Bottle Green, Yellow, Orange, Red, White.

\*Other colours and styles avaialable upon request

Small - 3XL.



**GOLFERS** 

# **ADULT UNISEX GOLFER**

Code: TSG



**MATERIAL** 

**FEATURES** 

**COLOURS** 

SIZE

100% Cotton, pique knit, 190 gsm.

Double-stitching on sleeves & hem. Rib-knit Collar. 2-button placket. Supplied with a loose pocket. Unisex styles are based on men's sizes.

\*Unisex styles are based on men's sizes.

Black, Navy, Royal Blue, Grey, Stone, Bottle Green, Yellow, Orange, Red, White.

\*Other colours and styles avaialable upon request

Small - 3XL.











PIENAAR BROTHERS





# **GOLFERS**

# **PIQUE KNIT GOLFER**

MENS Code: TSGT



**MATERIAL** Polycotton - 175gsm.

**FEATURES** 

**COLOURS** 

SIZE

Two ridge collar. Double-needle finish on sleeves & hem. 3-button placket. Supplied with a loose pocket.

Black, Navy, Royal Blue, Ice Melange, Emerald Green, Yellow, Orange, Red,

\*Other colours and styles avaialable upon request

Small - 5XL.

WOMEN'S Code: TSGTC



**MATERIAL** 

**FEATURES** 

Two ridge collar. Double-needle finish on sleeves & hem. 3-button placket. Supplied with a loose pocket.

PolyCotton - 175gsm.

**COLOURS** 

SIZE

Black, Navy, Royal Blue, Ice Melange, Emerald Green, Yellow, Orange, Red,

\*Other colours and styles avaialable upon request

Small - 5XL.









# HEADWEAR

# **CRICKET HAT**

Code: CAPC



**FEATURES** 

100% Cotton heavy brushed. Metal eyelets. Cord with slide toggle.

**COLOURS** 

Navy, Royal Blue, Red, Khaki, Orange, Emerald, Yellow. \*Other colours and styles avaialable upon request

BRANDING AREA

SIZE

80mm x 60mm.

S / M - 57cm. L/XL-60cm.





# **5-PANEL PEAK CAPS**

Code: CAPPK



**FEATURES** 

65/35 Polycotton.

5-Panels. Embroidered eyelets. Pre-curved peak. Self-covered velcro strap. 2-Row stitched sweat band.

**COLOURS** 

**BRANDING** 

AREA SIZE

Black, Navy, Royal Blue, Red, Yellow, White, Bottle Green, Emerald Green, Grey, Khaki.

\*Other colours and styles avaialable upon request

100mm x 50mm.

One size fits all.





# HI VIZ HEADWEAR

# **HIGH VIZ CRICKET HAT**

Code: CAPCKL



**FEATURES** 

High viz lime with reflective trim around the brim of the hat for superior visibility in low light conditions. Mesh material inserts on the side of the hat for air circulation. Adjustable toggles on crown of the head and under the chin for a secure fit.

**COLOURS** 

Hi viz Lime.

SIZE

Medium, Large, Xlarge.

RATING

EN 20471.

# **HIGH VIZ PEAK CAPS**

Code: CAPPKR



**FEATURES** 

5-Panels. High viz material with reflective trim around the peak and side of cap as well as reflective circular stitches in the panels for superior visibility in low light conditions.

Adjustable velcro strap at the back of the cap for a secure fit.

COLOURS

Hi viz Lime & Orange.

SIZE

One size fits all.

RATING

EN 20471.

# **HIGH VIZ SUN VISOR**



**FEATURES** 

High viz material for improved visibility in low light conditions. Sleeve pockets under the brim to secure the front and back to the hard hat. Includes a fabric neck shade to protect the neck area against the sun.

COLOURS

Hi viz Lime.

SIZE

One size fits all.

**RATING** 

EN 20471.





# PERSONAL PROTECTIVE FOULPMENT



# **GOVERNMENT REGULATION 3**

Code: FA47M

**Product name:** METAL CASE





Code: FA47

**Product name:** PLASTIC BOX\*





\*Box style may vary.

## Code: FA43R

Product name:
FIRST AID REFILL KIT



#### **Contents:**

- 2 x CPR Mouth Pieces / Reusable Aids
- 1 x Microporous Paper Tape 25mm x 3m
- 4 x Non-Woven Triangular Bandages 90mm x 90mm x 124mm
- 2 x Large Examination Gloves
- 2 x Medium Examination Gloves
- 10 x Safety Pins
- 1 x First Aid Scissors
- 1 x Tweezer
- 1 x Cotton Wool 100g

- 10 x Plaster Strips
- 1 x Antiseptic Solution 100ml
- 2 x Wooden Splints
- 4 x Conforming Bandages 75mm x 4,5m
- 4 x Conforming Bandages 100mm x 4,5m
- 1 x Elastic Adhesive Bandage 25mm x 3m
- 2 x Sterile Gauze Swabs 100mm x 100mm (5/pack)
- 1 x Non-Sterile Gauze Swabs 50mm x 50mm (100/pack)
- 4 x First Aid Dressing No.3
- 4 x First Aid Dressing No.5
- 1 x Burn Dressing 100mm x 100mm

# PIENAAR BROTHERS PERSONAL PROTECTIVE EQUIPMENT



# **PORTABLE KITS**

## Code: FAK1

**Product name:**MINI POUCH FIRST AID KIT

#### **Contents:**

- 1 x Scissors
- 1 x Tweezer
- 1 x Antiseptic Solution 50ml
- 1 x Pair Examination Gloves
- 1 x CPR Mouth Piece / Reusable Aid
- 10 x Cotton Buds
- 5 x Plaster Strips
- 1 x Pack Cotton Wool
- 1 x Stretch Bandage 50mm x 4,5m
- 1 x Conforming Bandage 75mm x 4.5m
- 1 x Gauze Strip



\*Pouch style may vary.

## Code: FAK2

# Product name: MOTORIST FIRST AID KIT

#### Contents:

- 1 x CPR Mouth Piece / Reusable Aid
- 1 x Disposable Triangular Bandage
- 1 x Medium Examination Gloves
- 12 x Safety Pins
- 1 x Scissors
- 1 x Tweezer
- 10 x Cotton Buds
- 1 x Cotton Roll 50g
- 10 x Plaster Strips
- 1 x Antiseptic Solution 50ml
- 2 x Wooden Splints
- 1 x Stretch Bandage 50mm x 4,5m
- 1 x Sterile Gauze Swabs 75mm x 75
- 4 x First Aid Dressing No.3
- 4 x First Aid Dressing No.5
- 1 x Microporous Paper Tape 25mm x 3m



\*Bag style may vary.









































































# PIENAAR BROTHERS PERSONAL PROTECTIVE EQUIPMENT

----- Since 1956 ---

# **Head Office | Cape Town**

22 Auckland Street, Paarden Eiland T: +27 (21) 511-8131 | E: info@pienaarbros.com

# Cape Winelands

Unit 2, Zandwyk Industrial Park Old Paarl T: +27 (21) 864-1437 E: capewinelands@pienaarbros.com

# Durban

14 Heron Park, 80 Corobrik Rd Riverhorse Valley T: +27 (31) 709-2620 E: dbn@pienaarbros.com

#### **East London**

T: +27 (82) 436 8987 E: el@pienaarbros.com

# George

97 Merriman Street T: +27 (44) 873-0039 E: george@pienaarbros.com

# **Gqeberha** (Port Elizabeth)

85 Haupt Road Sidwell T: +27 (41) 453-7194 E: pe@pienaarbros.com

# Kathu

26 Asbes Street T: +27 (53) 723-2196 E: kathu@pienaarbros.com

#### **Mossel Bay**

69 Voorbaai Crescent Die Voor Bay T: +27 (44) 695-0357 E: mb@pienaarbros.com

#### **Pietermaritzburg**

305 Greyling Street T: +27 (33) 811-0750 E: pmb@pienaarbros.com

# **Upington**

1 Toekoms Street T: +27 (54) 832-3010 E: upington@pienaarbros.com

# Worcester

11A Field Street T: +27 (23) 342-1102 E: worcester@pienaarbros.com

#### Saldanha Bay

Unit 3A, Trisano Centre T: +27 (22) 815-3090 E: sb@pienaarbros.com

**LEVEL 1 B-BBEE**CONTRIBUTOR

WE ARE ALL WORKERS®